

the projected traffic. (UP is using the same transportation planning method to plan new operations today.) For example, we did not assume any improvement in terminal performance, even though changes will be made to improve terminal operations at many locations.

2.3 Realization of Traffic Gains and Consolidation Benefits

The Operating Plan takes into account the phased realization of traffic gains due to diversions and new marketing opportunities estimated in the Traffic Study. The Plan assumes that 30% of these traffic gains to UP/SP would be realized by the first year of unified operation, 70% by the second year, 80% by the third year, 90% by the fourth year and 100% by the fifth year. Traffic losses due to the line sales and trackage rights associated with the UP/SP-BN/Santa Fe settlement agreement were assumed to begin in the first year of unified UP/SP operation.

The Operating Plan also considers the impact of phased gains in operating efficiency. Due to the time required to complete planned track and terminal upgrades, to construct needed connections and other improvements, and to negotiate labor agreements, operations will not be completely consolidated immediately upon approval. The Plan assumes that 40% of the capital expenditures would occur in the first year of unified operation, 30% in the second year, 20% in the third year, and 10% in the fourth year. In many instances, we identified a specific year in which efficiency improvements are expected to occur. We assumed that 30% of other recurring operating savings would be realized by the first year of unified operation, 70% by the second year, 80% by the third

year, 90% by the fourth year, and 100% by the fifth year. In computing savings and expenditures, revenues and costs were developed at 1994 levels.

The Operating Plan discusses transitional operations during the implementation period where those operations are significantly different from both current operations and merged operations projected after full integration of UP and SP. Otherwise, the Plan describes only operations expected after full implementation.

3.0 PATTERNS OF SERVICE

3.1 Principal UP and SP Routes

The principal rail lines and routes of UP and SP are shown on maps submitted as Exhibit 1 to the Application (designated as Appendix F and located in the pocket at the end of Volume 1) and on the density charts submitted as Exhibit 14, located at the end of this volume and in the back cover pocket.

3.2 Consolidation of Main Line Operations

The UP/SP merger offers major opportunities to improve service and efficiency through development of new service routes in some corridors and the "customizing" of UP and SP routes in other corridors. Operational changes in major corridors are described below, although other traffic will also benefit from improved routings.

Chicago-Los Angeles

The SP route, including trackage rights over BN/Santa Fe between Chicago and Hutchinson, Kansas, is approximately 60 miles shorter than the UP route via Ogden, Utah. The SP route also has slightly higher speed limits, but it has less capacity west of

Hutchinson due to infrequent sidings and the absence of Centralized Traffic Control. The merged UP/SP system will increase capacity on the SP lines between Topeka, Kansas, and El Paso, Texas, and between El Paso and Los Angeles, California. This will enable the new railroad to handle the traffic diverted to this route, as well as allow the rerouting of some UP intermodal and auto traffic from the UP route. Reduced traffic volumes on the UP route between Salt Lake City and Colton will allow improved service for the UP intermodal traffic remaining on that route.

SP Chicago-Southern California manifest traffic will be rerouted over the UP route to provide additional capacity on the SP route for intermodal traffic, as well as to take advantage of the significant blocking capabilities of the UP classification yard at North Platte, Nebraska. These relatively minor volumes will not, however, interfere with the ability to improve service for the intermodal and other trains remaining on the UP route.

Chicago-Oakland

The SP route via Kansas City and Pueblo is slow and circuitous in spite of the excellent SP route west of Ogden, Utah. While the SP trackage rights over BN/Santa Fe between Chicago and Hutchinson provide some improvement, this route is still not generally competitive for most service-sensitive traffic due to its circuity and relatively slow speeds. This situation is made worse by the fact that the SP route cannot handle high-cube doublestacks due to clearance restrictions between Ogden and Oakland. Because of this, some SP Chicago-Oakland traffic is routed via Los Angeles.

UP has a superior route between Chicago and Ogden by any measure: mileage, grades, curvature or capacity. While its route west of Ogden is in excellent physical condition and has grades not greater than one percent, it is approximately 180 miles longer than the SP route between Ogden and Oakland. With the parallel UP and SP routes providing significant operating flexibility, the merged system will use both routes, but will concentrate intermodal and other service-sensitive traffic on the shorter SP route. This will not only save approximately 180 miles compared to the UP route, but will also result in a savings of approximately 260 miles c SP traffic now routed via Pueblo and nearly 400 miles on SP traffic now routed via Los Angeles. To take maximum advantage of the service capabilities of the SP route, the merged system will increase the clearances on the SP line in California to allow operation of high-cube doublestack traffic.

Chicago-Salt Lake City

The UP/SP system will use the UP route between Chicago and the Salt Lake City/Ogden area. This route is approximately 170-190 miles shorter than the SP route, and is also significantly faster and more efficient. Heavy tonnage movements, such as the Geneva ore traffic for Provo, Utah, can be handled much more efficiently on this route, since it has a westbound ruling grade of 1.0 percent, versus grades of up to 2.4 percent on the current SP route between Pueblo and Provo.

Chicago-Kansas/Okiahoma

UP does not have a route between Chicago and Kansas City that allows it to compete for the most service-sensitive traffic. The CNW acquisition did not significantly change that situation, since the CNW line via Des Moines is no more direct than the UP line via St. Louis. SP trackage rights over the shorter, faster BN/Santa Fe routes between Chicago and Kansas City will improve efficiency and allow UP/SP to compete for additional traffic. As an example, Chicago traffic to and from the Wichita/Salina area will be efficiently handled by the UP/SP system via an SP-Herington-UP routing. This route, coupled with improved classification facilities at Herington, will reduce transit times to and from Chicago, allowing UP/SP to provide increased competition with BN/Santa Fe.

Although BN/Santa Fe will still have the best route, UP/SP will be able to compete for service-sensitive traffic, such as automotive traffic, moving between Oklahoma City and Chicago and beyond. Santa Fe and BN were the primary competing carriers in Oklahoma City prior to their merger, with UP only a minor factor. The new UP/SP routing to Oklahoma City via Kansas City, Herington and El Reno will increase competition for Oklahoma City traffic.

St. Louis/Kansas City-Los Angeles

SP operates over the UP line between St. Louis and Kansas City, so the route benefits of a UP/SP merger are related to operations west of Kansas City. Operations between St. Louis/Kansas City and Los Angeles will be concentrated on the SP route, which is approximately 160 miles shorter than UP's route. This will provide significant mileage-related benefits, as well as take some traffic off the UP line between Kansas City and North Platte, which is often congested due to heavy coal volumes out of the Powder River Basin.

All intermodal and automotive traffic, St. Louis manifest traffic and westbound Kansas City manifest traffic will use the SP route. Eastbound manifest traffic for Kansas City from Southern California, however, will be routed through North Platte to be integrated into run-through trains for connecting lines at Kansas City. These trains, including a new run-through train to BN/Santa Fe, will help reduce congestion in the busy Kansas City terminal area.

St Louis/Kansas City-Oakland

The SP route via Pueblo to Ogden is slow and inefficient due to the grades and curves encountered crossing the Rocky Mountains between Pueblo and Sait Lake City. As explained earlier, the UP route west of Ogden is circuitous. Again. a UP/SP merger creates the opportunity to integrate a superior UP route between Kansas City and Ogden with the shorter, faster SP route between Ogden and Oakland. This will reduce the current UP mileage by approximately 180 miles, while saving approximately 140 miles compared to the current SP route.

Memphis-Los Angeles

The UP/SP merger will provide a significant route and service improvement in this important corridor, which was stressed heavily as an improved route in the BN/Santa Fe merger application. SP has a relatively fast route in this corridor, but it is approximately 100 miles longer than the BN/Santa Fe route, which will see continuing service improvements as that merger is implemented. This will make it more difficult for the circuitous SP route to be a fully effective competitor. The UP route via St. Louis, Kansas City, North Platte and Ogden is approximately 350 miles longer than the SP route and 450 miles longer than the BN/Santa Fe route. For much of the traffic in this corridor, UP is not competitive.

A merged UP/SP will employ a combination of UP and SP routes to Dallas/Ft. Worth, UP from Ft. Worth to Sierra Blanca, Texas, approximately 90 miles east of El Paso,

and SP beyond. This route will be shorter than the current SP mileage by approximately 230 miles and shorter than the current UP mileage by approximately 580 miles, making the merged system fully competitive in this important corridor. To support development of this route, the merged system will provide additional capacity on the UP line between Big Sandy, Texas, and Ft. Worth. It will also undertake an extensive physical upgrade of the UP Ft. Worth-Sierra Blanca line to increase speed limits, as well as a major expansion of capacity on this line.

Memphis-Oakland

The UP and SP routes in this corridor are comparable in terms of mileage, but both are inferior to the BN/Santa Fe route, which enjoys a 280 to 310-mile advantage. A combined UP-SP route via Ft. Worth, West Colton, Fresno and the UP route into Oakland will save approximately 280 miles, which will make UP/SP a strong competitor with BN/Santa Fe in this corridor.

Dallas-Los Angeles/Oakland

From Dallas to the West Coast, SP's disadvantage versus a BN/Santa Fe system increases because the SP route first goes straight south towards San Antonio before turning west. SP's 100-mile disadvantage versus BN/Santa Fe in the Memphis-Los Angeles corridor grows to nearly 200 miles from Dallas. The UP route is approximately 750 miles longer than the SP route and is not a reasonable alternative.

UP/SP will use the UP route to Sierra Blanca and SP beyond. This route is approximately 100 miles shorter than the BN/Santa Fe route, 280 miles shorter than the current SP route and over 1000 miles shorter than the UP route. Between Dallas and Oakland, SP is approximately 350 miles longer than BN/Santa Fe, and the UP route is approximately 440 miles longer than the SP route. The UP-Sierra Blanca-SP route, combined with UP's route into the Bay Area from the SP San Joaquin Valley line, will cut more than 300 miles off the current SP route and make the merged system competitive with BN/Santa Fe.

Pacific Northwest-Texas

UP traffic between the Pacific Northwest/Intermountain Region and Texas is currently routed via Kansas City. The merged system will operate intermodal traffic between Seattle/Tacoma and Texas via a UP-Portland-SP route to take advantage of the faster service available by tying together improved services on the I-5 Corridor and the Sunset Route. Traffic moving to and from the North Texas area, including Dallas-Ft. Worth, will save approximately 280 miles compared to the current SP route by using the UP route between El Paso and Dallas.

Pacific Northwest-Texas manifest traffic and all Texas traffic from the Intermountain Region (Idaho, Montana, Utah, Nevada, plus most of Wyoming and Colorado) will move via Denver, Pueblo and the SP trackage rights over BN/Santa Fe between Pueblo and Ft. Worth. This will save approximately 240 miles compared to the current UP route via Kansas City.

Utah/Colorado-Kansas City Coal

Use of the UP route east of Ogden for most Central Corridor traffic will result in a significant reduction in through manifest/intermodal train operations over the SP lines between Ogden/Salt Lake City and Denver/Pueblo. This will allow UP/SP to abandon the Sage-Cañon City SP line, with its three-percent grade over Tennessee Pass, and portions of the UP east of Pueblo to Herington, Kansas. Coal trains to the Midwest from Utah and Western Colorado will be able to use the SP Moffatt line to Denver due to the reduced number of manifest and intermodal trains on that line.

East of Denver, coal trains destined for locations in or east of Northern Illinois will use UP to Cheyenne and points east. This routing will reduce the distance these trains travel. Trains for locations further south, such as in the St. Louis area, will utilize the UP "KP" line between Denver and Kansas City via Salina, Kansas. This route offers reduced grades compared to the current routing via Pueblo and Herington. To ensure an efficient, competitive route for this traffic, the merged UP/SP will upgrade the "KP" line to handle 286,000-lb. loadings and will add capacity to the line to handle the increased volumes. Current customers on the line, particularly Kansas and Eastern Colorado grain shippers, will also benefit from these improvements through more efficient train operations on the line.

Wyoming-Texas Coal

Although the UP route between the Powder River Basin and Texas via Kansas City is somewhat longer than the BN/Santa Fe route via Denver, the UP route is very efficient in terms of gradient and is a strong competitor to BN/Santa Fe. Rapid growth in coal shipments from the Basin through the Kansas City gateway, coupled with growth in other commodities moving through the gateway, has at times created serious congestion in Kansas City. This has caused significant delays for many UP customers, as well as for SP customers whose trains use UP lines east and west of Kansas City. Section 7.1.2 describes the improvements UP/SP will make to facilities in Kansas City and how they will enhance both efficiency and service to UP/SP customers.

In addition to changes in Kansas City, however, UP/SP will develop a new route for coal trains moving between the Powder River Basin and Texas using segments of UP and SP trackage. This route combines the highly efficient UP route between the Basin and Topeka, Kansas; the SP line between there and Herington, Kansas; and the UP "OKT" route from Herington to Ft. Worth. This new route will save approximately 60 miles versus the current route. More importantly, however, it will keep this traffic off of the high density UP/SP Topeka-Kansas City line and out of the Kansas City terminal area. This will provide significant service benefits not only. or this coal traffic, but for all UP/SP traffic flowing through the Kansas City gateway and for other rairoads in Kansas City.

Although the OKT has been significantly upgraded since UP acquired it and MKT in the late 1980's, it cannot handle substantial increases in heavy tonnage traffic. Therefore, UP/SP will ur.dertake a major program to upgrade the physical condition of the OKT, as well as to add substantial capacity to handle the increased volumes efficiently. Other traffic will benefit from this improved route. For example, the Oklahoma City traffic previously discussed will move faster and more efficiently over the improved route between Herington and El Reno, Oklahoma. Grain flows to Texas out of Salina, Wichita and Enid will also be able to take advantage of the physical improvements on the OKT. Grain traffic for the Gulf Coast from UP locations in Eastern Nebraska, such as Hastings, Superior, and Lincoln, as well as locations in Eastern Kansas, such as Topeka, will also be able to use

the new, improved route to the Gulf. As an added benefit, rerouting these flows will further reduce the amount of traffic through Kansas City.

Chicago-St. Louis/Southern Illinois

Between Chicago and Southern Illinois, both UP and SP routes will be utilized, although most through traffic will be shifted from the SP route through St. Louis to the UP route to take advantage of the blocking performed at the UP Yard Center facility in Dolton, Illinois, and the shorter UP route to Southwest locations via Salem, Illinois. This will also reduce the amount of traffic through the St. Louis gateway.

The former CNW Chicago-St.Louis route via Nelson, Illinois, and the SP line will be integrated to improve operating efficiency, while allowing abandonment of light density portions of the CNW line. This will maintain the strategically important UP route between Eastern Iowa/Western Illinois and the St. Louis gateway. To accomplish this integration, UP/SP will acquire trackage rights over approximately 14 miles of C&IM trackage between Barr and Springfield, Illinois. From Springfield to East St. Louis, traffic will move over the SP line.

Considerable volumes of SP north-south traffic to and from Conrail and CSX will be shifted from the St. Louis gateway to the Salem, Illinois, gateway. This traffic will be handled in run-through service with those carriers, much as UP traffic is currently handled. Mileage on this traffic will be reduced, as will classification work at the A&S yard in East St. Louis, thereby allowing A&S to take on additional classification work for the St. Louis area.

Chicago/St. Louis/Memphis-Texas/Mexico

Between Southern Illinois and many locations in Arkansas and Texas, UP and SP lines parallel each other. In some areas, the railroads are 40 or more miles apart, while in other areas they share trackage. Both railroads handle substantial volumes of traffic, and, in most cases, neither railroad has the ability to efficiently handle the combined traffic of both carriers.

Some SP lines in the corridor have available capacity, since they handled large volumes of transcontinental traffic prior to SP's acquisition and upgrading of the "Tucumcari" line between Kansas City and Tucumcari, New Mexico, in 1980. Others, however, were not affected by the Tucumcari acquisition and may in the future require capacity improvements. Growing traffic volumes on virtually all UP lines in this corridor increasingly cause congestion problems. Some capacity-related projects have been completed in recent years, and many others are on the drawing board.

UP/SP will maximize utilization of the parallel lines by employing primarily directional running over the two routes. In general, southbound flows will be handled over SP lines and northbound flows over the UP lines (Figure 13-1). To accomplish this, terminal and crew operations must be changed to handle the directional flows efficiently.

South of Dexter, Missouri, where the UP/SP joint line from St. Louis splits, southbound traffic from the Chicago, Salem and St. Louis gateways will operate over the SP line, with traffic from the Memphis gateway joining this flow at Brinkley or Fair Oaks, Arkansas. Manifest traffic requiring blocking will be classified at Pine Bluff. Houston area traffic will use the SP route via Shreveport to Houston, while Dallas/Ft. Worth traffic will use the SP route to Big Sandy, Texas, where it will follow the LP line to Dallas used by SP today. San Antonio and Laredo/Eagle Pass gateway traffic will use the SP route via Texamana, Corsicana, Hearne, and Flatonia, Texas. Northbound traffic from all these Texas locations will use UP lines and will be classified at North Little Rock for further movement to the Chicago, Salem, St. Louis and Memphis gateways.

These primarily directional flows will significantly improve service by reducing the number of train meets on these primarily single-track segments of railroad. They will also substantially eliminate the need for planned capacity expenditures in the area. The operational flexibility provided by using two routes, plus the ability of crews to operate over either of the routes, will allow substantial service and cost benefits, especially during periods when heavy maintenance work or other conditions close one of the lines.

Dallas/Ft. Worth-South Texas

This corridor also represents an area where "customizing" the use of UP and SP lines will result in significant benefits. UP traffic, in particular, has grown in this area, resulting in congestion and an excessive number of crews being unable to make their runs within Hours of Service limitations.

While UP/SP trains normally will utilize the UP route between Hearne and Houston in both directions, north of Hearne a directional operation will be implemented. Most southbound trains, which include the heavy unit coal and grain trains, will operate via the UP line, while most northbound trains will operate to Ft. Worth via either the SP line through Corsicana and Waxahachie, or via the SP to Dallas and the UP line between Dallas and Ft. Worth. This arrangement, necessary because of grades and bridge limitations, will create a minor conflict on flows between Hearne and Corsicana. As noted previously, UP/SP southbound trains from Pine Bluff to South Texas will operate over the SP line to Hearne, including the portion of the Hearne-Ft. Worth line between Hearne and Corsicana. Dallas-South Texas trains will also operate southbound over the line. The SP line between Hearne and Corsicana, however, has significant capacity available, since it handled major volumes of Northeast-West Coast transcontinental traffic prior to SP's acquisition of the Tucumcari Line. Additional capacity on the line will also result from the rerouting of Memphis/Pine Bluff-West Coast traffic to the UP line between Big Sandy and El Paso.

This directional operation will significantly reduce the number of meets between trains, with resulting improvements in service and efficiency. It will also allow deferral of several capacity-related projects.

Between Ft. Worth and the San Antonio area, most manifest traffic will use the current UP route via Waco and Taylor to take advantage of its reduced mileage. Most bulk traffic, however, will move via Hearne to take advantage of the better grades on the SP line south of Hearne and to gain the transit time advantages associated with directional running. Southbound bulk trains, including unit coal trains for the Lower Colorado River Authority (LCRA) at Halsted, Texas, and City Public Service (CPS) at Elmendorf, Texas, will operate via the UP line between Ft. Worth and Hearne, as previously described for the Ft. Worth-Houston operation. South of Hearne, southbound trains will operate to San Antonio via the SP line, with northbound trains primarily operating via the UP line.

San Antonio-Houston

UP and SP have generally parallel routes between San Antonio and Houston, with the UP route being longer and slower. (Figure 13-2.) The major flows in this corridor are bulk commodities, particularly aggregates, and manifest/intermodal traffic moving to or from the West Coast and Mexican gateways at Laredo or Eagle Pass. To improve operations in the corridor, UP/SP will operate much of the lower-speed bulk commodity traffic on the UP route, with the faster traffic operating on the SP route. This will increase the effective capacity on the SP line by reducing the number of situations where a fast train must pass a slower one due to the large disparity in train speeds, and will also improve the reliability of the bulk trains.

San Antonio/Houston-Corpus Christi/Brownsville

UP has direct routes to Corpus Christi and Brownsville from both San Antonio and Houston, while SP must move its traffic over circuitous routes via Flatonia, Texas, and then trackage rights over UP south of Victoria/Placedo, Texas. UP/SP will utilize UP routes in these corridors, which will reduce mileages for SP Houston traffic by about 60 miles and San Antonio traffic by about 120 miles, while also reducing train movements on the important SP Houston-San Antonio-Southern California mainline.

Houston-New Orleans

UP/SP will have two parallel routes between New Orleans and Houston. One, the current SP line, will include trackage rights over BN/Santa Fe between Avondale and Iowa Junction, Louisiana, which will be sold to the BN/Santa Fe. (Figure 13-3.) A major service benefit resulting from the merger will be the use by UP/SP of the new UP classification yard at Livonia, Louisiana, to make a significant number of blocks of manifest traffic to connecting carriers through the New Orleans gateway. In turn, these carriers will preblock additional traffic for UP/SP. This will result in most manifest traffic moving via Livonia, while most intermodal and preblocked westbound manifest traffic moves via the SP-BN/Santa Fe route west of Avondale.

Some traffic for Livonia will be able to move directly via UP routes from Houston or Beaumont. Other trains will operate to Livonia from Houston via the SP line to lowa Junction and then the UP line north to Kinder, Louisiana, and east to Livonia. This will maximize use of available capacity and allow work at intermediate locations, such as Beaumont and Lake Charles.

3.3 Through Train Service

3.3.1 Current Operations

This section describes changes in train service that would result from a UP/SP consolidation. Attachments 13-1 and 13-2 set forth UP and SP freight schedules as of mid-1995. As described earlier, current UP and SP schedules were modified in our planning model as necessary to take into account the expected impact of the UP/CNW and BN/Santa Fe consolidations, the conditions granted in settlement agreements between the applicants in the BN/Santa Fe case and SP and UP, and actual SP operating patterns.

3.3.2 Proposed Operations

UP/SP will add, improve and modify a significant number of train schedules to take advantage of the new route structure, upgraded routes, and traffic diverted from other railroads and other modes, less expected diversions to BN/Santa Fe. Some of these train changes represent new, single-line service made possible by the consolidation. Other changes result from rerouting traffic to shorter, more efficient routes, or to routes designed to maximize use of available capacity in congested corridors or to take advantage of the significant upgrades proposed for various UP/SP lines. Rerouting the base traffic volumes to more efficient routes resulting from the merger produces an estimated annual reduction of 298 million car miles. Still other changes in train schedules result from changes in the blocking plan designed to allow traffic to travel further, both on and off the UP/SP system, before requiring further classification.

The consolidations of mainline operations described in Section 3.2 and the changes in blocking to be discussed in Section 3.4 resulted in changes to virtually all UP and SP through train schedules. The UP/SP transportation plan includes literally hundreds of new and revised schedules with changes in timing, routing or blocks handled. Rather than provide a train-by-train listing of these changes and a detailed schedule for each train, which would require a separate volume, brief descriptions of the significant changes in major corridors are provided below. Additional details and discussion of the service changes are included in the joint verified statement of R. Bradley King and Michael D. Ongerth. The underlying train schedules are included in Applicants' document depository. In some instances, the service changes will benefit locations not specifically mentioned in the following discussions. For example, many of the service improvements discussed for corridors involving Southern California also apply to the Tucson-Phoenix area.

Northern California-Chicago

By combining the UP route east of Ogden with the SP route west of Ogden, UP/SP will be able to compete effectively in this corridor with the service leader, BN/Santa Fe. UP/SP will provide a comprehensive set of intermodal service offerings, with several major improvements for shippers. Table 13-1 indicates the planned intermodal schedules in the corridor. First, the combined UP-SP route will allow significant improvements in speed and reliability, since it combines the best parts of the current routes of both carriers. The resulting capabilities are indicated by the "CSOAZ" and "OACSZ" trains, which serve both the Bay Area at Oakland and, via good connections, the northern part of the San Joaquin Valley through the new UP ramp at Lathrop, California, just south of Stockton, and the SP ramp at Fresno. These schedules represent significant improvements over the best current UP and SP schedules, and are faster than BN/Santa Fe trains #199 and #991, currently the fastest trains in the corridor.

Second, doublestack traffic will be able to use the SP route over Donner Pass, because the merged company will increase clearances on the route so that it can accommodate stacked high-cube containers. All intermodal traffic will then be able to take advantage of the efficiency of the shorter SP route. This will also provide benefits to other customers, since moving some of this intermodal traffic off the UP route will allow it to handle lower speed manifest and bulk traffic, for which its lower grades offset its longer mileage. BN/Santa Fe traffic will enjoy these benefits on both routes.

Additional expenditures are planned on the portion of the route between Alazon and Weso, Nevada, where each carrier owns one track and the trains of both

carriers operate directionally westbound on the SP track and eastbound on the UP track. New crossovers and signaling will permit both tracks to be used bidirectionally ar, a true double track.

Carload shippers will benefit from new manifest service offerings. A key factor will be the rehabilitation and upgrading of the SP Roseville, California, hump yard. With traffic declines in recent years, Roseville's capabilities have been reduced as tracks have been taken out ci service. Strategically located, however, Roseville plays a key role in UP/SP plans. It provides the key to consolidating both north-south and east-west flows and using the greater volumes of the merged system to improve service and reduce costs.

In the east-west corridor, this will allow traffic from throughout California north of Bakersfield to be concentrated at Roseville for movement east. Roseville will run a train for direct delivery to the Clearing Yard of the Belt Railway of Chicago (BRC) at Chicago. This will primarily include traffic for BRC-served industries and for connecting railroads, especially for CSX and GTW/CN, which receive preblocked trains from the BRC.

Roseville will include traffic for delivery to Conrail in its North Platte block, where it will be switched into three blocks for direct delivery to Conrail points via Chicago. The additional volumes of Conrail traffic moving through North Platte as a result of the merger will allow the addition of a second daily train from North Platte to Conrail, with trains operating twelve hours apart, both carrying three blocks. This means that all UP/SP customers whose shipments flow through North Platte to or from Conrail will receive better service, since their shipments will not have to wait as long at North Platte for the next train. Similar improvements will occur westbound, with traffic flowing directly from the BRC and

from North Platte to Roseville, which will then act as the primary distribution center for traffic to locations throughout the Bay Area and up and down the San Joaquin Valley.

Northern California-Kansas City/St. Louis

Many of the benefits described for the Northern California-Chicago corridor are also applicable to this corridor. Shippers will receive the benefits of the shorter, more efficient route of the merged system. For intermodal customers, this will mean faster service and a greater selection of terminals in the Northern California area. Table 13-2 indicates improvements in scheduled running times of up to 12 hours compared to current UP intermodal schedules. Reliability will also be increased, as these trains will operate through terminals without additional switching, rather than having to make connections with other trains at intermediate terminals.

Manifest traffic will also receive better service. Although the A&S in East St. Louis makes a Roseville block today, this traffic moves via the slower, less efficient SP route. The UP /oute is faster, but UP does not have the extensive coverage of carload shippers in Northern California that SF enjoys. UP/SP will operate a daily train in each direction between Roseville and the A&S Gateway Yard, benefitting all shippers who route over this corridor.

Southern California-Chicago

UP and SP currently operate in the Southern California-Chicago corridor, but both have inferior train service compared with BN/Santa Fe, especially for the most service-sensitive traffic. The strong UP intermodal terminal infrastructure in Chicago, combined with the strong SP intermodal terminal infrastructure in Southern California,

especially the Intermodal Container Transfer Facility ("ICTF") north of the Ports of Los Angeles and Long Beach, will allow the combined company to offer more effective competition. Even with that combination, however, UP/SP would still be at a disadvantage due to its lack of an intermodal facility in the "Inland Empire," the eastern portion of the Los Angeles Basin, and severe capacity constraints on key track segments.

The SP route has been significantly improved by the trackage rights SP received for intermodal and automotive traffic over the former Santa Fe line between Chicago, Kansas City and Hutchinson, Kansas, as part of its settlement agreement with BN/Santa Fe. To be a more effective competitor with BN/Santa Fe, however, significant improvements will be required to the SP line west of Hutchinson to upgrade portions of the line and to increase capacity. For example, the Tucumcari Line between Hutchinson and El Paso still has the former Rock Island Automatic Block System (ABS) on the line so that train crews have to stop and throw the switches manually at the ends of most sidings.

UP/SP will upgrade the Tucumcari Line and add capacity, including installing Centralized Traffic Control (CTC) on the entire line. It will also increase capacity on the El Paso-Colton line by adding more than 100 miles of second main track. And it will construct a new Inland Empire intermodal terminal in Southern California.

UP/SP will increase the amount of Southern California-Chicago intermodal traffic on the SP route via Tucumcari and El Paso, but will continue to use the UP route to some degree because the volumes are too great for the SP route to handle. In general, higher priority westbound trains will use the Tucumcari route, while similar eastbound trains will use the UP route. This will reduce delays to high-priority trains, which will not

have to be delayed meeting trains of similar priority. To further improve the utilization of available capacity, Southern California-Chicago manifest traffic will flow via the UP, reducing the number of manifest trains on the Tucumcari Line, as well as allowing this traffic to benefit from the classification capabilities at North Platte.

With the proposed train services and the improvements to the SP line west of Hutchinson, UP/SP will be in a much better position to compete with BN/Santa Fe. Table 13-3 indicates the proposed intermodal schedules in the Southern California-Chicago corridor. A total of 93 trains per week is proposed, or an average of about six trains per day in each direction.

Scheduled running times have been improved and frequencies increased. Even for trains with little improvement in schedule time, the improved routes will result in better service by ensuring greater reliability. With congestion currently a problem on both the UP and the SP routes, today's scheduled times do not always reflect actual performance, and significant service improvements can be achieved even without changing the schedules.

The Table indicates faster schedules for trains CSLAT, 1G1LAX, 2G1LAX, INCST and LACST, with schedules in the 54-58.5 hour range. These trains will provide service competitive with BN/Santa Fe for all but the most expedited types of traffic. As UP/SP continues to improve its line over time, it may at some point be able to compete for even these types of traffic.

As mentioned previously, UP/SP Chicago-Southern California manifest traffic will move via the UP route. The BRC will make a West Colton block, which will bypass

classification at North Platte. That yard will also make both a West Colton and a City of Industry block. With significant industry switching performed out of City of Industry, and with "haulers" operating from West Colton to many of the other industry serving yards in the LA Basin, this will significantly speed service to industries throughout the Los Angeles Basin, as well as reduce the number of cars requiring further classification at West Colton. Eastbound, most traffic will flow through West Colton for movement to North Platte for further classification.

Southern California-St. Louis/Kansas City

The current SP route will be used for most traffic between Southern California and both St. Louis and Kansas City. As indicated in Table 13-4, daily intermodal service will be provided in both directions. Schedules have been shortened from current offerings to take into account the upgrading of, and the increased capacity on, the SP Tucumcari and El Paso-Colton lines. The westbound BSMFT will be one of the fastest trains on the railroad, operating from St. Louis to Inland Empire in slightly over 50 hours. Running times have also been shortened by reducing the amount of on-line work performed by the trains. For example, the LBSLT works only at Kansas City on its run between Southern California and St. Louis.

The UP/SP route from Southern California to both Kansas City and St. Louis is approximately 160 miles shorter than the current UP route via North Platte. For that reason, westbound manifest traffic will flow via the Tucumcari Line, even though this route will primarily carry expedited traffic. A daily train will operate between the A&S yard in East St. Louis and Southern California. Westbound, this train will set out a block at West Colton and terminate at City of Industry. As mentioned reviously, this will speed service to industrial customers and reduce the number of cars requiring classification at West Colton. Eastbound, the West Colton-A&S train will stop for work only at Tucson and Herington, Kansas.

From Kansas City, traffic will move to Herington where it, along with traffic that has bypassed Kansas City, will be classified for City of Industry and West Colton. It will then be added to the A&S-City of Industry train or operate as a separate train, depending on the total volumes of traffic to be moved. Eastbound, Southern California-Kansas City traffic will move from West Colton to North Platte. This will be done partially to reduce the classification load at Kansas City, but more to allow Kansas City connecting line traffic to be assembled into preblocked run-through trains to connecting carriers that avoid further classification at Kansas City. With the concentration of BN/Santa Fe traffic at Argontine Yard in Kansas City, North Platte will build either a solid train or a substantial block for direct delivery. This will speed service, eliminate one classification at Kansas City transfers operating in the congested Kansas City terminal.

Southern California-Memphis

The BN/Santa Fe merger created a strong, single-line route in this corridor that is shorter and faster than the SP route. As the newly-merged BN/Santa Fe upgrades and provides additional capacity on portions of its route via Avard, Ok/ahoma, the competitive position of the SP route will decline. UP/SP will strengthen competition in the corridor by creating a new, single-line route that is approximately 230 miles shorter than the current SP route and more than 120 miles shorter than the BN/Santa Fe route. By upgrading and providing additional capacity on the UP portion of the route between Big Sandy and Sierra Blanca, Texas, UP/SP will provide a strong competitive alternative to the BN/Santa Fe route. This is especially true when the improvements east of El Paso are combined with the additional capacity planned for the SP El Paso-Colton line and the planned intermodal terminal improvements in the Los Angeles Basin, including the new Inland Empire facility.

As indicated in Table 13-5, UP/SP will provide fully-competitive, fast and reliable intermodal schedules in this corridor. These schedules will be several hours faster than current SP schedules, which include SP's fastest train, the Memphis Blue Streak Merchandise. The significantly shorter route and additional capacity on the lines will also greatly increase the reliability of the service.

Service will be improved for manifest traffic, which will also take advantage of the significantly shorter UP/SP route. Traffic flowing through the Memphis gateway in run-through trains from NS, CSX and IC, along with local Memphis traffic, will be gathered at Pine Bluff and blocked for West Colton and City of Industry. Traffic will then move on a 70-hour schedule to Southern California with only two intermediate stops at Ft. Worth and Tucson to set out or pick up traffic. As indicated previously, assembling both City of Industry and West Colton blocks ensures the fastest movement to the major yards serving industries in Southern California. Eastbound, traffic will be gathered at West Colton for a 68-hour run to North Little Rock, where it will be placed in trains to Memphis for delivery to industries, or in pre-blocked trains to connecting lines for movement through the Memphis gateway.

Northern California-Memphis

UP currently serves this corridor via North Platte and St. Louis, while SP handles some traffic via the Southern Corridor and some via the Central Corridor. UP/SP will use the shorter and faster combined route via El Paso. UP/SP traffic moving in this corridor will be able to take advantage of the route improvements described for the Southern California-Memphis corridor. Because of the BN/Santa Fe and UP/SP route structures, the UP/SP mileage advantage in the Southern California-Memphis corridor is eliminated, with the two routes being very comparable.

Daily intermodal service will be provided in each direction as indicated in Table 13-6, with service provided to both the Lathrop and the Oakland intermodal facilities. Service should be competitive with that provided by BN/Santa Fe.

UP/SP will also provide improved service for manifest traffic. Pine Bluff will block Northern California traffic to West Colton for direct movement along with Southern California traffic to that facility. West Colton will serve as the distribution center for traffic flowing north-south into all areas of Central and Northern California. It will build several trains per day for Roseville that will operate via the San Joaquin Valley, setting out at intermediate locations such as Bakersfield. Fresno and Stockton. Another train will operate from West Colton via the SP Coast Line to locations along the coast between Los Angeles and the Bay Area, as well as Warm Springs, which is the primary yard serving industries in the Bay Area. Eastbourd traffic will be handled in the reverse manner to West Colton. Northern California-Memphis traffic will then move in the West Colton-North Little Rock train for forwarding to Memphis connections and industries.

Southern California-Dallas

SP competes in this corridor with its circuitous route to El Paso via San Antonio, and UP is not a factor because its route is 750-950 miles longer than the SP and BN/Santa Fe routes. At one time, Santa Fe also used a relatively circuitous route from Dallas to reach its transcontinental main line, but this deficiency was largely overcome when Santa Fe acquired trackage rights over the UP Ft. Worth-Sweetwater, Texas, line.

BN/Santa Fe will provide an even better route by using the BN line from Ft. Worth to Amarillo to connect the Dallas/Ft. Worth area with the BN/Santa Fe transcontinental mainline. While not significantly shorter than the route via Sweetwater in terms of miles, it will avoid congestion in the downtown Ft. Worth area.

UP/SP will integrate Dallas-West Coast flows with those from the Memphis gateway, Arkansas, and East Texas. Traffic will move via the UP route to El Paso and the SP beyond, saving approximately 270 miles compared to the current SP route and making UP/SP a strong competitor in this corridor. Dallas area traffic will benefit from the same route improvements previously discussed for the Southern California-Memphis corridor.

Table 13-7 shows that UP/SP plans a strong service offering in this corridor. Westbound, a 50-hour schedule will be provided to the ICTF facility in Los Angeles on train DALBT, but the schedule time will be less than 44 hours to the Inland Empire ramp, which should be very competitive with BN/Santa Fe service. Eastbound, an even faster schedule is provided to Dallas from the three Los Angeles Basin intermodal facilities. Dallas area manifest traffic will also benefit from the UP/SP operation. This traffic will be blocked at Ft. Worth for West Colton and City of Industry and will then be added to the Pine Bluff-City of Industry train. Eastbound traffic will be set out at Ft. Worth by the West Colton-North Little Rock train.

Northern Californ &-Dallas

Service in this corridor is similar to that previously discussed in the Southern California-Dallas and Northern California-Memphis sections. Table 13-8 indicates the proposed intermodal schedules. In this case, Dallas traffic is generally integrated with the previously discussed schedules in the Northern California-Memphis corridor. Manifest traffic will similarly be integrated, with westbound Dallas-Northern California traffic being picked up at Ft. Worth by the Pine Bluff-City of Industry train and eastbound traffic being set out at Ft. Worth by the West Colton-North Little Rock train.

Southern California-Houston/New Orleans

SP is currently the leading carrier in this corridor. The UP route is approximately 1000 miles longer, and BN/Santa Fe uses joint-line service with KCS via Dallas to reach New Orleans. The UP/SP settlement with BN/Santa Fe will allow it to serve the New Orleans gateway on a single-line basis from either Houston or Beaumont via a mixture of trackage rights and ownership. This will provide BN/Santa Fe with a strong competing route.

Although SP is the leading carrier today, UP/SP will offer improved service as indicated in Table 13-9. Schedule improvements result from reduced time for work en route, reduced volumes on the San Antonio-El Paso portion of the route due to the shift of Memphis and Dallas traffic to the Ft. Worth-El Paso line, and the previously discussed capacity improvements west of El Paso. These same factors facilitate the improved service shown between Houston and Southern California where, again, BN/Santa Fe will offer single-line competitive service. With Houston-New Orleans access, BN/Santa Fe likely will be able to improve its Houston-West Coast service by consolidating New Orleans and Houston traffic, something it cannot do today.

For carload shippers, UP/SP will offer significant service improvements through the New Orleans gateway. The key factor will be the expansion and increased use of the new UP hump yard at Livonia, Louisiana. This facility currently allows UP to consolidate traffic from UP lines along the Gulf and from the Shreveport-Dallas/Ft. Worth area. Multi-block run-through trains are then built for connecting lines at New Orleans. Trains received at New Orleans are classified at Livonia for various destinations to the west and northwest.

UP/SP will further expand the Livonia facility, which will also handle traffic from SP locations. The increased traffic moving through Livonia will allow it to make additional classifications. For example, four blocks will be built for NS and seven for CSX, all handled in run-through service. For the West Coast, Livonia will build City of Industry and West Colton blocks, which will move on a direct train to City of Industry. This train will have limited work en route, picking up at Beaumont and San Antonio. Houston will build the same blocks, which will move on a Houston-West Colton train, with the City of Industry block connecting to the Livonia-City of Industry train. Eastbound, West Colton will build a train for Livonia, which will set out San Antonio and Houston traffic en route.

Northern California-Houston/New Orleans

Factors affecting Southern California service similarly affect service to and from Northern California. Intermodal service is offered either directly by trains to Southern California, which continue from there to Northern California, or by connections in Southern California to trains operating in the I-5 Corridor. Table 13-10 indicates the projected intermodal service in this corridor, which will provide strong competition with BN/Santa Fe.

Carload traffic will move between New Orleans/Houston and West Colton on the same trains as Southern California shipments. Westbound traffic will be included in a West Colton block and eastbound shipments will move from West Colton in Houston and Livonia blocks. West Colton will be the distribution center for this traffic, moving it to and receiving it from various Central and Northern California locations, as previously described for similar Memphis and Dallas-Northern California traffic.

1-5 Corridor

The I-5 Corridor along the Pacific Coast has become increasingly important as a rail market, especially for intermodal traffic. Today, no railroad provides single-line service through the entire corridor. SP comes the closest with its Los Angeles-Portland service. BN/Santa Fe works with SP on a relatively small amount of intermodal traffic between Portland and Seattle/Tacoma, but otherwise does not participate in the intermodal market. BN/Santa Fe serves all but the center of the corridor, lacking a connecting link between the former BN at Bieber, California, and the former Santa Fe at Stockton. UP's single-line route via Salt Lake City is too circuitous to be competitive. The UP/SP merger, and the associated settlement with BN/Santa Fe, will fill in the missing pieces for all of these carriers. UP will provide SP with the key missing Portland-Seattle link, while the combination of purchase and trackage rights between Keddie and Stockton will provide the missing link in the corridor for BN/Santa Fe.

As indicated in Table 13-11, UP/SP will offer multiple intermodal schedules in this corridor, with one or two Seattle and two or three Portland services each day. Additional service is also provided to intermediate locations, such as Oakland, Roseville and Lathrop. Scheduled running times between Los Angeles and Portland will not change significantly from present SP times due to the expedited nature of the current SP schedules. In addition to the more frequent service, shippers will benefit from the availability of the new Inland Empire ramp in the Los Angeles Basin and the extension of direct all-rail service to and from Seattle/Tacoma, thereby avoiding the associated drayage cost to and from Portland.

Manifest shippers in this corridor will benefit from the major rehabilitation and upgrading of the Roseville Yard. North-south traffic will flow into Roseville for distribution to points all along the West Coast. Preblocked trains will be operated from the Eugene, Oregon, area to Roseville in conjunction with the Willamette & Pacific (WP) and the Central Oregon & Pacific (CORP), shortlines that serve many branch lines in the area north and west of Eugene. This will expedite the movement of lumber products to all areas of the California market, with blocks made at Roseville for West Colton, City of Industry, various locations in the Bay Area and throughout the San Joaquin Valley. Similar trains will be built at Roseville for direct delivery to these shortlines. Southbound traffic will also arrive at Roseville from Portland, Seattle, Klamath Falls and other areas to the north, with Roseville building similar blocks in return. A daily train in each direction will operate between Roseville and the UP hump yard at Hinkle, Oregon. This will expedite traffic flowing to Eastern Washington, as well as Western Canada traffic moving via the UP-CP interchange at Eastport, Idaho.

Pacific Northwest-New Orleans

One singular feature of the UP/SP transportation plan will be a daily through intermodal train in each direction between Seattle and New Orleans via the Sunset and I-5 Corridors. (Table 13-12). These trains will provide the first through service for traffic moving between these locations. The trains will also move traffic between these points and certain intermediate locations along their route.

Pacific Northwest-Texas

As part of its settlement agreement with BN/Santa Fe, SP acquired trackage rights between Pueblo, Colorado, and Ft. Worth, Texas. SP plans to operate a daily train in each direction over this route when the trackage rights operation is implemented early in 1996.

UP/SP will utilize these rights for additional volumes of traffic to reduce mileage and improve service on traffic flowing between the Pacific Northwest/ Intermountain Region and the Gulf Coast. Because of service requirements and the ability to integrate the traffic with other operations, UP/SP will operate Texas-Pacific Northwest intermodal traffic via the Southern Corridor to Southern California and the I-5 Corridor from there along the coast to the Pacific Northwest. Intermodal traffic from Pacific Northwest locations inland from the coast, such as Hinkle, Oregon, and from Intermountain Region locations, such as Nampa and Pocatello, Idaho; Salt Lake City, Utah; Green River, Wyoming; and Denver will move via the trackage rights. Major volumes of carload traffic moving from throughout the Pacific Northwest and the Intermountain Region will also use the route, which will save approximately 240 miles compared to the existing UP route via North Platte and Kansas City.

UP/SP will operate a daily train in each direction between Hinkle, Oregon, and Ft. Worth, Texas, utilizing the trackage rights. Both trains will set out or pick up additional traffic at Pocatello and Green River. Another daily train pair will operate between Denver and Ft. Worth, handling additional manifest and intermodal traffic, as well as traffic for the Amarillo-Plainview-Lubbock area to which SP gained access as part of its settlement agreement with BN/Santa Fe.

South Texas-New Orleans

The discussion of service in the New Orleans-Southern California corridor emphasized the important role of the UP yard at Livonia, Louisiana, in the UP/SP transportation plan. It will play the same role for South Texas traffic by preblocking shipments for movement through the New Orleans gateway; receiving trains from the East; and making blocks and building trains to distribute this traffic throughout the Gulf Coast region.

Eastbound, trains from Bloomington, Strang and Beaumont, Texas, will sweep the railroad for Livonia traffic, picking it up at locations such as Angleton, Houston,

and Orange, Texas, plus Lake Charles, Louisiana. A West Coast-Livonia train will move San Antonio area traffic to Livonia, including traffic from the Laredo and Eagle Pass gateways. Westbound, Livonia will make blocks for direct movement to these locations on trains originating at Livonia.

Oklahoma City

Oklahoma City is served by BN/Santa Fe and UP, although the formerly separate BN and Santa Fe railroads were the primary carriers in the market. UP did not have a competitive route, since Oklahoma City was on a branch line from the former OKT at El Reno, Oklahoma, and the OKT was not in physical condition to handle substantial volumes of additional traffic. Although UP has been upgrading the OKT route between Ft. Worth and Wichita, it is still a relatively light-density line, used primarily for grain traffic.

UP/SP will upgrade and substantially increase capacity on the OKT line, so that it will be capable of handling unit coal trains moving between the Powder River Basin and various Texas destinations over a Topeka-Herington-Wichita-Ft. Worth route. This upgrade will include the Wichita-Herington segment of the route, which sees little traffic on its northern portion. The SP portion of this route between Topeka and Herington will have capacity available to handle the traffic due to the shifting of central corridor traffic to other UP routes and movement of additional traffic via the trackage rights over the BN/Santa Fe between Kansas City and Hutchinson.

With the upgraded route and additional available capacity, UP will implement improved service via Kansas City to OKT points including Oklahoma City. UP will operate an Oklahoma City-Kansas City train to capture some automotive and other traffic currently moving in this corridor via BN/Santa Fe. Although the UP/SP route still will not be as direct or as fast as BN/Santa Fe's, it will serve as an important competitive alternative in the Oklahoma City market.

Chicago/St Louis-Texas

Section 3.2 discussed the operating changes resulting from the consolidation of mainline operations in this corridor. It included a discussion of the directional train flows proposed for the north-south corridor between Chicago, Salem and East St. Louis and Texas. Specifically, most southbound trains will use the SP route between Dexter Jct., Missouri, and Houston, San Antonio, or Big Sandy, Texas (for Dallas/Ft. Worth). In this same territory, most northbound trains will use the UP route. The primary benefits associated with the proposed directional operation are service improvements due to fewer delays from train meets and more effective use of available capacity.

Table 13-13 shows the proposed UP/SP intermodal schedules in the Chicago-Texas corridor. Most are relatively unchanged from current schedules, with the largest time savings in the Chicago-Houston corridor, where the current UP southbound service can be improved by using the shorter SP route south of Dexter Jct. The current SP intermodal operation from Chicago, which involves use of the IC Moyers Intermodal Terminal in Chicago and IC haulage between Chicago and Memphis, will be eliminated after sufficient capacity is in place at UP's Dolton, Illinois, to absorb it. Ultimately, all north-south intermodal operations will be shifted to Dolton, which will be expanded to handle the additional traffic.
Table 13-14 indicates planned intermodal service in the St. Louis-Texas corridor, which includes a northbound counterpart to the existing southbound Conrail-UP run-through train between Salem and Dallas. From Dupo, Illinois, the location of the UP/SP St. Louis-area intermodal terminal, service will be provided to Dallas, Houston, San Antonio, Laredo and Eagle Pass, as well as intermediate locations. In some cases, direct service will be provided, while in others, St. Louis traffic will be integrated with Chicago traffic at intermediate locations. Competition in the St. Louis-Houston market should be increased due to the ability of BN/Santa Fe to use a shorter and potentially faster route, combining its route between St. Louis and Memphis with the Memphis-Houston trackage rights over SP it gained in the settlement agreement with UP/SP.

Although many of the UP/SP schedules are relatively unchanged, service reliability will be improved. More effective utilization of capacity will also help prevent further deterioration in performance as volumes grow, with the associated increase in congestion-related delays that would otherwise occur were it not for the improved use of capacity. Even UP/SP shippers who do not have shipments in this corridor will benefit from the operation, since the large amounts of capital that would otherwise be required for capacity improvements can, instead, be utilized for capacity improvements elsewhere on the railroad or for additional freight cars or locomotives.

As previously described in Section 3.2, the SP yard at Pine Bluff, Arkansas, will be the primary yard classifying southbound manifest traffic, while the UP North Little Rock yard serves as the primary yard classifying northbound traffic. The two yards, acting in tandem, will be equivalent to using a single hump yard with 106 classification tracks.

This capability will allow an increase in blocks to on-line locations, especially to locations currently served by both carriers. For example, Pine Bluff will make blocks for Orange, Texas, and Lake Charles, Louisiana, locations that currently require an intermediate classification. Similarly, Dallas-area traffic will be blocked out of Pine Bluff, thereby avoiding having to move through the Ft. Worth terminal.

The merged system's increased volumes and blocking capabilities will also allow additional preblocking of tratific for connections and for on-line locations to the north. Additional blocks will be made for some carriers, such as a new Buckeye block for the Conrail yard at Columbus, Ohio, which will save an intermediate classification on Conrail. A new multi-block train will be built for NS at East St. Louis, saving a classification currently required at the A&S yard. Run-through trains will be operated with the BRC over Chicago, with Conrail and CSX over Salem, Illinois, with NS over East St. Louis, and with NS, CSX, IC and BN/Santa Fe over Memphis.

St. Louis area traffic will decline as SP-Conrail and SP-CSX traffic, currently classified by the A&S, is shifted to run-through trains operating through the Salem gateway. Another reduction will result from the UP/SP-NS run-through train, which will pass through St. Louis but will be preblocked out of North Little Rock to bypass classification at the A&S yard.

In some cases, the number of blocks moving on a train will not increase, but the operation will be more efficient. For example, UP and SP today may both operate run-through trains with a connecting line, each train carrying small volumes of traffic. This produces a more expensive operation and may cause UP or SP to attempt to place other

traffic on the trains, which may deteriorate service and detract from the benefits of the run-through operation. If only small volumes are available, the connecting line may hold traffic to combine it with other traffic before forwarding the train. UP/SP will have adequate volumes of traffic to ensure operation on a consistent basis of cost-effective trains that can be operated as true run-through trains by both carriers involved in the operation.

Automotive Network

Transportation of finished automobiles is a specialized service requiring speed, consistency and minimization of en route handling to reduce potential damage. UP serves six automotive assembly plants and has automotive distribution facilities at many of the major locations in the West. SP automotive traffic has declined significantly in recent years, partially due to the closing of several SP-served assembly plants on the West Coast. However, SP still handles considerable automotive traffic.

UP/SP will build on the current automotive networks of the two carriers to further improve service. Significant changes include:

- A Chicago-Southern California auto train operating via the Tucumcari route, setting out Phoenix traffic at Tucson.
- A Kansas City-Southern California auto train via the Tucumcari route.
- A Southern California-Kansas City auto train primarily handling empty auto cars for delivery to NS at Kansas City.
- A Kansas City-Benicia, California, auto train via the upgraded KP line to Denver handling Denver, Salt Lake City and Benicia auto traffic.
- A Chicago-Milpitas, California, auto train handling Northern California autos for the Benicia and Milpitas unloading facilities.

- A Roseville-Houston train operating via the Coast Line to Los Angeles and handling Bay Area and Southern California auto traffic for Texas distribution facilities, including San Antonio, Midlothian (Dallas/Ft. Worth) and Westfield (Houston).
- A Benicia-Kansas City auto train handling empty auto cars for delivery to NS at Kansas City.
- An auto train from Denver via the KP line to Kansas City with empty auto cars for NS.
- An Oklahoma City to Kansas City train handling automotive traffic for movement beyond Kansas City.
 - 3.4 Blocking Plan

As described in Section 2.3 above, the Operating Plan incorporates a new blocking plan for all post-merger traffic flowing across the routes and through the terminals of a merged UP/SP system. Attachment 13-3 lists new manifest traffic blocks that will be assembled by major UP/SP yards. Applicants' document depository contains more detailed data about merged-system blocking.

3.5 Local Train Service

The primary function of locals and road switchers is to gather and distribute traffic for customers in metropolitan areas, on mainlines between terminals, and on branch lines. Changes in local train service are summarized on the following pages. Changes will be made in starting points of, or territories served by, other local trains. The new schedules are included in Applicants' document depository.

Changes In UP/SP Local Train Assignments

Present Assignment

SP Colton-Riverside, CA

UP East Los Angeles- Paramount, CA

UP Paramount, CA

UP West Sacramento, CA,

Zone Local

UP Stockton-Port Chicago, CA

UP Reno-Reno Jct., NV

UP Ogden-Clearfield, UT

UP Wichita-Salina, KS

SP Pine Bluff-North Little Rock, AR

UP El Dorado-North Little Rock, AR

SP Shreveport, LA-Tenaha, TX Turn

UP El Paso-Van Horn, TX

SP Hearne-Waco, TX

Planned Change

Abolished. Work done by UP local.

Abolished. Hauler will handle deliveries to Paramount.

Abolished. Dolores road switchers will handle work.

Abolished. Vork assigned to existing SP

Local serving West Sacramento and the Port of Sacramento.

Abolished. Work assigned to locals out of Ozol.

Abolished. Not needed with shift of intermodal traffic to SP ramp at Sparks, NV.

Abolished. Consolidated with SP local.

Abolished. Newton-Whitewater line abandoned. Newton and McPherson traffic handled over SP lines.

Abolished. Traffic will move on UP trains.

Abolished. Replaced with El Dorado-Carnden turn.

Abolished. Longview traffic will move via UP lines.

Abolished. Traffic will be handled by SP locals.

Abolished. Waco-Hearne traffic will be handled on UP trains.

Present Assignment	Planned Change
UP Valley JctHearne, TX	Abolished. Traffic will be handled by SP locals at Hearne.
SP Galveston, TX	Abolished. Duplicates existing UP local.
SP Strang-Galveston, TX	Abolished. Galveston traffic will be served of Settegast Yard in Houston on existing trains.
UP Mauriceville-Orange, TX	Abolished. SP local will handle traffic.

3.6 Terminal Trackage Rights

No terminal trackage rights would be required by UP/SP to implement merged operations. Two small segments of terminal rights over KCS are, however, required for BN/Santa Fe to operate over the trackage rights granted to it by UP/SP as part of the UP/SP-BN/Santa Fe settlement agreement. BN/Santa Fe is seeking rights over 3.5 miles of track in the Shreveport, Louisiana, terminal and 1.8 miles of track in Beaumont, Texas. SP already has trackage rights over these lines and UP has rights over the Beaumont segment. In neither case will BN/Santa Fe's use of KCS' terminal facilities interfere with KCS' operations. BN/Santa Fe's petition for rights to operate over these segments accompanies this Application.

3.7 Proposed Abandonments

Certain line segments will become redundant or uneconomic to operate as a result of the consolidation. None of these abandonments could be accomplished without the proposed consolidation, and no line segments are proposed for abandonment independently of the consolidation.

Applications, notices and petitions to abandon the following line segments are being submitted:

(1) Gurdon - Camden, Arkansas (UP) - 29 Miles

This segment is a portion of the UP line between Gurdon and El Dorado, Arkansas. There is virtually no local traffic on the Gurdon-Camden segment, and the Camden-El Dorado segment will be served off the SP Pine Bluff-Texarkana mainline through Camden.

(2) Whittier Junction - Colima Junction California (UP) - 5 Miles

This segment of the UP Anaheim branch can be abandoned, as industries on the south end of the branch will be served from SP's La Habra branch. There is no local traffic.

(3) Melrose - Magnolia Tower, California (UP) - 5 Miles

This segment parallels a portion of the SP Oakland-San Jose mainline and operates in the streets of Oakland. There is no local traffic.

(4) Wendel-Alturus, California (SP) - 86 Miles

This segment is a portion of SP's Modoc Line. This line handles overhead traffic almost exclusively: on several occasions such traffic has moved over the alternative Roseville route. There is no recurring local traffic.

(5) Sage - Leadville, Colorado (SP) - 69 Miles

The Sage-Malta portion of the SP's Tennessee Pass mainline and the connecting from Malta-Leadville can be abandoned due to rerouting of all overhead traffic to other routes. There is no future recurring traffic on the line.

(6) Malta - Cañon City, Colorado (SP) - 109 Miles

This line is also part of the Tennessee Pass mainline and can be abandoned due to rerouting of all overhead traffic to other routes. There is little local traffic.

(7) NA Junction - Towner, Colorado (UP) - 122 Miles

This trackage is owned by UP but is operated primarily as part of SP's Pueblo-Herington, Kansas, mainline, with UP providing only local service. It can be abandoned due to rerouting of all overhead traffic to other routes. There is little local traffic.

(8) Barr - Girard, Illinois (UP) - 38 Miles

This line is part of the UP mainline between Peoria and East St. Louis, Illinois. Contingent on receiving trackage rights from C&IM between Barr and Springfield, Illinois, it can be abandoned due to rerouting of all overhead traffic to other routes. There is little local traffic.

(9) DeCamp - Edwardsville, Illinois (UP) - 15 Miles

This line is part of the UP mainline between Peoria and East St. Louis, Illinois. It can be abandoned due to rerouting of all overhead traffic to other routes. There is no local traffic.

(10) Edwardsville - Madison, Illinois (UP) - 15 Miles

This line is part of the UP mainline between Peoria and East St. Louis, Illinois. It can be abandoned due to rerouting of all overhead traffic to other routes. There is little local traffic.

(11) Hope - Bridgeport, Kansas (UP) - 31 Miles

This trackage is cwned by UP but is operated primarily as part of SP's Pueblo-Herington, Kansas, mainline, with UP providing only local service. It can be abandoned due to rerouting of all overhead traffic to other routes. There is little local traffic.

(12) Whitewater - Newton, Kansas (UP) - 9 Miles

This segment is used by UP to provide service to Newton and McPherson, Kansas. Following merger, service will be provided to these locations from SP routes. There is no local traffic.

(13) Iowa Junction - Manchester, Louisiana (UP) - 8 Miles

This segment parallels the SP mainline for part of the distance between Iowa Junction and Lake Charles, Louisiana. There is very little local traffic on the line, which is utilized primarily to provide UP access to Lake Charles. All UP/SP traffic will move via the SP line. (14) Troup - Whitehouse, Texas (UP) - 7 Miles

This segment has no local traffic and is a portion of the UP Troup-Swan branch line. Following consolidation, industries between Whitehouse and Swan will be served from the SP line via a connection at Tyler, Texas.

(15) Suman - Bryan, Texas (SP) - 16 Miles

This segment is a portion of the SP Hearne-Houston line. It can be abandoned due to the rerouting of all overhead traffic to other routes. There is little local traffic.

(16) Seabrook - San Leon, Texas (SP) - 10 Miles

This segment is a portion of the SP line between Houston and Galveston. It has no local traffic and has been out of service for some years, with service to Galveston provided on trackage rights over a parallel UP route. Following consolidation, UP/SP Galveston service will be provided over UP lines.

(17) <u>Little Mountain - Little Mountain Junction. Utah (UP) - 12 Miles</u> This UP segment parallels the SP mainline, which also serves Little Mountain. There is no local traffic.

4.0 YARD AND TERMINAL CHANGES AND CONSOLIDATIONS

The UP/SP consolidation would result in a considerable number of changes at UP and SP terminals. Some yards would be eliminated, others expanded, and still others would play new roles. This section describes the effects of the consolidation on all locations where there will be significant changes in functions, operations, facilities or personnel. The functions analyzed include Transportation, Intermodal, Automotive and Mechanical (car and locomotive servicing and repair). The proposed changes will permit UP/SP to realize the full potential of the consolidation for improved service, operating economies and more efficient use of investment dollars.

For each location, the present operation is described first, followed by a description of the proposed operation. Locations are presented in regional groups because of the interrelationships among activities at the various locations within the area. Reductions in clerical forces related to adoption of UP's Transportation Control System (TCS) are considered in Section 10.1 Customer Service.

4.1 West Coast Region

4.1.1 Portland, Oregon

Present Operation - UP has two major yards in the Portland area (Figure 13-4). Albina is primary yard, with five receiving/departure tracks, 24 classification tracks, and a seven-track local yard. It operates 14 yard jobs and switches approximately 1200 cars per day. The UP intermodal facility is also located at Albina. It handled approximately 132,000 lifts in 1994. Mechanical facilities include a one-spot car repair facility and a diesel shop and servicing facility.

Barnes Yard, located in the port area, is a major industrial yard with 22 tracks. It operates 15 yard jobs per day serving two auto facilities, two grain elevators, other bulk commodity facilities, and other customers in an 18-mile area.

Brooklyn Yard is the primary SP facility in Portland. It is a relatively minor classification yard with 15 classification tracks. It is, however, a major intermodal facility

that performed 97,000 lifts in 1994. Mechanical facilities include a fueling facility and a one-spot car repair facility.

Projected Operation - UP/SP will gradually shift its operations to Albina and Barnes yards. Albina will be expanded to absorb the intermodal traffic currently handled at Brooklyn, as well as projected growth. Considerable I-5 Corridor intermodal traffic will be able to bypass ramp facilities at Portland, as it will move on new through trains directly to UP/SP intermodal facilities in the Tacoma/Seattle area. A new mainline route will be constructed through Albina yard to improve the flow of north-south through trains, including the I-5 Corridor intermodal trains.

To provide adequate space for this expansion, much of the current manifer to traffic at Albina and Brooklyn will be shifted to expanded facilities at Barnes, with Brooklyn serving as an industrial support yard. Additional yard tracks will also be constructed at Bonneville and Rivergate yards to handle some manifest traffic currently handled at Albina or Barnes.

These changes will result in a reduction of one yard engine assignment, plus five clerical, six yardmaster and two non-agreement positions. The consolidation of intermodal facilities will result in relocation of one non-agreement position to Seattle.

4.1.2 Eugene, Oregon

Present Operation - Eugene was a major hump classification yard, but its importance has dwindled in recent years with the reduction of Oregon lumber traffic and the sale or lease of many SP branch lines to shortlines. The yard has 32 classification tracks and 29 receiving/departure tracks, most of which are currently not in service. Nine yard jobs switch approximately 850 cars per day, and three industry jobs serve local industries. Eugene also has a one-spot car repair facility and a locomotive servicing facility.

Projected Operation - UP/SP will undertake a major rehabilitation and improvement project at the SP yard at Roseville, significantly reducing the amount of traffic requiring classification at Eugene. One non-agreement position will be relocated to Portland. Six yard engine assignments and eleven yardmaster, one non-agreement, 17 trainmen (skate herder, hostler and retarder operator) and four clerical positions will be abolished. In addition, reduced mechanical work will result in the reduction of ten carmen, eleven laborer, five railway supervisor, one clerical, two sheetmetal worker, and three enginemen (inside hostler) positions. One boilermaker, one electrician, two laborer, and three machinist positions will be transferred to Albina. Two four-axle road switchers will be released for service elsewhere.

4.1.3 Roseville, California

Present Operation - Roseville is still a major classification facility on the SP, but it operates at a much lower activity level than in previous years due to declines in SP Oregon and Central Corridor traffic (Figure 13-5). It is a hump yard with 49 classification tracks, of which only 32 are in service. Of its 23 receiving and 22 departure tracks, 20 and 19 tracks, respectively, are in service. At its local yard, nine of twelve tracks are in service. Roseville currently classifies approximately 1200 cars per day.

A relatively small intermodal facility handled 40,000 lifts in 1994. A major locomotive repair and servicing facility, a three-track car repair facility and a major car cleaning facility are also located at Roseville.

Projected Operation - UP/SP will invest more than \$33 million to upgrade and expand Roseville, making it the classification hub for Northern California, handling approximately 1800 cars per day. In addition, a second main line will be constructed around the yard to improve the flow of trains that do not work at the yard. Roseville will assume some of the classification work currently performed at other SP and UP locations, such as Stockton, Eugene, Klamath Falls, Tracy, Sacramento and other San Joaquin Valley and Bay Area facilities.

The upgrade project will include returning to service all tracks currently out of service, installing a new hump computer system and weigh-in-motion scale, installing new master and group retarders, adding Dowty retarders at the trim end of the bowl, and constructing a new crossover to allow better access to the bowl from the trim leads.

The present intermodal operation at Roseville will not change. Mechanical operations will increase due to increased traffic and transfer of car cleaning activities from Stockton.

Two yard engine assignments will be added. Twelve trainmen (skate herder and retarder operator) and one non-agreement positions will be abolished. In addition, 20 carmen, five railway supervisor, and five laborer positions will be transferred from Stockton to the car repair/cleaning operation. Locomotive repair changes will be discussed in the

Mechanical-Locomotive section of the Operating Plan. One additional switch locomotive will be needed at Roseville to handle the additional traffic.

4.1.4 Sacramento, California

Present Operation - UP uses a small, 10-track industrial support yard in South Sacramento to support local industries and to serve the Port of Sacramento, which UP and SP serve on an alternating basis every three years (Figure 13-6). UP operates one yard engine assignment and three industrial switching assignments.

SP's small, 12-track yard handles approximately 60 cars per day and is used primarily for industrial support. It also serves the Port of Sacramento during alternating three-year periods. Four yard and industry assignments work out of the SP yard.

Projected Operation - UP/SP will consolidate operations at the UP South Sacramento Yard. Most traffic will be handled out of the small yard at Haggin, the connection between UP and SP trackage in Sacramento, where six tracks will be upgraded. Two yard engine assignments and one local train will be abolished, as will one yardmaster and one non-agreement position. One switch engine and one six-axle road switcher will be made available for service elsewhere.

4.1.5 Stockton, California

Present Operation - Stockton is the major UP classification yard in Northern California (Figure 13-7). It is a flat-switch yard, switching approximately 600 cars per day. It where the second strain the switching, as well as classifying traffic for through trains and nandling interchange with connecting railroads. Switching is handled by seven yard engine assignments and five locals. Stockton has a cleaning track, a car repair facility and a major locomotive shop. UP operates a recently-completed, major intermodal facility at Lathrop, California, approximately seven miles south of Stockton, which replaced a facility located at Stockton.

Industry and local area support are the primary functions of the SP yard at Stockton, since most major classification of through traffic is handled at Roseville and other locations. The small, 13-track yard located adjacent to the UP yard originates two locals and has five yard engine assignments. SP has only a "paper" intermodal ramp at Stockton, with the actual ramping taking place at Roseville. The yard also has a minor car repair facility.

Projected Operation - UP/SP will close the SP yard and downsize activities at the UP yard as Roseville Yard is upgraded. This will allow a reduction of nine yard engine assignments and one UP local, which operates over BN/Santa Fe between Stockton and Port Chicago. Five yardmaster and one non-agreement positions will be eliminated. The SP "paper" ramp will be closed, due to the close proximity of the UP Lathrop facility. Three switch engines will be released for duty elsewhere.

Mechanical facilities at Stockton will be significantly downsized, with a reduction of 29 carmen and two railway supervisor positions. In addition, 20 carmen, five railway supervisor and five laborer positions will be relocated to Roseville. Changes in locomotive repair and servicing will be discussed in the Mechanical-Locomotive section of the Operating Plan.

4.1.0 Warm Springs/Milpitas, California

Present Operation - The UP operation at Milpitas supports industrial operations in the area, but is primarily designed to serve the auto unloading operation at Milpitas and the automotive assembly plant at Warm Springs, where the switching is done by SP (Figure 13-8). UP has a small yard and a minor car repair facility, as well as a car prepping operation where empty auto rack cars are prepared for loading at the Warm Springs plant. Approximately six local trains and one yard engine assignment operate out of Milpitas daily.

SP operates a moderate size classification yard at Warm Springs with 16 classification tracks and four receiving/departure tracks. In addition to switching the auto plant at Warm Springs, it supports local and industry service in the Bay Area from south of Oakland through San Jose to the Watsonville Junction/Salinas area, as well as in San Francisco. Two daily through trains arrive and depart in each direction, as do 13 locals. Five yard engine assignments are based at the yard.

Projected Operation - While both yards will remain open following merger, UP/SP will consolidate and coordinate operations of the two facilities. Preblocking of San Jose area traffic by Roseville, plus the handling of all UP/SP industries in the San Jose area by industrial switch jobs working out of the former SP San Jose yard, will result in elimination of one yard engine assignment and the release of one switch engine for service elsewhere. Two carmen positions at San Jose will be eliminated due to the consolidation.

4.1.7 Oakland, California

Present Operation - The UP Oakland Yard has 16 classification and storage tracks for manifest traffic and three working tracks for the intermodal operation. In addition to serving local industries and an automotive facility located next to the yard, the yard also supports the major UP intermodal facility for the Bay Area, including the Port of Oakland. The facility handled 155,000 lifts in 1994. UP originates one manifest and three intermodal trains and operates nine yard engine assignments at the facility. A minor car repair facility is located at the yard.

SP's West Oakland Yard is adjacent to the UP facility and has 14 receiving/departure tracks and 14 classification tracks. It originates two manifest and four intermodal trains per day. The SP Bay Area intermodal facility is located adjacent to the yard and handled 149,000 lifts in 1994. The SP yard has 14 yard engine assignments, of which seven are switch jobs, six work industries, and one handles interchange traffic. A new car repair facility and a minor locomotive servicing facility are located at the yard. SP also operates Fifth Avenue Yard in East Oakland, which serves industries in that area.

Projected Operation - UP/SP will consolidate Oakland manifest

operations at the Fifth Avenue and West Oakland yards. Most traffic will be transferred to Fifth Avenue Yard, which will support service to many of the UP-served industries. This will result in a reduction of one yard engine assignment, plus five yardmaster and six carmen positions. Both intermodal facilities will continue to be utilized. The UP auto facility will be closed and operations moved to the SP facility at Benicia, California, saving \$0.1 million annually.

4.1.8 Los Angeles Basin

Present Operation - Due to the interrelationships among its various operations and facilities, the Los Angeles area must be analyzed as a whole (Figure 13-9). The major UP classification facility is located at Yermo, California. This facility has been expanded over time, as it has become necessary to convert more of UP's East Los Angeles Yard to handling of intermodal traffic. Yermo has eight receiving/departure tracks and 19 classification tracks, plus seven tracks in the Old Yard. It has a car repair facility and a major locomotive servicing facility. Six yard assignments and one local operate out of the yard.

The UP East Los Angeles Yard handles intermodal traffic and industrial support. It has 12 yard tracks, plus seven tracks for handling intermodal traffic, which totalled more than 330,000 lifts in 1994. East Los Angeles is the only UP intermodal facility in Southern California. The adjacent Weeds Yard has six tracks for industrial support. Twenty yard engine assignments work the East Los Angeles and Weeds facilities.

UP uses several other yards in the Southern California area. Its small City of Industry yard has nine tracks and is worked by four zone locals primarily serving local industries. The Mira Loma Yard has three tracks, with three more proposed for construction in 1996. It serves a growing industrial area, as well as a major automotive facility. Montclair is a seven-track yard with three zone locals providing support for industries in the area. Mead and Paramount are industrial support yards located in and

north of the port area, providing service to customers in the area, including an automotive facility.

SP has extensive industry coverage in the Los Angeles area. In addition, a large volume of traffic flows through the area between the Southern Corridor and the I-5 Corridor. Because of this, SP has many yards in the area. West Colton is the primary SP classification yard. This major hump yard has 23 receiving/departure tracks and 48 classification tracks. It operates 17 yard engine assignments, plus one road switcher, and it humps about 1500-1800 cars per day. Car repair and locomotive servicing facilities are also located at the yard.

City of Industry is a small hump yard with 15 tracks designed primarily for support of local area industries. The yard also has a major intermodal ramp, which handled 182,000 lifts in 1992. This ramp, closer to Los Angeles than to San Bernardino, is the closest SP facility to the Inland Empire area of the eastern Los Angeles Basin. Three road switchers and four intermodal yard jobs work the facility and industries in the area.

The Los Angeles Transportation Center (LATC) is located near downtown and is another major intermodal facility, with 227,000 lifts in 1994. It also has a small industry support yard. The other major SP intermodal facility is the ICTF, located north of the ports of Los Angeles/Long Beach. It primarily handles container traffic moving through the ports and is one of the largest intermodal facilities in the country, with 653,000 lifts in 1994. Other SP industry support yards are Kaiser, Aurant, J Yard, Los Nietos/Anaheim and Dolores.

Projected Operation - UP/SP will consolidate its operations in the Los Angeles Basin over a period of time as facility changes take place. West Colton will become the major classification facility for the merged system. Classification operations will be reduced substantially at Yermo, which will become a staging yard for bulk trains moving to the Ports of Los Angeles and Long Beach.

The SP City of Industry Yard will remain a major industry support yard, but will initially also be a major intermodal facility. As intermodal traffic currently handled at East Los Angeles shifts to on-dock loading at the Ports of Long Beach and Los Angeles, the inefficient LATC facility will be closed and consolidated into East Los Angeles. With the opening of a new Inland Empire intermodal ramp in the Colton area, the City of Industry ramp will be closed and its traffic moved to the Inland Empire facility. City of Industry will then revert to its former role of industry support.

The SP J Yard will be closed and its switching activities handled by East Los Angeles. UP and SP operations at City of Industry will be consolidated, as will those at Dolores and Paramount. Industrial switching at Kaiser, Mira Loma, Riverside, Arlington and Montclair will similarly be consolidated. Consolidation of the various facilities and operations will result in a restructuring of "hauler" operations, which handle traffic among the various yards. Closure of a small automotive facility at Valla will provide an annual savings of \$0.05 million.

Various connections, to be discussed in Section 7.1.5, will be constructed to facilitate the merged operation. To shorten routes and provide additional capacity and operational flexibility, connections between UP and SP lines will be constructed at Pomona

and Montclair. Also, by making operational an existing connection between the SP West Colton-Palmdale line and the UP-BN/Santa Fe Riverside-Barstow joint trackage on the west side of Cajon Pass at Keenbrook, congestion will be reduced on the joint trackage and additional operational flexibility provided.

Consolidation of operations will result in a net reduction of 13 yard engine assignments, one road switcher, six zone locals and 12 haulers, plus ten clerical, three yardmaster, four trainmen (crest conductor) and two non-agreement positions. Consolidation of repair track facilities at West Colton will result in a reduction of 11 carmen positions. The projected operation will release for other use a total of 47 locomotives, including 34 four-axle and 13 six-axle units.

4.2 Intermountain Region

4.2.1 Salt Lake City/Ogden, Utah

Present Operation - UP operates approximately 40 45 trains per day through Salt Lake City. Its principal yard in the Salt Lake City area is North Yard, which consists of a flat yard and an adjoining intermodal facility (Figure 13-10). The classification yard consists of 17 class tracks and 12 receiving/departure tracks. It switches an average of 900 cars per day, originates three through trains per day and terminates four through trains per day. It also originates two five-day locals. Nineteen yard engine assignments work in the Salt Lake City terminal area daily. Car maintenance is performed at a one-spot repair facility in North Yard, with heavy car repair and locomotive servicing performed on four tracks. The UP intermodal ramp is located at North Yard and handled 96,500 lifts in 1994. UP's automotive facility is at Clearfield, Utah, between Salt Lake City and Ogden.

SP operates approximately 12 trains a day in the Salt Lake City area. Its principal yard is Roper Yard, a flat switch yard with 37 classification tracks handling about 1000 cars per day. It works 18 five-day yard assignments and originates or terminates eight through trains per day, as well as three six-day or seven-day local trains. The SP intermodal and automotive facilities are located at Roper Yard. In 1994, the intermodal facility handled 31,000 lifts.

SP also operates two industry support yards in the Salt Lake City area. One is located at 4th South Street and consists of 12 tracks with a maximum capacity of 75 cars. The other is Midvale Yard, which consists of four tracks with a capacity of 120 cars. Locomotive servicing facilities and a one-spot car repair facility are located at Roper Yard.

Riverdale is UP's principal yard in Ogden. Its primary function is to service local industry and classify manifest traffic for the Intermountain region. It is a flat yard consisting of five receiving/departure tracks and 22 classification tracks. It operates eleven yard jobs, which perform yard and industry switching, plus five local jobs, including four working in the Clearfield, Utah, area. Car repair facilities are located at the yard, but locomotives are fueled by truck.

SP has two yards in Ogden. The former DRGW yard has five tracks with a capacity of 185 cars, while the former SP yard has nine tracks with a capacity of 535 cars. Two seven-day locals work out of the Ogden yards. SP has no mechanical facilities in Ogden.

Projected Operation - Roper Yard will absorb carload switching currently performed at North Yard, Ogden, Provo, and Elko, Nevada. UP North Yard will be retained as an industry support yard. Car repair will be consolidated at Roper Yard and five railway supervisor positions will be abolished. Riverdale Yard in Ogden will be retained for industry support and for block swaps between trains operating on the east/west corridor. Depending on BN/Santa Fe's needs, Roper Yard may also handle BN/Santa Fe traffic.

The consolidation of operations will result in the net reduction of 21 switch engine shifts per week and eight clerical positions at Salt Lake City, plus 44 switch engine shifts per week and one clerical position at Ogden. These changes will release three switch engines and eight four-axle general purpose locomotives.

UP/SP will consolidate intermodal operations at the UP North Yard facility, due to its greater capacity and its location on the mainline to Southern and Northern California. The SP ramp at Roper will be made available to BN/Santa Fe. Automotive operations will be consolidated at Roper Yard, and the high-maintenance UP facility at Clearfield will be closed. Consolidation of the intermodal and automotive facilities will result in annual non-labor saving: of \$0.2 million.

4.2.2 Provo, Utah

Present Operation - UP operates a nine-track flat yard plus two tracks for interchange (Figure 13-11). Three switch engine assignments switch about 400 cars per day. A major activity is handling unit coal trains received from SP and the Utah Railway.

SP has a ten-track flat yard and five interchange tracks. It switches approximately 250 cars per day. SP also has a small six-track yard at Ironton.

Projected Operation - Coal train operations will be consolidated into the UP yard, while local and industry support will be handled at the SP yard. This will result in a reduction of one switch engine assignment and the release of two six-axle locomotives.

4.2.3 Elko/Carlin, Nevada

Present Operation - These locations are on the UP-SP paired track across Northern Nevada, with Elko serving as a crew change location on UP and Carlin a crew change location on SP. The UP Elko facility has nine classification and three receiving/departure tracks. It handles about 350 cars per day with three switch engine assignments. Elko also has a three-track diesel shop, where one track is used for car repair and two are leased to an outside contractor. Elko also has a facility for fueling eastbound trains.

SP facilities at Carlin consist of four tracks and a small repair facility. It handles a triweekly local, as well as SP through traffic. No switch engines are assigned at Carlin.

Projected Operation - The SP Carlin facilities will be closed and the crew change and other work moved to Elko. This, plus transfer of most classification work currently performed at these locations to Roseville and Roper Yard in Salt Lake City, will result in reduction of two switch engine assignments and one non-agreement position at Elko, plus four clerical and two carmen positions at Carlin. One switch engine will be released for service elsewhere.

4.2.4 Reno/Sparks, Nevada

Present Operation - UP facilities in Reno are at the end of a 33-mile branch line from the UP mainline at Reno Jct (Figure 13-13). UP uses a four-track yard for industry support; two tracks are used to support intermodal/automotive operations. The UP ramp performed approximately 26,000 lifts in 1994. Two locals perform industry switching in the area and handle traffic between Reno and Reno Junction to connect with UP through trains. A small locomotive servicing facility is located at the yard.

The SP facility is located at Sparks. This 16-track yard handles about 375 cars per day. Four switch engines assignments work the yard. In addition to the through trains, Sparks also handles two local trains. The intermodal ramp performed approximately 14,000 lifts in 1994. There is a one-track car repair facility, with any locomotive fueling performed by a contractor.

Projected Operation - Due to physical constraints involving severe curvature and the need to operate in the streets, there are no movements between the UP and SP facilities. Following consolidation, the two facilities will continue to operate separately, with traffic for UP industries moving via Reno Junction and traffic for SP industries moving via the Ogden-Roseville line. Intermodal traffic will be consolidated at the SP Sparks facility. Closing the UP facility will provide an annual benefit of \$0.3 million. The UP/SP intermodal ramp will be made available for use by BN/Santa Fe. These changes will result in the reduction of one of the two locals currently serving UP industries, as well as two clerical and two carmen positions. One four-axle road switcher will be made available for use elsewhere.

4.2.5 Denver, Colorado

Present Operation - UP operations are concentrated at its 20-track 36th Street Yard (Figure 13-14). Eight yard engine assignments handle approximately 450 cars per day. Four traveling switch engines serve local industries. A two-track car repair facility and a small locomotive servicing facility are also located at the yard. Just east of 36th Street Yard is the UP intermodal facility at 40th Street, which handled nearly 82,000 lifts in 1994. UP auto facilities are located approximately ten miles north on the Denver-Cheyenne line at Rolla.

North Yard is the primary SP facility in the Denver area. It has five receiving/departure tracks, 19 classification tracks, and nine storage tracks. Fourteen yard engine assignments handle approximately 550 cars per day. It has a one-spot car repair facility, as well as a locomotive servicing facility.

The SP intermodal facility is also located at North Yard. This facility handled approximately 38,000 lifts in 1994. SP has two automotive facilities in Denver, the larger one at North Yard and a smaller one along the SP Belt Line northeast of the yard.

Projected Operation - UP/SP will concentrate manifest operations at North Yard and intermodal operations at 36th/40th Street Yard. Automotive operations will be consolidated at Rolla. To improve the flow of traffic between the trackage of the two railroads, a new connection will be constructed at Utah Junction at the north end of North Yard. This will allow trains from points west of Denver on the SP to move to the UP without having to move into North Yard, runaround the train, and then operate to the UP trackage. This connection will be used primarily by coal trains originating or terminating on SP lines in Colorado and Utah. To expedite these moves, as well as inter-yard transfers, without interfering with the considerable industry switching, UP/SP will upgrade and install a siding on the Belt Line, which connects SP and UP trackage.

The consolidation will result in a net reduction of six yard engine assignments, one clerk, and three non-agreement positions. One switch engine and one four-axle road switcher locomotive will be released for other duty. Consolidation of the intermodal and automotive facilities will result in an annual savings of \$0.24 million.

4.2.6 Pueblo, Colorado

Present Operation - UP and SP have a joint terminal in Pueblo. UP operations have been reduced to only a triweekly local. SP operates over the UP Pueblo-Herington line on trackage rights as part of its Central Corridor mainline. The UP-SP yard has 27 tracks and switches approximately 550 cars per day. It handles SP east-west through trains, locals operating south of the Pueblo area, and coal and manifest trains operating between Pueblo and Denver. Pueblo has eight yard engine assignments, a one-spot car repair facility and a seven-track locomotive servicing facility.

Projected Operation - UP/SP operations at Pueblo will be significantly reduced due to the rerouting of the east-west traffic and abandonment of both the Sage-Cañon City and NA Jct-Towner, Colorado, lines. Remaining traffic will consist of local traffic, plus coal and other traffic between Denver and Pueblo, a portion of which will continue south to Texas via the Pueblo-Ft. Worth trackage rights SP acquired in the BN/Santa Fe case. These major reductions in traffic will result in the reduction of six yard engine assignments, plus one clerical, ten carmen, three laborer, two railway supervisor, and three non-agreement positions. Four machinist positions will be transferred to Denver. Four four-axle road switcher locomotives will be released for service elsewhere.

4.2.7 Grand Junction, Colorado

Present Operation - Grand Junction is a major classification point for SP Central Corridor traffic. Eastbound traffic is classified for SP destinations or for connections or intermediate switching carriers at locations such as Denver, Kansas City, East St. Louis and Chicago. SP's East Yard at Grand Junction is a hump yard with 21 classification, six receiving and four departure tracks. It operates eight yard engine assignments and humps about 800 cars per day. A three-track car repair facility and a two-track locomotive servicing facility are also located at the yard. West Yard is a smaller yard with four tracks for staging unit coal trains.

Projected Operation - UP/SP will reroute most of the SP east-west Central Corridor traffic from the SP route through Grand Junction to the UP route east of Ogden, with much of the traffic being classified at the major UP classification facility at North Platte. This will significantly reduce the amount of traffic requiring classification at Grand Junction. Because of this, there will be a reduction of four yard engine assignments, plus six yardmaster, four clerical, and three retarder operator positions. Two switch engines will be made available for use eisewhere. Six machinist positions will be transferred to Denver.

4.3 Midwest Region

4.3.1 Kansas City, Kansas/Missouri

Present Operation - Neff Yard located in the northeast corner of the area, is the major UP yard in Kansas City (Figure 13-15). A hump yard with 22 receiving/departure tracks and 41 classification tracks, Neff humps approximately 1300 cars per day and primarily handles blocking for the north, south and east. Neff also delivers eastbound interchange traffic and serves a significant amount of industry in the Neff area, especially grain-related traffic. A new diesel shop is located at Neff, as is the intermodal facility, which handled approximately 80,000 lifts in 1994. Approximately 21 yard engine assignments work the Neff Yard area daily.

UP's 18th Street Yard is located at the west end of the Kansas City area and has 17 classification tracks and 16 receiving/departure tracks. Its primary function is to receive inbound traffic from the east, including interchange traffic from connecting lines, and to build westbound trains. Eighteenth Street handles approximately 800 cars per day. It has ten yard engine assignments, of which six classify traffic, two handle transfers to connecting lines, and two work industries. A car repair facility is located just east of 18th Street at Armstrong Yard.

UP serves the large Fairfax industrial complex in North Kansas City on the Kansas side of the Missouri River. Fairfax Yard operates ten industrial jobs and two transfer jobs daily.

Armourdale Yard, located adjacent to the UP 18th Street Yard, is SP's only yard in the Kansas City area. It consists of two distinct yards. The "West End" yard has nine receiving/departure tracks and 21 classification tracks and classifies approximately 450 cars per day. Traffic received from connecting lines and traffic from Chicago and St.



Louis that has not been blocked for through movement are handled in this yard. The "Trainyard" has 12 tracks and handles traffic destined to connecting lines at Kansas City, as well as traffic destined to Chicago or St. Louis that has not been blocked for through movement. Armourdale also inspects about five SP coal trains per day. The SP intermodal facility located at Armourdale handled approximately 56,000 lifts in 1994. Car repair and locomotive servicing facilities are also located at Armourdale.

Approximately 15 yard engine assignments work Armourdale daily, of which 11 perform train yard work, three handle transfers with connecting lines and one works industries. In addition, due to capacity constraints at Armourdale, SP utilizes Gateway Western as an intermediate switching carrier to handle some traffic destined to connections in the Kansas City area. Gateway Western receives unblocked trains from SP, switches them, and makes deliveries to connecting carriers for an intermediate switching charge.

Projected Operation - Through the rerouting of some traffic and other changes in blocking and through train operations, UP/SP will consolidate classification operations in the Neff and 18th Street yards. Armourdale Yard will be converted to a new intermodal terminal for the UP/SP system, plus a yard with long tracks for the handling and staging of through trains, especially bulk commodity trains. These changes, plus other changes in the routing of traffic, will have a significant impact not only on UP and SP facilities, but on entire terminal area. UP/SP's operating plans will help relieve the congestion in Kansas City, which is often caused by not having a place to hold trains when they cannot immediately be dispatched from the terminal.

By operating additional run-through trains with connecting lines and by rercuting some traffic around Kansas City, sufficient capacity will be generated at Neff and 18th Street yards to absorb traffic from Armourdale Yard. Eliminating the intermodal ramp at Neff Yard will provide space for construction of two additional departure tracks that, with the addition of several daily yard engine assignments at Neff, will also help expedite traffic through the terminal.

These changes will result in a net reduction of 11 yard engine assignments, as well as a reduction of five yardmaster, eight enginemen (yard hostler), five clerical, five carmen, one laborer, two railway supervisor and five non-agreement positions. Shifting some classification work from Kansas City to Herington will result in the transfer of two enginemen, three trainmen and ten carmen positions to Herington. Six switch engines will be made available for service elsewhere.

4.3.2 Herington, Kansas

Elesent Operation - Herington is not a significant location on UP (Figure 13-16). It is at the east end of the UP Pueblo-Herington line, which is now dispatched and maintained by SP, the primary user of the line on trackage rights from UP. Local service is still provided by UP, which has exclusive access to local traffic on the line. Herington is also at the north end of the UP Ft. Worth-Herington line via Wichita. This line serves no customers in Herington, and only intermittent service is provided on the Wichita-Herington line north of Lost Springs, Kansas.

Herington is an important location for SP, at the junction of the Central Corridor line via Pueblo and the Tucumcari Line. From Herington, traffic flows to Kansas

City for delivery to shippers, interchange, or further movement to St. Louis and Chicago. An expansion project currently underway will provide 15 tracks to handle additional switching. This will allow most eastbound switching to be done at Herington, so that SP Armourdale Yard at Kansas City can concentrate on westbound switching. Three road switchers are assigned to Herington.

Projected Operation - The UP/SP merger will have a significant impact on Herington operations. While UP/SP will route additional traffic via the Tucumcari Line, some of this traffic will use the trackage rights over BN/Santa Fe between Kansas City and Hutchinson, thereby avoiding Herington. However, other traffic on the Tucumcari Line, as well as local area traffic and traffic off the Ft. Worth-Herington line, will be classified at Herington to reduce switching at Kansas City. Herington will also perform westbound blocking for points on the Tucumcari Line, Salina, Oklahoma City and Wichita. In addition, it will block automotive traffic moving through the Chicago, St. Louis and Kansas City gateways for Phoenix and Southern California automotive facilities.

Herington will also be affected by the new UP-Topeka-SP-Herington-UP route for unit grain trains and for unit coal trains moving from the Powder River Basin to destinations in Texas. This will reduce the mileage on these trains, as well as keep them out of Kansas City, which will further reduce congestion on the Topeka-Kansas City line and in the Kansas City terminal.

To handle the additional traffic, three additional classification tracks will be constructed and three run-through tracks will be extended. One yard engine assignment

will be added, ten carmen will be transferred to Herington from Kansas City, and one locomotive will be added.

4.3.3 Topeka, Kansas

Present Operation - UP operates a medium-size industry support yard at Topeka, which handles a significant amount of business to and from three large grain elevators and other industries. It builds three locals per day and handles pick ups and set outs for through trains. The UP facility consists of three yards totalling 29 tracks. One yard job and four industry jobs handle approximately 300 cars per day. Topeka also has a small car repair and car cleaning facility.

SP has a small yard at Topeka to support limited industry switching and interchange with UP and BN/Santa Fe. Much of the SP traffic is reciprocal switch traffic from the UP-served elevators and the SP-served Goodyear plant. SP has one five-day switch job at Topeka.

Projected Operation - UP/SP will close the SP yard and serve SP industries from UP facilities. Traffic to and from the Southwest will be transferred to the SP yard for pick up by Tucumcari Line trains. One yard engine assignment will be eliminated, and one switch engine will released for service elsewhere.

4.3.4 Chicago, Illinois

Present Operation: East-West - Chicago is the largest rail gateway in the country and is of critical importance to all major railroads (Figure 13-17). UP operations are directionally oriented, with a major east-west operation and a major north-south operation.

UP east-west carload operations are concentrated at Proviso Yard, a major hump yard with 28 receiving tracks, 35 departure tracks, and 66 bowl tracks. Proviso humps about 1500 cars per day. It operates 22 daily yard assignments, five industry assignments and 12 transfer jobs. UP also has a small yard at West Chicago, which does some classification and interchange work while supporting local industries. Other industry support yards are located at North Avenue, Elk Grove and Irondale.

Some traffic originating at outlying locations on UP and moving to Chicago for interchange with other carriers was recently shifted from Proviso to the BRC Clearing Yard. Clearing is a major, two-hump yard with 56 classification tracks in the east yard and 36 classification tracks in the west yard. BRC provides routes for its railroad owners, serves considerable industry, and also functions as an intermediate switching carrier. Approximately two trains per day of east-west UP interchange traffic are handled on a run-through-train basis with the BRC, bypassing UP terminals in Chicago.

In the east-west corridor, UP has three major intermodal facilities. Canal Street is located near the downtown area and is dedicated primarily to LTL shipments. Space is limited, with little opportunity to expand, but trailer turnover is rapid, reducing the space required for parking. Canal Street had 153,000 lifts in 1994. Global-1 is a doublestack facility west of downtown dedicated to APL traffic. It handled 322,000 lifts in 1994 and is also landlocked with little room for expansion. Global 2 is a doublestack terminal located within the Proviso Yard complex that handled 171,000 lifts in 1994. It has good highway access, but expansion requires reducing manifest switching operations at
Proviso. Global-2 operates five yard engine assignments to switch intermodal cars and make up trains.

SP has no manifest yard facilities in Chicago. BRC handles all of SP's classification work, as well as switching SP's intermodal facilities and handling its mechanical functions.

SP uses three Chicago intermodal facilities in its east- west operation. IMX is owned by IC, but leased to SP. It is located adjacent to the IC and BN/Santa Fe mainlines and had 99,000 lifts in 1994. SP must use trackage rights over the IC connection with the BN/Santa Fe at Joliet. Illinois, to access the facility. SP does not plan to exercise its option to purchase this facility when its option expires at the end of 1995, so IMX will not be a factor in merged operations.

The Forest Hill ramp consists of 41 acres owned by CSX and leased to SP through CSX Intermodal. It primarily handles doublestack traffic for NYK and Zim steamship lines. The lease expires at the end of 1997. SP handles Evergreen and CSX/SeaLano traf b via BN/Santa Fe trackage rights through the BRC and into Bedford Park. This majo/ intermodal facility is owned by CSX.

Projected Operation: East-West - Remaining and preblocking of UP/SP traffic at North Platte and elsewhere will reduce the amount of east-west traffic requiring classification in the Chicago area. Reducing the number of cars BRC handles for UP and SP will make available additional capacity at the BRC, which UP/SP will utilize by moving some classification work from Proviso to Clearing Yard. Since the total number of UP/SP cars handled by BRC will not increase, this will not cause congestion or require more

capacity. Reduced classification work at Proviso will result in a reduction of three yard engine assignments, plus three yardmaster and two trainmen (retarder operator) positions.

By reducing switching at Proviso, UP/SP will also be able to use additional portions of the yard to expand the Global-2 facility so that it can absorb the traffic currently handled at Forest Hill. The IMX traffic will be split between Global-2 and Canal Street. Closing the Forest Hill facility will result in an annual savings of \$0.6 million. UP/SP will also save approximately \$2.7 million annually in BRC switching costs for handling SP intermodal traffic. This will be partially offset by the need to add two yard engine assignments at Global-2 to handle the additional traffic.

<u>Current Operation: North-South</u> - The major UP facility for north-south carload traffic is Yard Center at Dolton, Illinois, approximately 18 miles south of downtown Chicago. Yard Center has nine receiving tracks and 24 classification tracks. Additional trackage is available for storage of intermodel equipment. Yard Center works five daily yard engine assignments, plus three jobs at the adjacent intermodal ramp, which handled approximately 215,000 lifts during 1994. Some UP traffic moves through Yard Center to BRC and IHB without requiring classification. An industry support yard is located eight miles south at Chicago Heights, where four additional yard engine assignments serve local industries.

As discussed previously, the BRC handles all SP classification work in the Chicago area. This is true for north-south traffic, as well as east-west traffic.

SP has an agreement with IC covering terminal and linehaul services for intermodal traffic between Chicago and the Southwest. IC provides terminal services in

Chicago at its Moyers Intermodal Terminal and hauls SP traffic between Chicago and a connection with the SP at Memphis. The IC handled approximately 32,000 units of traffic for SP under this agreement in 1994 at a total cost to SP of \$9.8 million.

Projected Operation: North-South - Some north-south manifest traffic will remain on SP's Chicago-St. Louis route following merger, but most will be rerouted to the shorter UP route to the Southwest via Salem, Illinois. This additional traffic will either be handled at Yard Center or moved through for classification by BRC or IHB. The additional traffic will not require an increase in the resources at Yard Center.

Intermodal traffic will be consolidated at the Yard Center facility. After notice is given to the IC to cancel the haulage agreement, UP/SP will continue to use the agreement during the two-year period prior to the cancellation becoming effective. During this time, the Yard Center intermodal facility will be expanded to handle the additional traffic shifted from IC facilities. UP/SP will save the \$9.8 million paid to IC, less the additional cost of handling the traffic.

4.3.5 East St. Louis, Illinois/St. Louis, Missouri

Present Operation - A&S Gateway Yard in East St. Louis is UP's and SP's primary classification and interchange yard in the St. Louis area (Figure 13-18). A&S is owned jointly by UP and SP, but is operated as a neutral switching carrier. Gateway Yard is a double-hump yard with 18 receiving tracks, 66 bowl tracks and six departure tracks. Approximately 2000 cars are humped daily.

Dupo, Illinois, six miles south of Gateway Yard, is UP's primary facility in the terminal area. Dupo consists of two yards: The "A" yard has 17 tracks used for intermodal

car storage, program bad order storage, storage-in-transit (SIT) cars, and miscellaneous carload switching. The "F" yard is used primarily to stage and inspect loaded coal trains en route to rail-barge facilities located south of Dupo along the Mississippi River. The UP intermodal facility, which performed approximately 133,000 lifts in 1994, is located at Dupo adjacent to the main line. A car repair facility is also located at the Dupo yard. Approximately five yard engine assignments work Dupo on a typical day.

UP also operates several support yards in the St. Louis area. The most important is Lesperance Street, located south of downtown St. Louis. It is a 35-track yard with a capacity of 1000 cars. Approximately nine yard engine assignments work out of Lesperance Street daily, including four industry jobs and one transfer job. Besides industry support, Lesperance Street originates three locals and two through trains and terminates one through train.

Other UP support yards include Twelfth Street Yard and Ivory Yard in St. Louis Valley Yard in East St. Louis. Also on the east side of the Mississippi River is the former CNW Madison Yard. It originates and terminates one through train daily. While much of the traffic is interchanged with the A&S. Madison performs a limited amount of interchange work and switches local industries. One yard engine assignment works at Madison daily.

While using Gateway Yard as its primary classification and interchange facility, SP also operates several other yards in the St. Louis terminal area. Valley Yard, located adjacent to Gateway Yard, is the most important. It has 23 tracks and originates and terminates two road trains per day, with two yard engine assignments daily. It is also

the site of the SP intermodal facility, which performed approximately 67,000 lifts in 1994. Valley Yard also functions as a holding yard, when necessary, for SP coal trains waiting to be unloaded at the Sauget rail-barge facility.

Wann Yard is located at Wood River, Illinois, on the SP Chicago-St. Louis main line. It serves the Alton-Wood River industrial area. SP switches these industries for its own account, and for Gateway Western, IC, NS and BN. Fifteen industry jobs per week work out of Wann.

The other SP support yard is at Lackland, Missouri, on the west side of St. Louis. This yard supports a large switching zone and is served by two five-day industry switch jobs. The yard also originates and terminates one local.

Projected Operation - Gateway Yard will continue to be the primary classification facility for the UP/SP system. while continuing to perform as a neutral switching carrier. Some former SP north-south traffic will be rerouted to connections with Conrail and CSX at Salem, Illinois. and some will be blocked for NS, reducing the traffic handled by the A&S. This will allow Gateway Yard to assume some of the support for local area switching now performed at UP and SP yards.

Most support for St. Louis industry operations will be transferred to lvory Yard, and Lesperance Street Yard will be closed. On the east side of the Mississippi River, SP's Valley Yard will be made available for potential expansion by the A&S, should that become necessary, and it can also be used as a storage-in-transit yard. Intermodal operations will be consolidated at the Dupo facility, which will be expanded to handle the additional traffic. UP's Madison Yard will also be eliminated, with many of its functions assumed by the A&S. Only minor changes will be made in the operations at the Twelfth Street, Lackland, Wann and UP Valley yards.

These changes will result in a reduction of ten yard engine assignments, plus four clerical, five yardmaster and one non-agreement positions. Six switch engines and two four-axle roadswitchers will be released for service elsewhere. Closing the SP Valley intermodal ramp will generate \$25,000 annual savings in non-labor expenses.

4.3.6 Springfield, Illinois

Present Operation - UP does not serve Springfield. SP operates through Springfield on its Chicago-St. Louis line and maintains a small support yard, Ridgely Yard (Figure 13-19).

Projected Operation - UP/SP will abandon portions of the UP line between Barr, Illinois, approximately 14 miles northwest of Springfield, and East St. Louis. To maintain the efficient through route to St. Louis from Eastern Iowa and Western Illinois, UP/SP will acquire trackage rights over C&IM between Barr and Springfield, where a connection will be made with the SP line to St. Louis. The current C&IM-SP crossing/connection at Springfield will be upgraded and modified to improve efficiency. This will eliminate the interlocking tower and result in a reduction of four clerical positions responsible for operating the interlocking. Half of these benefits will accrue to the C&IM, which shares the costs of operating the tower.

4.4 South Central Region

4.4.1 Memphis, Tennessee

Present Operation - Sargent Yard, a combination carload and intermodal

yard, is UP's primary yard in the Memphis area (Figure 13-20). It operates approximately nine yard engine shifts per day. Most UP traffic through the Memphis gateway is handled in run-through trains with NS, CSX and IC and does not require handling at Sargent Yard. The intermodal facility performed approximately 90,000 lifts in 1994 and has no room to expand. Locomotive servicing and car repair facilities are also located at Sargent Yard. UP maintains an industry support yard at Leewood, which serves industries in the north Memphis area.

SP has limited operations of its own in Memphis. All of its non-run-through traffic is handled by the IC at its Johnston Yard under an agency agreement. SP owns its intermodal facility, which handled 123,000 lifts in 1994, but it is switched by IC. This facility is also at capacity. SP has a small industrial yard in West Memphis served by a local out of Memphis, which also handles traffic out of Johnston Yard for pick up by the run-through trains.

Projected Operation - UP already has plans to move its intermodal operation to a new facility on the UP line in the West Memphis area. The new facility will be jointly operated with SP, and possibly with NS. Since these plans were in place prior to the merger announcement and are not contingent on completion of the merger, the new facility is not considered to be merger-related. Therefore, the costs and savings associated with that facility are not included in this Operating Plan.

UP/SP will consolidate traffic with NS, CSX, BN/Santa Fe and IC on run-through trains operating between Memphis and North Little Rock and Pine Bluff. The SP agency contract with the IC will be terminated, with notice given adequately in advance so that UP/SP will have the necessary labor agreements, computer system changes, and construction completed to integrate its operations through the Memph's gateway when the termination becomes effective.

Sargent Yard will be downsized and will support only local industry switching with two yard engine assignments. The West Memphis local will originate and terminate at Sargent Yard. These changes will result in a reduction of five yard engine assignments per day and two non-agreement positions. They will also result in elimination of payments to the IC under the agency agreement, with an estimated saving of \$3.5 million per year.

4.4.2 North Little Rock, Arkansas

Present Operation - North Little Rock is the primary classification yard for UP in the Southwest-Northeast corridor (Figure 13-21). It is a major hump yard with 18 receiving/departure tracks and 64 classification tracks. It also has an eight-track local yard and a 14-track city yard. North Little Rock classifies traffic and builds trains for all major gateways, with a humping capacity approaching 2400 cars per day. It works 18 yard engine assignments and eight industry assignments per day. Car repair and locomotive servicing facilities are located at the yard. The intermodal ramp serving Little Rock and the surrounding area handled 15,000 lifts during 1994.

SP serves Little Rock over UP trackage rights and maintains a small yard for industry and interchange operations.

Projected Operation - UP/SP will significantly change the functions performed by North Little Rock Yard. Pine Bluff will assume the primary role of blocking southbound traffic received from the Chicago, Salem, St. Louis and Memphis gateways. This rerouting

of southbound traffic will allow North Little Rock to absorb the northbound SP traffic and perform additional blocking for locations north of Little Rock. Since this will represent only a change of function and the amount of work will not change significantly, no changes are anticipated in the level of resources at North Little Rock Yard.

4.4.3 Pine Bluff, Arkansas

Present Operation - UP has a small yard at Pine Bluff (Figure 13-22). The seven-track yard supports industry work and interchange with SP. One seven-day yard engine assignment works Pine Bluff. A small car repair facility and a car cleaning facility are also located there.

Pine Bluff is the primary classification location for SP in the Southwest-Northeast corridor. It is a major hump yard with 14 receiving/departure tracks and 42 classification tracks. It also has a twelve-track local yard. Pine Bluff classifies traffic and builds trains for all major gateways, with a humping capacity of about 1800 cars per day. It also supports block swapping between mainline trains. It works 15 yard engine assignments and three industry assignments per day. Car repair and locomotive servicing facilities are also located at the yard. A relatively small intermodal ramp at the yard handled 10,000 lifts during 1994.

Projected Operation - UP/SP will significantly change the functions performed by Pine Bluff, which will assume the primary role of blocking southbound traffic received from the Chicago, Salem, St. Louis and Memphis gateways. The rerouting of northbound traffic, which will be handled primarily at North Little Rock, will allow Pine Bluff to absorb

the southbound UP traffic and to perform additional blocking for locations south and west of Pine Bluff.

Seven clerical positions will be abolished due to automation of some currently manual functions. Consolidation of the Pine Bluff industry switching operations will result in a reduction of one seven-day switch engine assignment, and the consolidation of switching operations in the Little Rock area will result in elimination of the SP Pine Bluff-Little Rock local.

The SP intermodal facility will close, with the UP facility in North Little Rock becoming the regional hub for the area. Two clerical positions will be eliminated. One switch engine will be released for service elsewhere. Consolidation of car cleaning at Pine Bluff will also result in a reduction of one carman position at Stuttgart, Arkansas, two carmen positions at Baldwin, Arkansas, and one carman position at Texarkana.

4.4.4 Camden, Arkansas

Present Operation - Camden is located on the SP Pine Bluff-Texarkana mainline and on the UP Gurdon-El Dorado branch line (Figure 13-23). UP has only a small yard for SP interchange traffic and local industry support. Camden is served by a UP local train operating from Gurdon to El Dorado and back.

SP's six-track yard at Camden supports local switching and interchange with UP. A five-day road switcher works out of the yard serving local industries.

Projected Operation - UP/SP will abandon the UP line between Camden and Gurdon. Connections will be constructed at Camden between UP and SP trackage so that the Gurdon-El Dorado turn can be replaced by a daily El Dorado-Camden turn connecting with mainline trains at Camden. One non-agreement position at Gurdon will be abolished. The new operation will require the assignment of four four-axle road switcher locomotives to the El Dorado-Camden local.

4.4.5 Texarkana, Arkansas/Texas

Present Operation - The UP North Little Rock-Texas mainline crosses the SP Pine Bluff-Texas mainline at Texarkana (Figure 13-24). UP has a 23-track classification and industrial support yard handling block swaps between mainline trains, switching of through and local traffic, and interchange with SP, KCS and a Texas shortline. Five yard engine assignments work the yard. A car repair facility and a cleaning track are also located at Texarkana.

SP's 10-track yard supports local industry and interchange traffic. One five-day yard engine assignment works the facility. SP also has five clerks and one carman at Texarkana.

Projected Operation - UP/SP will consolidate Texarkana operations at the UP yard. Some of the current work will be transferred to either Pine Bluff or North Little Rock, resulting in the reduction of two switch engine assignments and three clerical positions. Car cleaning by an outside contractor at Texarkana will be moved to Pine Bluff, with a reduction of one carman position. Two switch engines will be released for service elsewhere.

New connections will be constructed to facilitate the movement of through trains over either the UP or the SP lines. In addition, a new intermodal ramp will be constructed to replace two facilities at Shreveport, Louisiana, and Marshall, Texas.

4.4.6 Shreveport, Louisiana

Present Operation - UP has two major facilities in the Shreveport area (Figure 13-25). Hollywood Yard is primarily an industry support yard, which also handles interchange with SP and KCS. Four yard engine acsignments work out of Hollywood Yard. Part of the yard is used as a storage-in-transit "SIT" facility. A car repair facility is also located there.

Reisor Yard is a newer yard constructed primarily to support an automotive assembly plant and a vehicle unloading terminal. Seven yard engine assignments and four carmen work out of Reisor.

SP's 13-track classification and industry support yard at Shreveport supports industry and interchange operations, as well as three locals operating out of Shreveport. Three yard engine assignments work the yard daily. SP uses a small intermodal facility south of Shreveport that is owned by the port. It handled approximately 5000 lifts in 1994.

Projected Operation - UP/SP yard operations will be consolidated in the UP facilities. This will result in reduction of two seven-day yard engine assignments, plus five yardmaster and three clerical positions. In addition, the Shreveport-Tenaha local will be eliminated. Three low-horsepower locomotives will be released for service elsewhere. UP/SP Shreveport intermodal traffic will be handled by the new intermodal ramp at Texarkana.

4.4.7 Marshall, Texas

Present Operation - Marshall is located at the junction of the UP Texarkana-Longview and Longview-Shreveport lines. While not a major classification

location, it has an intermodal ramp that handled approximately 10,000 lifts in 1994. This ramp serves the East Texas and Shreveport areas.

Projected Operation - With the proposed directional running for north-south traffic, the Marshall-Texarkana line will primarily see northbound trains moving toward North Little Rock for further classification. Since this would cause service problems if the intermodal facility were to remain at Marshall, UP/SP will construct a new intermodal facility at Texarkana, where it can be served by trains operating both northbound over the UP line and southbound over the SP line.

4.4.8 Dallas, Texas

Present Operation - UP's several facilities in the Dallas area primarily support local industry (Figure 13-26). Browder is a seven-track industry support yard located west of downtown Dallas c.n the UP mainline. It operates four yard engine assignments and one local. Mockingbird Yard is a nine-track industry support yard located northwest of downtown Dallas on former OKT trackage. It operates eight yard engine assignments plus one local. Smaller industry support yards with no assigned switch engines include Cadiz and CJ, near downtown Dallas.

Mesquite, on the east side of Dallas, is the major UP intermodal ramp, which handled more than 190,000 lifts in 1994. A relatively small automotive facility is also located at the yard. Mesquite has four intermodal tracks, two automotive tracks, and five classification tracks. Four yard engine assignments work the Mesquite facilities.

Miller Yard is the primary SP facility in the Dallas area. It has 23 tracks for manifest operations plus a six-track intermodal facility that handled 183,000 lifts in 1994.

Approximately seven yard jobs per day work the facility, which also originates four locals. Car repair and locomotive servicing facilities are located at the yard. SP also has a small yard at Carrollton, Texas, on the north side of Dallas, with four yard engine assignments to serve industries in that area.

Projected Operation - UP/SP will consolidate manifest operations at Miller Yard, which will improve service on industry traffic and reduce congestion on the east-west mainline in the downtown area. Service to local UP customers will be improved by having Miller receive a daily block of Dallas traffic from Pine Bluff and build a block for direct movement to North Little Rock. This traffic will avoid the current time-consuming procedure in which Dallas traffic is moved through Ft. Worth. Industries on the north end of the UP Denton branch will be switched from Carrollton yard, rather than Mockingbird.

Both intermodal facilities will be used, with Mesquite dedicated to traffic to and from the northeast and whiler used for West Coast and north-south traffic, such as Kansas City-Dallas-Houston service. The automotive operation at Mesquite will be closed and the traffic shifted to the SP-served automotive facility at Midlothian, Texas. The net result of these consolidations will be a reduction of one yard engine assignment and one local, as well as two clerical and three non-agreement positions.

4.4.9 Ft. Worth, Texas

Present Operation - Centennial Yard is the major UP facility in the Ft. Worth area (Figure 13-27). It is a major hump yard with 21 receiving/departure tracks and 44 classification tracks. Centennial is located on the Ft. Worth-El Paso mainline approximately five miles west of downtown Ft. Worth. It currently humps about 1650 cars

per day and originates 14 manifest trains. Sixteen yard jobs work the yard, which also has car repair and locomotive servicing facilities.

Ney Yard is the other primary UP facility and is located just south of the downtown area on the Ft. Worth-Waco line. It has seven receiving/departure tracks and 12 classification tracks. Ney is used primarily for staging traffic for Mexico and for industry support. Mexico traffic often requires considerable time for completion of necessary documentation, and Ney is used to hold that traffic until the documentation is complete and the traffic is ready to be moved to the border. Even traffic from the Northeast moving via North Little Rock is moved out of route to Ft. Worth to await documentation due to lack of available yard space at other locations between North Little Rock and Laredo. Eleven yard engines work at or out of Ney. Smaller UP yards located near the downtown area and used primarily for industry support include Peach Yard, East Yard and Ginney Yard.

Ft. Worth is at the end of the SP line from Ennis, Texas. It handles an average coone manifest train per day in each direction plus locals and coal trains. SP operations are concentrated at Broadway Yard, just south of downtown near Ney Yard. This small, ten-track yard handles manifest and local traffic. One yard engine assignment and one local operate from the facility. SP also has a small yard at Hodge in northwest Ft. Worth to support limited industry switching in that area and on portions of the SP line between Ft. Worth and Plano, Texas.

Projected Operation - UP/SP will consolidate operations at the UP facilities. Changes in terminal operations in the San Antonio area will allow the Mexico traffic from Little Rock currently staged at Ney Yard to be moved to San Antonio, allowing Ney Yard

to assume additional classification work currently performed at Centennial. Broadway Yard will be closed and its functions moved to either Centennial or Ney. These changes will result in reduction of three yard engine assignments, one local train, and one non-agreement position. Three high-horsepower road switcher locomotives will be made available for service elsewhere.

4.4.10 Midlothian, Texas

Present Operation - Midlothian, on the SP Ennis-Ft. Worth line, is the site of an automotive unloading facility.

Projected Operation - UP/SP will close the UP automotive facility at Mesquite, Texas, and move this work to the automotive facility at Midlothian. This facility will be able to handle the additional traffic without expansion.

4.4.11 San Antonio, Texas

Present Operation - SoSan is the primary UP facility in the San Antonio area, with ten receiving/departure tracks and 14 classification tracks (Figure 13-28). Its two-track intermodal facility handled approximately 15,000 lifts in 1994. SoSan's primary function is handling traffic for the local area and traffic to and from the Mexican Border at Laredo. It switches approximately 600 cars per day. Six yard engine assignments and two industry jobs work out of SoSan.

SP has two major facilities in San Antonio. East Yard has 22 tracks and switches approximately 325 cars per day. It also has an intermodal ramp that handled approximately 62,000 lifts in 1994, some of which were Laredo shipments drayed to and from San Antonio. East Yard handles two locals and works 14 yard engine assignments. Kirby Yard is located on the east side of San Antonio on the SP Houston-San Antonio mainline. It has a mainline fueling facility, and its six tracks are used primarily for staging through and rock trains. SP's Yoakum Bend and UP's San Fernando yards are used for industry support.

Projected Operation - UP/SP will consolidate local industry switching support at the SP East Yard facility. East Yard will also handle BN/Santa Fe San Antonio traffic, including BN/Santa Fe intermodal traffic, which will be handled at the former SP ramp.

SoSan will be site of the UP/SP intermodal facility and the primary staging yard for Mexico traffic, consolidating work currently performed not only at SoSan, but also at Ney Yard in Ft. Worth, Eureka Yard in Houston, and various other UP and SP locations. This will significantly improve the handling of this traffic and free space in other terminals for more effective use.

These changes in yard functions, plus the rerouting of Memphis and Dallas/Ft. Worth traffic to and from the West Coast via an upgraded UP Ft. Worth-El Paso line, will allow reduction of two switch engine assignments and one local, as well as five yardmaster and one non-agreement positions. Two railway supervisor positions at Kirby Yard will also be abolished. One four-axle locomotive will be released for service elsewhere. Three clerical positions will be eliminated with the closing of the SP intermodal ramp. In addition, there will an annual non-labor saving of \$1.6 million associated with closing the SP intermodal facility and avoiding the drayage expense on Laredo traffic currently moved over the highway between San Antonio and Laredo.

4.4.12 Laredo, Texas

Present Operation - Laredo is the primary Mexican border crossing for UP, which recently constructed a major classification yard and intermodal facility at Port Laredo. UP also retains older facilities in Laredo.

SP does not directly serve Laredo, but maintains a "paper ramp" for intermodal shipments. These shipments are drayed over the highway between Laredo and San Antonio, where they are handled through the SP intermodal ramp at East Yard.

Projected Operation - UP/SP will close the SP "paper ramp" at Laredo and handle this traffic via rail between San Antonio and Laredo. To handle the additional traffic at the Port Laredo facility, UP/SP will add one track, 500 trailer parking places and one crane. Two non-agreement intermodal positions will be relocated to Houston.

4.4.13 El Paso, Texas

Present Operation - UP reaches El Paso via trackage rights over SP from Sierra Blanca, Texas (Figure 13-29). In El Paso, UP's 16-track yard handles one through train in each direction, a local, and industry and interchange support. Two yard engine assignments work the terminal area and one local works the area east of El Paso, including industries that UP has the right to serve on the Sierra Blanca-El Paso trackage rights.

El Paso is the strategic junction of SP's Tucumcari Line, which handles Chicago, St. Louis and Kansas City gateway traffic, with its lines east of El Paso serving Texas, Arkansas, and Louisiana, including the Memphis and New Orleans gateways. SP's primary facility is Alfalfa Yard on the east side of El Paso. This facility has 32 tracks, plus an intermodal facility that handled 59,000 lifts in 1994. SP has additional facilities near the downtown area where the Tucumcari and San Antonio lines connect. These include a mainline fueling facility and other trackage at the site of Dallas Yard, which is no longer extensively utilized. SP operates approximately 18 yard engine assignments per day in the EI Paso terminal, as well as originating and terminating three locals.

Projected Operation - UP/SP will consolidate its operations at the former SP facilities and close the UP yard. The consolidation of through train, industry and interchange operations will result in reductions of three yard engine assignments and three non-agreement positions. In addition, the UP east local will be eliminated and its work handled by existing SP trains. These changes will release two nigh-horsepower and one low-horsepower units for use elsewhere.

4.4.14 Waco, Texas

Present Operation - Waco is on the UP mainline south of Ft. Worth and is the junction of the lines to San Antonio and Houston (Figure 13-30). UP operates a six-track industry support yard at Waco and three traveling switch engine assignments to handle local area switching.

SP has a ten-track switching yard at Waco and operates one yard engine assignment to handle local industry switching. SP reaches Waco over trackage rights on UP from Hearne, Texas, and moves Waco traffic on a triweekly local between Hearne and Waco.

Projected Operation - UP/SP will consolidate operations at the UP facilities and close the SP yard. One yard engine assignment and the Hearne-Waco local will be eliminated. One four-axle locomotive will be released for use elsewhere. A new connection between the UP and SP lines will be constructed, and an additional track will be constructed in the UP yard to provide added capacity.

4.4.15 Hearne/Valley Junction, Texas

Present Operation - Hearne is on the UP Longview-San Antonio mainline, but is not a major location (Figure 13-31). UP operations are centered around Valley Junction, four miles south, where the Ft. Worth-Houston line crosses the Longview-San Antonio line. Hearne is served by a local operating out of Valley Junctior.

Hearne is a more important point for SP. It is the junction of the SP Houston-Dallas/Ft. Worth line with the SP line to Pine Bluff via Corsicana and Tyler and the lines to San Antonio and the Rio Grande Valley. Hearne is a crew change point on all of these routes. It also classifies traffic and builds trains, especially for the Rio Grande Valley. Hearne has two yard engine assignments and handles two locals, including the Hearne-Waco triweekly local. Hearne has an eight-track yard, plus car repair and locomotive servicing facilities.

Projected Operation - The UP/SP Operating Plan includes directional operation of trains on both the Ft. Worth-Houston and Texarkana-Hearne-San Antonio routes. This will increase the number of train movements through Hearne, which will also become a more important crew change location. Local area switching will be consolidated out of the SP Hearne yard, resulting in a reduction of one UP local out of Valley Junction, as well as the SP Hearne-Waco local. One high-horsepower and two low-horsepower locomotives will be made available for service elsewhere.

4.4.16 Tyler/Troup. Texas

Present Operation - Tyler is located on the UP branch between Troup and Swan, Texas. It is served by locals operating out of Troup, where UP has a small industry support yard.

Tyler is on the SP mainline between Texarkana and Corsicana and is a crew change point for all trains. SP has an 11-track switching yard at Tyler, which has two yard engine assignments and also handles a Tyler-Corsicana local.

Projected Operation - UP/SP will abandon the UP Troup-Swan line between Troup and Whitehouse. Industries on this line between Whitehouse and Swan will be served out of Tyler. A local train will be eliminated, and the Tyler-Corsicana local will be reduced to a twice-weekly Tyler-Eustace-Tyler turn. Two high-horsepower locomotives will be released for service elsewhere.

4.5 Gulf Coast Region

4.5.1 Victoria, Texas

Present Operation - Victoria is at the end of a UP branch line from Bloomington, Texas, and is served by a local train (Figure 13-32).

Victoria serves an important function for SP by consolidating traffic received from San Antonio, Houston and Hearne and building trains for Corpus Christi and the Rio Grande Valley. The nine-track yard at Victoria also supports a limited amount of local area switching. Two yard engine assignments work Victoria daily.

Projected Operation - The role of Victoria in a UP/SP system will decline due to rerouting of traffic. Traffic to and from Corpus Christi and the Rio Grande Valley out of

San Antonio and Houston will take advantage of shorter UP routes. With reduced classification and train yard work required, one yard engine assignment will reduced at Victoria. On/e non-agreement position will be abolished.

4.5.2 Brownsville, Texas

Present Operation - UP operates an 11-track yard at Brownsville to support local industry switching and the interchange with Mexico (Figure 13-33). Two yard engine assignments work the area.

SP has a small, six-track yard which also supports local industry work and interchange with Mexico. The local for Harlingen originates at the yard.

Projected Operation - Operations will be consolidated into the UP yard. One local will be eliminated, and two high-horsepower locomotives will be released for service elsewhere.

4.5.3 Harlingen, Texas

Present Operation - Both UP and SP stage their Rio Grande Valley operations out of Harlingen (Figure 13-34). UP has a 12 track yard at Harlingen, plus two tracks serving a small, circus-style intermodal facility that handled approximately 4500 lifts in 1994. One traveling switch engine is assigned to Harlingen.

SP has a four-track yard at Harlingen served by a local and a daily yard engine assignment.

Projected Operation - UP/SP operations at Harlingen will be consolidated into the UP facilities. One yard engine assignment and one local will be eliminated. One carman position will also be eliminated. Three high-horsepower locomotives will be released for service elsewhere. A new intermodal facility capable of handling 15,000 lifts per year will be constructed.

4.5.4 Houston, Texas

Present Operation - The Houston area is a major traffic source for both UP and SP, including traffic originating or terminating in the port area on the Port Terminal Railroad Association (PTRA) (Figure 13-35). For both carners, it is also an important intermediate switching location. The UP yard at Spring, Texas, and the SP yard at Strang, Texas, are integral to the Houston operation.

Settegast Yard. located in the northeast portion of the area, is the major UP facility in Houston. It has six receiving and six departure tracks, as well as 38 classification tracks, a local yard, and eight tracks to support intermodal service. Settegast handles approximately 43 through trains per day, as well as six local trains. It switches approximately 1750 cars per day and has 23 yard engine assignments, plus five jobs for transfer work to connecting lines including SP, PTRA and HBT. The UP intermodal facility handled more than 117,000 lifts in 1994. Locomotive servicing, car repair and cleaning track operations are also located at Settegast.

Lloyd Yard is located at Spring. Texas, approximately 20 miles north of Settegast Yard at the junction of the Ft. Worth-Houston and Palestine-Houston lines. It primarily handles local traffic and traffic from locations south of Houston that classification at Settegast. Spring has seven receiving/departure tracks and 16 classification tracks. It handles approximately 750 cars per day and has eight yard engine assignments. A major SIT facility is also located at Spring. The UP automotive terminal is located south of Spring at Westfield on the UP mainline.

Englewood Yard, located just south of Settegast Yard, is the primary SP yard in the Houston area. Englewood is a hump yard with 23 receiving tracks, 13 departure tracks, 64 classification tracks, an 11-track local yard, a six-track intermodal yard, and a nine-track intermodal support yard. It currently humps about 1500 cars per day. Approximately 18 yard engine assignments work in the yard, six work the intermodal and local yards, and 19 handle transfer and industry work. The SP intermodal facility handled nearly 200,000 lifts in 1994. Car repair and cleaning facilities are located at Englewood, but the locomotive servicing facility is located 3.2 miles west of Englewood at Hardy Street, resulting in significant delays in moving power to and from trains. SP has an automotive facility at Galena Park.

Strang Yard is located southeast of Houston. It primarily serves the chemical producers along the Houston Ship Channel and the port intermodal facility at Barbour's Cut. It also handles traffic to and from the Texas City and Galveston areas. It is a mini-hump yard with twelve classification tracks, humping an average of about 900 cars per day. Cars for movement over the Chicago, St. Louis, Memphis and New Orleans gateways, plus cars for West Coast locations, are classified at Englewood to reduce further handling at downstream locations. Eleven road switchers work industries in the Strang area. In addition, two road switcher hump jobs and two trim jobs work twelve hours each to perform classification work. Six road switchers transfer cars between Englewood

and Strang, and three jobs handle interchange and miscellaneous work. The Galveston Hauler also works out of Strang with cars for Texas City and Galveston.

Projected Operation - UP/SP will continue to use both Settegast and Englewood yards. Settegast will be the primary yard for north-south traffic, interchange traffic, and local area traffic. Settegast will make additional blocks, including two blocks for delivery to Conrail at Salem, Illinois, allowing this traffic to avoid a currently required classification at either North Little Rock or the A&S in East St. Louis. In addition, the HBT will build a train of PTRA and HBT traffic for North Little Rock. This traffic will also avoid an intermediate classification. The functions of UP's Lloyd Yard at Spring will not change significantly.

Englewood will become primarily an east-west yard. This will reduce Englewood's workload and also reduce the need for detailed blocking in the local yard. Three jobs currently based at Galena Park and seven based at Hardy Street will go on duty at Settegast, eliminating the yard jobs currently hauling traffic between Englewood and these locations. New connections will be constructed in the Houston area to increase flexibility and improve the efficiency of the projected operation.

Preblocking of cars at outlying locations will reduce the need to classify cars at Strang. Galveston/Texas City traffic will be consolidated at Settegast, removing additional cars from Strang. Capacity at Strang will be increased by extending two tracks approximately 50 car lengths. This will enable inbound trains to be yarded for humping without having to be held out of the yard, saving up to 24 hours for many cars going to industry. The additional capacity will also be used to preblock some traffic for the Northeast. Two blocks will be made for delivery to Conrail at Salem, Illinois. This will eliminate the need to classify this traffic prior to delivery to Conrail, saving one classification compared to the current operation.

Intermodal operations in the Houston area will be restructured similarly to the manifest operations. The intermodal ramp at Settegast will handle north-south traffic, while the Englewood facility will serve east-west traffic. Operations at Barbour's Cut will be largely unaffected. The Galena Park auto facility will be closed and consolidated into the UP Westfield facility.

The net impact of these changes at Houston will be to eliminate 15 yard engine assignments, plus 17 yardmaster and eight non-agreement positions. Three non-agreement positions will be transferred to Longview, Texas. In addition, consolidation of Galveston traffic at Settegast will allow the SP job handling traffic between Strang and Galveston/Texas City to be eliminated, along with one job working at those locations. Consolidation of repair track facilities will allow 45 carmen and five railway supervisor positions at Houston, plus one carman position at Beaumont and one railway supervisor position at Lufkin, to be abolished. Eight four-axle units will be released for service elsewhere.

4.5.5 Dayton/Baytown, Texas

Present Operation - UP serves Baytown out of Settegast Yard via its Baytown branch. SP has a more substantial operation: Its Baytown branch south of Dayton is served by seven road switchers, and its traffic is moved between Dayton and Englewcod by a daily Houston-Dayton train. Dayton Yard has two long tracks and two short tracks.

It makes seven blocks for destinations, such as Pine Bluff, Chicago, East St. Louis, and West Colton. Four additional tracks are located at Mt. Belvieu for industry support. A major SIT facility is located at Dayton, with a smaller facility at East Baytown. Approximately 100 cars per day move into and out of storage.

Projected Operation - UP/SP Baytown area traffic will be consolidated at the SP facilities. To reduce congestion currently resulting from moving this traffic through the Houston area, Baytown traffic for the Northeast will move via Alexandria and Monroe, Louisiana, to North Little Rock for further classification. Traffic for the New Orleans gateway will be preblocked at Dayton and moved directly to Livonia, Louisiana, for further classification into detailed blocks for connecting carriers at New Orleans. Two tracks at Dayton will be extended to improve the efficiency of picking up and setting out traffic. No change in resources is anticipated in the Dayton/Baytown area.

4.5.6 Beaumont/Orange, Texas

Present Operation - UP has an 18-track yard at Amelia, just west of Beaumont, to support operations in the Beaumont area (Figure 13-36). UP also operates a small industry support yard at Orange, where UP and SP alternate switching the industries (Figure 13-37). UP Beaumont operations are handled by a traveling switch engine whose work consists primarily of industry work and interchanges with KCS and SP. UP's Amelia Yard supports Beaumont operations and with four traveling switch engines.

SP has a small, 12-track hump yard at Beaumont which humps approximately 650 cars per day. Beaumont originates daily Houston and Pine Bluff trains. Eleven yard engines are assigned to Beaumorit. These include four yard jobs, three industry jobs, one interchange job, and three locals, two operating to Orange and one to Port Arthur.

Projected Operation - UP/SP will consolidate operations in the SP Beaumont Yard, using UP yard to stage traffic for the Port of Beaumont and for pickups by through trains. This will allow cars to move more quickly and will provide the capacity at the SP yard to handle the combined UP and SP volumes. Beaumont and Orange traffic for the Northeast will be moved by the train out of Dayton to North Little Rock for further classification.

UP's Amelia Yard will be converted to a SIT facility. Empty private cars held for long periods of time at the SP Beaumont facility will also be moved to Amelia, thereby providing additional capacity. Beaumont will originate one daily train for Settegast Yard in Houston with traffic for the Houston, Strang and Galveston areas. West Colton and City of Industry traffic will be blocked and added to a through train. East traffic will move in a Livonia block for further classification.

These changes will result in elimination of the UP Mauriceville-Orange local, two yard engine assignments at Orange and three traveling switch engines at Amelia. Three yardmaster positions at Beaumont will also be abolished. One low-horsepower locomotive will be released for service elsewhere.

4.5.7 Lake Charles, Louisiana

Present Operation - Lake Charles is at the end of a UP branch line. UP has only a small, four-track yard plus two interchange tracks (Figure 13-38). Two yard engine assignments handle industry and interchange work. Traffic to or from Lake Charles is handled on an Alexandria-Lake Charles triweekly local.

SP's yard supports the West Lake and Rosebluff petrochemical industries, handling approximately 500 cars per day. Additional support trackage is maintained at Lockmoor and Rosebluff, both of which are in the immediate Lake Charles vicinity. SP works nine yard engine assignments daily, one of which primarily handles interchange work with UP and KCS.

Projected Operation - UP/SP operations will be consolidated at the SP facilities. North traffic will be preblocked for pickup by the Dayton-North Little Rock train operating via Alexandria and Monroe. East traffic will be forwarded to Livonia for further classification.

Classification work at the SP Lake Charles yard is hampered by the main track, which runs through the yard. Switching leads for both sides of the yard branch off the main track, so switching must cease when through trains are passing. With the expected increase in through trains. Lake Charles must have the ability to continue switching while trains are operating on the mainline. To allow this, a tail track will be constructed south of the main track at the west end of the yard. The consolidation yard and these physical changes will permit reduction of four yard engine assignments.

4.5.8 Lafayette, Louisiana

Present Operation - The SP yard in Lafayette has only five tracks in service. The remainder are out of service due either to deteriorated track conditions or derailment damage. Lafayette works one yard engine assignment daily and also handles two locals. Projected Operation - UP/SP will sell Lafayette Yard to BN/Santa Fe. SP activities, consisting of one daily yard engine assignment, two yardmaster and two carmen positions, will be eliminated.

4.5.9 Livonia, Louisiana

Present Operation - Livonia is the newest hump yard on the UP system. It has ten receiving/departure tracks and 25 classification tracks and humps approximately 1350 cars per day. Its primary role is to combine local area traffic with traffic moving in the Houston-New Orleans and Ft. Worth-New Orleans corridors and to preblock it for connections through the New Orleans gateway. It also receives preblocked trains from connections and distributes those cars to various destinations.

Projected Operation - UP/SP will increase the amount of traffic handled through Livonia. SP New Orleans gateway manifest traffic will move via Livonia to take advantage of its classification capabilities. The merged system will make more detailed blocks for, and operate more run-through trains with, connecting carriers, primarily CSX and NS. To handle this traffic efficiently, Livonia will be expanded, with one additional receiving track, two classification tracks, completion of a pullback track, and construction or upgrade of two connecting tracks to increase flexibility. Two additional yard engine assignments will be added to handle the increased volumes of traffic.

4.5.10 Avondale, Louisiana

<u>Present Operation</u> - UP's Avondale Yard has 30 tracks and is primarily used to support local industry and interchange traffic (Figure 13-39). Its role declined with the opening of Livonia Yard, which assumed a greater role in classifying of interchange traffic. Nine yard jobs are assigned at Avondale. The UP intermodal facility, located several miles southeast of the yard at Westwego, handled approximately 25,000 lifts in 1994.

SP's Avondale yard is located adjacent to the UP facility and is made up of two yards, the New Yard and the Old Yard. It handles approximately 650 cars per day and builds many classifications for SP Gulf Coast locations, as well as West Coast destinations. Ten yard engine assignments handle classification, industry, transfer and interchange duties. The SP intermodal facility at the yard handled approximately 66,000 lifts during 1994.

Projected Operation - UP/SP will consolidate operations primarily in the UP Avondale Yard. UP/SP operations in the Avondale area will be reduced as Livonia assumes some of the classification work currently performed at the SP Avondale facility. SP's New Yard will be sold to BN/Santa Fe. UP/SP intermodal operations will be located at the SP facility, while the UP facility will be sold to BN/Santa Fe.

A new connection between the UP and SP mainlines will be constructed approximately four miles west of the Avondale yards to improve access to the yards and to provide a better route to the Huey P. Long Bridge over the Mississippi River.

The changes at Avondale will result in reduction of 56 yard engine shifts per week, one five-day road switcher assignment and eight yardmaster positions. Six four-axle locomotives will be released for service elsewhere. Consolidation of car repair and locomotive servicing facilities will result in reductions of one railway supervisor and 20 carmen positions.

5.0 YARD AND TERMINAL ACTIVITY CHANGES

Attachment 13-4 indicates projected changes in average daily car volumes originating, terminating and moving through major UP and SP terminals as a result of a UP/SP consolidation. The impact of these changes on terminal activities is discussed in the previous section.

6.0 IMPACTS ON TRAFFIC DENSITIES

6.1 Impacts on Train Volumes

Attachments 13-5 and 13-6 indicate the net effect of the proposed train operations changes on the average number of trains per day over UP and SP segments.

6.2 Impacts on Gross Ton-Miles

Actual 1994 gross ton-mile density data are shown in the density charts included as Exhibit 14 at the end of this Volume 1. Attachments 13-7 and 13-8 show the tonnages on UP and SP lines for the base period, taking into account the estimated impacts of the UP/CNW merger, the BN/Santa Fe merger, and the conditions granted in settlement agreements between the applicants in the BN/Santa Fe case and SP, KCS and UP. Tonnages are expressed in gross tons. The attachments also show the estimated density for these line segments for the year following full implementation of the UP/SP consolidation.

7.0 TRACK UPGRADES, NEW CONSTRUCTION, AND AVOIDED TRACK INVESTMENTS

7.1 Upgrades and New Construction

UP/SP expects to spend approximately \$1.3 billion on construction and upgrado projects related to the merger.

7.1.1 Corridor Upgrades

Topeka, Kansas - El Paso, Texas

To permit increased use of the Tucumcari Line for service-sensitive traffic, UP/SP will upgrade this line and construct additional capacity. Approximately 210 miles of lighter rail will be replaced with secondhand 133-lb. welded rail. Bridges will be strengthened to allow movement of unit trains of 286,000-lb. equipment. To provide increased capacity, CTC will be installed on the entire line between Herington and El Paso. Approximately 4.4 miles of new double track will be constructed just north of El Paso. Six new 9000-foot or 9700-foot sidings will be constructed at McPherson, Kansas, and at Tularosa, Oscura, Robsart, Leoncito and Arabella, New Mexico. Sidings will be lengthened at Pratt and Bucklin, Kansas, and at Palomas, New Mexico. Total estimated cost of the Tucumcari Line work is \$145.8 million.

Big Sandy - El Paso, Texas

This project will facilitate the rerouting of Memphis gateway-West Coast traffic via this UP line, rather than the longer SP route via San Antonio. The line is in excellent physical condition between Big Sandy and Ft. Worth. To increase capacity, new sidings will be constructed at Big Sandy and Mineola. Existing sidings will be extended at Big Sandy, Mineola, Grand Saline, Wills Point, and Lawrence. Double track will be extended for approximately one mile at Miller, and new universal crossovers will be constructed at Miller and Grand Prairie. Estimated cost of these projects is \$26.9 million.

West of Ft. Worth, track will be upgraded with new ties and secondhand welded rail at a cost of \$74.3 million. Bridge work required to allow unit trains of 286,000 lb. equipment will cost approximately \$1.0 million. Three new sidings will be constructed at Loraine, Pecos and San Martine. Fourteen sidings will be extended at Iona, Preble, Brazos, Strawn, Tiffin, Jayell, Merker, Sweetwater, Iatan, Morita, Pegasus, Monahans, Toyah, and Wild Horse. Double track will be extended approximately two miles east of the El Paso Alfalfa Yard, and CTC will be extended east to the current end of CTC east of El Paso. Estimated cost of the Ft. Worth-El Paso projects is \$125.4 million.

El Paso, Texas - Los Angeles, California

Most SP Southern California traffic to and from Chicago, St. Louis, Kansas City, Memphis, Dallas, New Orleans, Houston and San Antonio flows across this line, which is already heavily congested. To handle the additional expected traffic, as well as to improve the handling of existing traffic, UP/SP plans the following:

- Double track will be extended 23 miles between Pomona and Colton.
- A total of 71 miles of double track will be constructed at various locations on the line east of Los Angeles, concentrated on the heavy-grade portion west of Yuma, Arizona.

- 3) Existing sidings at nine locations, primarily east of Tucson, will be extended to double-length sidings to handle fleets of trains more effectively. These extensions will effectively add 19 miles of double track.
- Existing sidings between Beaumont and Indio, California, will be rehabilitated.

The total cost of the projects in this corridor is \$221.4 million.

Nelson - Buda, Illinois

Much of the UP/SP traffic out of the Chicago Gateway that will utilize the trackage rights over BN/Santa Fe to Kansas City will get on or off those rights at Buda, Illinois. Trains out of Canal Street, Global-1, Global-2 or Proviso will operate west over the UP line to Nelson, Illinois, and then south on the Nelson-East St. Louis line to a crossing with the BN/Santa Fe at Buda, where a new connection with the BN/Santa Fe line will be constructed. To expedite the flow of traffic on this route, the Nelson-Buda line will be upgraded and signaling will be installed. A new siding will be constructed north of Buda on the UP line. Another new siding and a new crossover will be constructed on the BN/Santa Fe line just west of Buda at UF/SP's expense. These capacity increases will allow for better integration of the UP/SP and BN/Santa Fe flows. Total estimated cost of these projects is \$21.7 million.

Herington, Kansas - Ft. Worth, Texas

This line, otherwise known as the OKT, will be upgraded primarily to handle Powder River Basin to Texas coal trains. Other traffic will also benefit from this upgrade. Track will be upgraded for the heavier volumes, and bridges will be improved to handle unit trains of 286,000-lb. equipment at a cost of approximately \$30 million. Six new sidings will be constructed at Boyd, Texas; Marlow and Jefferson, Oklahoma; and Caldwell, Furley and Peabody, Kansas. Thirteen sidings will be extended at Chico and Stoneburg, Texas; Waurika, Sunray, Chickasha, Concho, Jacks, Enid, North Enid, and Jefferson, Oklahoma; and Midland, Cline and Whitewater, Kansas. Sidings at Minco, Oklahoma, and Lost Springs, Kansas, will be upgraded. Total cost of the OKT project, including the track upgrade, is \$91.5 million.

Denver, Colorado - Topeka, Kansas

This line, known as the KP, will be upgraded primar.ly to handle Colorado and Utah coal to Midwestern locations. With the upgrade in place, however, other traffic will also benefit. Track will be upgraded for the heavier volumes and bridges will be improved to handle unit trains of 286,000-lb. equipment at a cost of approximately \$50 million. Eleven new 9300-foot sidings will be constructed at Mesa, Strasburg and First View, Colorado, and at Page City, Grainfield, Wakeeny, Toulon, Dorrance, Brookville, Salina, and Solomon, Kansas. Existing sidings will be extended at Cedar Point and Clifford, Colorado, and Weskan and Oakley, Kansas. Total cost of the projects, including the track upgrade, is \$86.6 million.

Iowa Junction - Kinder - Livonia - Avondale. Louisiana

This upgrade and capacity improvement project is associated with the routing of manifest traffic off the SP line at Iowa Junction so that it can move north to Kinder and then east to Livonia for classification for the New Orleans gateway. Upgrading the trackage and bridges between Iowa Junction and Livonia will cost \$25.1 million. New
sidings will be constructed at Edna and Elton, Louisiana, and CTC installed between Iowa Junction and Kinder. On the Livonia-Avondale line, the White Castle siding will be extended and an additional main track will be constructed at Taft. Total cost of projects in the Iowa Junction-Avondale corridor is \$44.3 million.

Kinder, Louisiana - Alexandria, Louisiana

UP/SP plans to operate additional traffic over this line, including chemical traffic from the Beaumont, Orange and Lake Charles areas moving to North Little Rock for classification. To handle this additional traffic, trackage in this area will be upgraded at an estimated cost of \$9.4 million.

Pine Bluff, Arkansas - North Little Rock, Arkansas

Additional trains will operate between the Pine Bluff and North Little Rock yards. To handle this traffic efficiently, signal spacing will be changed on portions of this line and switches on one additional siding will be power-operated at a cost of \$1.7 million.

Tracy, California - Martinez, California

This segment is known as the Mococo Line, and parts of it have been out of service for several years. At one time, however, it was an important SP line serving as the primary route to the Bay Area from the San Joaquin Valley. In 1977, for example, the line handled 8.1 million gross tons and, as late as 1987, 5.3 million tons.

Reopening this line will provide significant additional operational flexibility in the area. This is especially important as traffic increases on other lines and as governmental agencies work with the railroads on potential commuter and intercity passenger operations in the Bay Area. Projects planned for the Mococo Line include a track upgrade costing \$14.7 million and construction of two sidings, one at Newlove and the other at Janney. Total cost of the Mococo Line projects is \$21 million.

Alazon, Utah - Weso, Nevada

This trackage is referred to as the "Paired Track," because UP owns one line between these locations and SP owns the other line. The two railroads are operated as one, with westbound trains operating on the SP track and eastbound trains operating on the UP track. The lines are signalled only for movements in the direction of traffic, making it very difficult for a faster train to pass a preceding slower train.

To increase operational flexibility, UP/SP will signal the lines for movement in both directions. It will also install universal crossovers at six locations and upgrade power-operated switches at Elko and Carlin, Nevada. These projects have an estimated cost of \$20.6 million.

Peninsula Jct - Troutdale, Oregon (Portland)

This UP line, known as the Kenton Line, forms a bypass route around Portland terminal activities for Seattle trains that do not have to work at Albina Yard in Portland. Due to a steep grade, most eastbound trains out of Albina also use this route to reach Troutdale on the line to Hinkle, rather than the Graham Line, which is used west of Troutdale primarily by westbound trains going to Albina Yard.

UP/SP will increase the number of movements through the Portland terminal area as traffic on the I-5 Corridor increases. Eugene-Hinkle traffic will also operate via Portland. Because of physical track limitations, a train moving north from the SP toward Hinkle cannot turn east at East Portland and operate to Hinkle on the Graham Line. Instead, it must operate north to Peninsula Junction, and then use the Kenton Line. To improve the flow of traffic on this line, UP/SP will install CTC and extend two sidings at Champ and Hemlock for an estimated \$6.1 million.

7.1.2 Major Terminal Upgrades

Roseville

As indicated in the discussion of the transportation plan, Roseville will play a key role in UP/SP operations (Figure 13-40). To fulfill this role, UP/SP will rehabilitate the yard, placing back in service those tracks that are currently out of service. Some changes will also be made to the configuration of the yard to improve efficiency. New master and group retarders, a new hump computer, and a new weigh-in-motion scale will also be installed. A second main line will be constructed along the north side of the yard to reduce potential congestion associated with trains bypassing the yard. Rehabilitation, construction and other improvements at Roseville are estimated to cost \$38.2 million.

Livonia

Livonia will play a key role in UP/SP's operations along the Gulf Coast. Although it is a new hump yard, it will be expanded to handle the additional traffic. The expansion will include one receiving and two classification tracks, completion of the pullback track, and rehabilitation of one wye and construction of another wye at the junction of the Houston-Baton Rouge and New Orleans-Shreveport lines. Estimated cost of these various projects is \$7.7 million.

Portland

Closing the SP intermodal operations at Brooklyn Yard and expanding intermodal facilities at the UP Albina Yard will require shifting some manifest traffic classification to other facilities. Some of the expansion will occur at Rivergate and Bonneville yards, where two tracks will be added to each of these support yards. The larger expansion will occur at the UP Barnes Yard, which serves many industries, as well as the Port of Portland. To improve the flow of traffic through Albina, a new mainline and a running track will be constructed through the yard. These projects will cost an estimated \$22.8 million.

Kansas City

UP/SP will convert most of the SP Armourdale Yard into an intermodal facility. Other trackage will be converted into long staging tracks for use by bulk or other through trains. These tracks should significantly reduce congestion by providing space to hold trains, other than on the mainline. With some manifest traffic shifted to Neff Yard, two additional departure tracks will be constructed to improve operations. The cost of these various projects, not including the intermodal facility, is \$4.8 million.

Other

Smaller projects associated with terminal consolidations will be constructed at Denver, Colorado; Salem, Illinois; and Carrollton, Waco, and San Antonio, Texas. These projects have a combined cost of \$11.6 million. In addition, \$5.6 million will be spent to increase track capacity in the Dexter Jct., Missouri, area to facilitate crew changes.

7.1.3 Intermodal Terminals

UP/SP will expand current or construct new intermodal facilities at various locations. These projects will allow UP/SP to absorb increases in traffic or obtain the efficiencies associated with consolidating currently separate facilities. UP/SP plans for intermodal facilities include:

		Est. Cost (Millions)
•	Construct a new Inland Empire facility in the Colton-Fontana area	\$ 67.5
•	Expand the SP ICTF facility serving the Ports of Los Angeles and	
	Long Beach	27.2
•	Expand the SP Oakland facility and reconfigure the UP facility	3.7
•	Expand the Albina Yard facility at Portland	29.3
•	Expand the UP facility at Seattle	3.8
•	Expand the UP North Yard facility at Salt Lake City	7.7
•	Expand the UP Denver facility	8.2
•	Expand the UP Global-2 facility in Chicago	12.2
•	Expand the UP Dolton facility in Chicago	9.8
•	Construct a new facility at Armourdale Yard in Kansas City	16.7
•	Expand the UP Dupo, Illinois, facility serving the St. Louis area	38.1
•	Construct a new intermodal facility at Texarkana, Arkansas, serving	
	the Texarkana, Shreveport, Marshall and Longview areas	2.5
•	Expand the UP facility at South San Antonio	6.1
•	Construct a new facility at Harlingen, Texas, serving the Rio Grande	
	Valley	2.0
•	Expand the UP Port Laredo, Texas, facility	7.3
	Total	\$242.1

7.1.4 Special Projects

As part of its plan to increase efficiency and improve intermodal service,

UP/SP will undertake two major clearance improvement projects. UP/SP will remove snow sheds on one track, improve clearances in tunnels, modify signaling and otherwise make

changes to improve clearances on the SP Donner Pass route so that it can handle stacked high-cube containers. This project has an estimated cost of \$18.3 million.

UP/SP will also increase clearances in 22 tunnels and four bridges in Oregon and Northern California to allow operation of stacked high-cube containers on the I-5 Corridor. This project will cost \$8.6 million.

7.1.5 New Connections

Consolidation of UP and SP operations will require construction of more than 40 connections or other track changes at common terminals and other locations. These projects, summarized below, will cost an estimated \$88.2 million.

New Connections

Location	Comments	Est. Cost (Millions)
Camden, AR	Connect SP and UP to allow Gurdon-Camden abandonment.	\$ 1.5
Fair Oaks, AR	Upgrade existing connection to allow westbound trains on UP to move south to Pine Bluff on SP.	1.7
Pine Bluff, AR	Two connections to allow southbound trains off UP to move south onto SP and northbound trains off UP to move north onto SP.	3.9
Texarkana, AR/TX	Two connections to allow UP trains to move west on SP trackage and SP trains to move east on UP.	2.1
West Memphis, AK	Upgrade existing connection to allow UP trains to use BN/Santa Fe track to reach SP line to Brinkley.	1.5

Location	Comments	Est. Cost (Millions)
Colton, CA	Two connections, one to allow trains off UP from Los Angeles to operate east on SP towards Yuma, and one to allow eastbound trains off SP from West Colton to operate west on UP.	5.9
Keenbrook, CA	Activate signaling on existing connection between SP track and BN/Santa Fe track on which UP has rights.	0.1
Lathrop, CA	Connect SP and UP trackage to allow northbound trains on SP from Fresno to access UP track to Oakland via Altamont Pass.	2.7
Marysville, CA	Upgrade existing connection to allow trains to and from Roseville, CA, to access UP line to Portola.	1.4
Montclair, CA & Pomona, CA	Connect UP and SP mainlines to increase operating flexibility in the area between Colton and Los Angeles.	7.9
Riverside Junction, CA	Connect SP branch and UP mainline to allow industries on both lines to be served from West Colton.	1.0
Stockton, CA	Connect UP and SP mainlines north and south of Stockton to allow consolidation of UP and SP yards.	10.4
Warm Springs, CA	Upgrade existing connection from UP yard to SP mainline and connect staging tracks to the UP San Jose branch to allow consolidation of local operations.	2.3
Denver, CO	Connect SP mainline and Belt Line at Utah Junction to allow eastbound trains on SP to enter Belt Line.	4.0
Barr, IL	Upgrade existing connection between UP and C&IM to allow implementation of UP trackage rights over C&IM to Springfield, IL, for through trains.	0.6
Girard, IL	Connect UP and SP lines to allow northbound trains on UP to access SP line for movement north to Chicago.	1.4

Location	Comments	Est. Cost (Millions)	
Salem, IL	Connect UP and CSX lines to allow northbound run- through trains on UP to operate east on CSX.	2.4	
Springfield, IL	Upgrade and simplify existing C&IM-SP crossing and connection.	2.0	
Hope, KS	Connect UP and BN/Santa Fe line over which UP has trackage rights to allow direct movements between Herington and Salina.	1.4	
Topeka, KS	Upgrade existing connection for through movements between Marysville and Herington, KS. Construct new UP-SP connection to allow continued access to SP-served industry while eliminating current UP-SP crossing.	1.8	
Avondale, LA	Connect UP and SP mainlines west of Avondale Yard to increase operational flexibility and provide better through route to Huey P. Long Bridge.	3.0	
Iowa Jct., LA	Connect SP and UP to allow eastbound trains on SP to operate north on UP to Kinder.	1.6	
Kinder, LA	Connect UP trackage to allow northbound trains from Iowa Junction to operate east to Livonia.	1.8	
Shreveport, LA	Connect UP and SP trackage to allow southbound trains from Hollywood Yard on UP to access SP for operation to Houston.	2.7	
Bryan, TX	Realign existing UP and SP trackage at rail crossing to eliminate the crossing.	0.9	
Dallas Jct., TX	Connect the UP Denton branch with SP trackage to allow consolidated handling of local traffic in the area.	0.3	
Ft. Worth, TX	Two connections at the crossing of UP Ft. Worth- Waco and SP Ft. Worth-Ennis lines to increase operational flexibility between the crossing and downtown Ft. Worth area.	2.3	
Hearne, TX	Upgrade existing connection to allow northbound trains on UP to operate towards Ft. Worth on SP.	1.3	

Location	Comments	Est. Cost (Millions)
Houston, TX	Connect UP and SP trackage at Tower 26 to allow east-west UP-SP moves to bypass Englewood Yard.	1.9
Houston, TX	Connect SP and HBT trackage at Tower 87 to facilitate movement of motive power between Englewood and Settegast yards.	1.4
Houston, TX	Connect SP and HBT trackage at Tower 76 for use by trains operating between the SP Houston- Shreveport line and Settegast Yard.	2.5
Saginaw, TX	Connect UP and BN/Santa Fe trackage over which UP has trackage rights. Allow southbound UP trains on OKT to operate over BN/Santa Fe to UP trackage at Tower 55 in Ft. Worth.	1.1
San Antonio, TX	Connect UP and SP trackage in the SoSan Yard area to increase operating flexibity. Connect UP trackage to SP at SP East Yard to allow trains off UP to access East Yard.	2.9
Tatsie-Mumford, TX	Connect UP and SP lines and realign trackage to allow operational flexibility for trains operating between Hearne/Valley Jct. and Houston/Flatonia.	3.5
Valley Junction, TX	on, Upgrade UP connection to allow northbound trains on UP from Tatsie-Mumford to operate on UP to Hearne.	
Waco, TX	Connect UP Bass siding and SP Gatesville Branch to allow consolidation of local operations.	
Westpoint, TX	Connect UP and SP track to allow southbound trains on SP to operate east on UP to LCRA power plant.	1.6
	TOTAL	86.5
7.1.6 Fueling	/Servicing Facilities	

The ability to service and fuel locomotives quickly can have a significant impact on service quality and operational efficiency. Locomotive servicing facilities will be improved

at Ft. Worth, El Paso, Houston, San Antonio, Salt Lake City, Roseville and Hinkle at a cost of \$13.0 million. Fixed fueling facilities will be improved at Elko, Yuma, Tucson and North Platte at a cost of \$13.0 million.

"Mobile supertankers" will be acquired at a cost of \$5.0 million to handle fueling at smaller locations, including El Reno, Oklahoma; Vaughn, New Mexico; Provo, Utah; and an undetermined location on the east-west main line in Iowa. New service trucks will be acquired at a cost of \$0.4 million for Liberal, Kansas, and for Dolores Yard in the Los Angeles area. In addition, safer and more efficient fuel arms will be acquired for use at former SP facilities at a cost of \$4.5 million.

7.1.7 Mechanical Facilities

Locomotive facilities will be improved to support merged operations. The largest locomotive facility expenditure resulting from the merger is construction of new \$24 million running repair facility at SP's West Colton, California, yard. Other, smaller projects with a combined cos of \$41.6 million will be completed in Denver, Kansas City, Houston, North Little Rock, El Paso, Albina (Portland), Salt Lake City and San Antonio.

7.2 Deferred Capital Expenditures

The abandonment, sale and downgrading of various lines due to the UP/SP merger will allow UP/SP to avoid planned maintenance and capital expenditures on a number of lines. Avoided capital expenditures on just the Sage-Malta-Cañon City, Colorado and Pueblo-Herington, Kansas, line segments total more than \$47.7 million. Avoided capital expenditures on other lines to be abandoned or on which UP will no longer have maintenance responsibility total at least \$23.8 million.

These figures do not include the potentially significant reductions in capital requirements for capacity resulting from the ability to utilize existing routes more efficiently. For example, the proposed directional operations over the UP and SP lines in Arkansas and Texas will significantly reduce the need for line capacity expenditures in this area. With recent and projected growth in UP traffic between the Midwest and Texas, particularly for movements into Mexico, major expenditures had been planned on UP lines between North Little Rock and San Antonio. These expenditures can be deferred and the capital can be shifted to other areas, such as the Powder River Basin to Kansas City coal corridor, where growth has outstripped capacity and where no alternative routes exist.

8.0 IMPACTS ON PASSENGER AND COMMUTER SERVICE

- 8.1 Amtrak Operations
 - 8.1.1 UP Line Segments. Amtrak operates service over UP lines between:
 - Denver and Portland via Cheyenne and Ogden, three trains per week in each direction.
 - Salt Lake City and Barstow, California, three trains per week in each direction.
 - Salt Lake City and Weso, Nevada, four trains per week in each direction.
 - St. Louis and Kansas City, twice daily in each direction.
 - St. Louis and Ft. Worth, three trains per week in each direction.
 - Temple, Texas, and San Antonio, three trains per week in each direction.
 - Barstow and Riverside Junction, California, daily in each direction and three trains per week in each direction (BN/Santa Fe track).

 Portland and Tacoma, four trains daily in each direction (BN/Santa Fe track).

8.1.2 SP Line Segments. Amtrak operates service over SP lines between:

- Los Angeles and Portland via San Luis Obispo, Oakland, Roseville and Eugene, daily in each direction.
- Portland and Eugene, Oregon, daily in each direction.
- Los Angeles and San Luis Obispo, California, daily in each direction.
- Los Angeles and Santa Barbara, California, three trains daily in each direction.
- Denver and Salt Lake City, daily in each direction.
- Weso, Nevada, and Oakland, four trains per week in each direction.
- San Jose, Oakland and Port Chicago, California, four trains daily in each direction.
- San Jose, Oakland and Sacramento/Auburn, California, three trains daily in each direction.
- New Orleans and Los Angeles, three trains per week in each direction.
- Chicago to Joliet, Illinois, three trains daily in each direction.
- Chicago-Galesburg, Illinois, two trains daily in each direction. (BN/Santa Fe track).
- Galesburg-Quincy, Illinois, daily in each direction. (BN/Santa Fe track).
- Chicago-Joliet, Illinois, three trains daily in each direction (IC ownership).

UP/SP merger will have no significant impact on Amtrak train operations as

they currently exist on UP and SP lines. First-class passenger trains receive operating

priority from both railroads under the operating rules and practices, as well as under terms of operating contracts, and UP/SP will continue that policy.

Many lines over which Amtrak operates will see little or no change in traffic, with some experiencing decreases. While some lines will have increases in freight traffic, the increases are generally relatively slight. Where the increases are large, for example between El Paso, Texas, and Colton, California, UP/SP plans a construction program that will significantly increase capacity. The consolidated UP/SP operation will also provide greater flexibility to reroute traffic over parallel routes when necessary to reduce congestion or to avoid line closures.

- 8.2 Commuter Operations
 - 8.2.1 Chicago Area. Metra operates over the following UP line segments:
 - Chicago to Elmhurst, West Chicago or Geneva, Illinois. Metra operates 59 weekday trains, 20 Saturday trains, and 15 Sunday and holiday trains.
 - Chicago to Barrington, Crystal Lake, McHenry or Harvard, Illinois. Metra operates 63 weekday trains, 27 Saturday trains, and 15 Sunday and holiday trains.
 - Winnetka, Highland Park, and Waukegan, Illinois, or Kenosha, Wisconsin. Metra operates 62 weekday trains, 22 Saturday trains, and 16 Sunday and holiday trains.

Metra shares track with SP on the following line segments:

- Chicago to Joliet, Illinois. Metra operates four trains on weekdays only. SP has trackage rights over portions of this line, which is owned by IC.
- Chicago to Aurora, Illinois. Metra operates 86 weekday trains, 26 Saturday trains and 18 Sunday and holiday trains. SP has trackage rights over portions of this line, which is owned by BN/Santa Fe.

In the Chicago area, the UP/SP merger will have no impact on the UP Northwest Line to Crystal Lake and Harvard or the UP North Line to Kenosha. Little impact is expected between Chicago and Joliet or Aurora, where train volumes will decline due to the shift of some SP north-south and east-west traffic using the trackage rights to other UP routes.

While increased volumes are expected on UP's east-west Geneva Line to West Chicago and Geneva, virtually all of this growth is related to an increase in intermodal trains. Other growth results from the rerouting of some SP traffic in the Chicago terminal area, primarily from either the BN Chicago-Aurora line or the IC Chicago-Joliet line, both of which have Metra commuter operations.

Even with the relatively large increase in trains on the Geneva Line, there should be no significant impact on Metra operations. Metra commuter trains are already given priority and that policy will not change. A review of the computer-generated projected train sizes also indicates the possibility of consolidating some trains on lighter days to reduce train frequency. In addition, many of the additional intermodal trains are scheduled at times when commuter operations are infrequent, especially late at night.

8.2.2 <u>Southern California Area</u>. METROLINK operates over the following UP and SP line segments:

- 1. Los Angeles to Riverside, California. METROLINK operates six trains in each direction on weekdays only.
- Los Angeles to Oxnard, California. METROLINK operates six trains in each direction on weekdays only.

- Los Angeles to Lancaster, California. METROLINK operates nine trains in each direction on weekdays only.
- Los Angeles to Burbank, California. METROLINK operates three westbound and two eastbound trains on weekdays only, in addition to the Oxnard and Lancaster services.

In the Southern California area, additional trains are expected on the UP and SP mainlines between the Colton area and Los Angeles, resulting partly from the need to operate to the downtown area to make connection with the Alameda Corridor to the Ports of Los Angeles and Long Beach. Service provided to METROLINK commuter trains should not be impacted, however, since the proposed changes in crew districts and the connections proposed for Colton, Pomona and Montclair will increase capacity and provide operational flexibility.

The merged route structure will significantly enhance the ability of the carriers to handle current traffic and potential future growth. METROLINK will benefit on some lines where UP and SP do not even operate commuter service. For example, the ability of UP/SP trains between Barstow and Los Angeles to enter and exit SP trackage at Keenbrook on the west side of Cajon Pass means that some UP/SP trains will not necessarily have to operate over BN/Santa Fe trackage used by METROLINK trains east of San Bernardino.

8.2.3 <u>San Francisco Bay Area</u>. CalTrain operates over SP between San Francisco and San Jose or Gilroy, California. CalTrain operates 60 weekday trains, 25 Saturdays, and 19 Sundays and holidays. There should be little impact on CalTrain

commuter operations. Little change in train frequency is projected on the SP Coast Line between Gilroy and Santa Clara, with no change on the Santa Clara-San Francisco line.

9.0 EQUIPMENT REQUIREMENTS AND UTILIZATION

9.1 Equipment Utilization

A merged UP/SP system will have significant opportunities to improve equipment utilization, including greater utilization of combined fleet capacity to meet seasonal demand and efficiencies resulting from consolidated operation. This improved productivity can be measured by the locomotives and freight cars that a consolidated system would not have required to handle actual 1994 volumes.

With consolidation, 210 fewer high-horsepower through freight locomotives, having a replacement value of approximately \$410 million, and 80 local and yard locomotives would be required to handle the 1994 traffic of the two systems. Improved utilization of road locomotives would result from use of shorter, more efficient routes, a better ability to match locomotive capabilities with particular service requirements, reduced helper locomotive requirements, greater ability to triangulate locomotive movements, reduced terminal times due to greater service frequency, and improved locomotive maintenance and servicing facilities. The reductions in locomotives used in yard and local service result from the consolidations described in Section 4.0.

More efficient use of the existing car fleets would allow the merged system to meet seasonal demands more efficiently. An analysis, employing the same methodology used in consolidation applications since the UP-MP-WP application in 1980, indicated that the same traffic could have been handled by the consolidated system with at least 2401 fewer cars. These cars would have a replacement value of approximately

\$138 million.

Summary of Freight Car Savings Due to Improved Ability to Meet Seasonal Demand

<u>Car Type</u>	Reduction in Cars Required
Plain Boxcar	155
Plain Gondola	105
Equipped Gondola	388
Small Covered Hopper	32
Open Hopper General Service	1341
Open Hopper Special Service	186
Flat General Service	15
Flat Other	155
Ore Jenny	24
Total	2401

Rerouting of traffic to more efficient routes would also improve freight car utilization and reduce costs. The reroutes resulting from the consolidation of mainline operations described in Section 3.2 would result in a reduction of more than 298 million car miles annually with an associated fuel consumption reduction of 25.6 million gallons annually.

Linear programming techniques were used to explore the potential for eliminating empty movements not required to support a combined traffic base. The estimated minimum movement of empties on the consolidated system operating was subtracted from the estimated minimum movement of empties by UP and SP operating on an independent basis. The resulting estimates of reduced empty cross-hauls were adjusted downward for factors such as pool assignments, commodity incompatibility, loading fluctuations and physical variations within car types. The result was an estimated annual reduction of 30 million empty car miles.

The UP Ft. Worth-Houston route currently is not capable of handling 286,000-lb. (143-ton) equipment. The SP Dallas-Hearne line is already capable of handling the heavier equipment. By using this SP line and by moving forward approximately \$2.86 million in bridge work on the UP Valley Junction-Spring and Houston-Galveston lines, UP/SP will be able to offer shippers the ability to load to the heavier limits. For the consolidated system, this will result in reduced train miles, car miles, and gross ton miles. Based on 1994 UP grain traffic from selected locations in Colorado and Kansas to Beaumont, Houston and Galveston, this capability would have resulted in a reduction of nearly three million car miles.

9.2 Equipment Requirements

A UP-SP consolidation would result in the need for the equivalent of approximately 239 additional high-horsepower locomotives, primarily due to traffic resulting from the new marketing opportunities. However, the units that would become available as a result of the utilization improvements described in Section 9.1 and the consolidations described in Section 4 should be sufficient to meet this need. Nevertheless, the costs of leasing the additional locomotives were included in developing net revenues from new traffic.

For traffic diverted from other carriers or developed through new marketing opportunities, UP/SP would require an estimated 2172 additional freight cars (Table 13-18). The costs of providing cars to handle this traffic were included in developing the net revenues from this new traffic.

In the case of intermodal diversions, car requirements are already being met by TTX equipment and, therefore, no additional intermodal equipment would be required. No additional trailers or containers would be required, as the diverted traffic would continue to move in equipment available during the base period.

As described in the Equipment Utilization section, more efficient use of the combined UP and SP car fleets would make available more than enough cars to meet the additional car requirements, with the exception of plain wide-door boxcars and insulated boxcars. UP/SP anticipates that many, if not all, of these additional cars will be made available either through reduced crosshauls or improved cycle times resulting from the shorter and faster routes and schedules in the UP/SP transportation plan, elimination of UP-SP interchange times, and the general upgrading of SP's service level. In any event, UP/SP would have sufficient resources to acquire additional cars if any were needed.

Summary of Freight Cars Required Due to Diversed Traffic and New Marketing Opportunities

<u>Car Type</u>	Number of Cars Required
Plain Boxcar	806
Insulated Boxcar	1153
Large Covered Hopper	51

Open Hopper Special Service	20
Flat Other	_142
Total	2172

9.3 Company Service Equipment

SP leases 114 ballast cars. The UP ballast car fleet of 2000 cars, plus the SP ballast car fleet of 316 cars, will be able to absorb the demand currently met by the leased cars. This will result in an annual saving of \$646,000.

10.0 CUSTOMER SERVICE

10.1 Customer Service Centers

UP operates a National Customer Service Center in St. Louis and an International Customer Service Center in Laredo, Texas. SP has a National Customer Service Center in Denver, Regional Offices in Los Angeles and Houston, and staff support in San Francisco. SP's Customer Service organization includes Operating Timekeeping in Los Angeles, a "help desk" and file control function in San Francisco, and Damage Prevention and Freight Claims in Denver. While the UP National Customer Service Center handles train and interchange reportings, these functions on SP are still performed in field offices.

UP/SP will consolidate customer service functions in a single location to take maximum advantage of training, technology and process streamlining opportunities, although the location has not been determined. For the purpose of preparing the Application, it was assumed that consolidation will take place at St. Louis. The one exception to this is that Mexican border customer service functions will be headquartered at Laredo, Texas. To implement the consolidated operation, TCS, the UP operating data system, will be installed on the SP. In addition, the UP ATCS system, which permits real-time communication of work instructions to train and yard crews, or an alternative automated work order system, will also be installed. When fully completed, these consolidations will result in a reduction of 454 clerical and 66 non-agreement positions and the relocation of 266 clerical and 85 non-agreement positions.

10.2 Car Management

UP Car Management is located in Omaha and meets customer needs for all car types except intermodal equipment and multilevels, which are handled by Intermodal & Auto Operations, and mechanical refrigerator cars, which are handled by UPFE. Car Management has little involvement with the distribution of the coal fleet, which is handled by the Unit Train Operations group.

SP Fleet Management is located in Denver and San Francisco, although primarily in Denver. It handles all car types except intermodal equipment, and has significant involvement in the distribution of SP's coal fleet.

UP/SP will consolidate car management functions, with the assumed location for purposes of the application being Omaha. The organization will use TCS car distribution software to route empty cars to shipping locations. SP's equipment distribution decision-support computer system will be used to evaluate distribution strategies. SP's shortline inventory management process will also be implemented on the combined system. These consolidations will result in elimination of 17 non-agreement positions and relocation of 45 non-agreement positions. Use of the SP computerized decision-support system will also eliminate the need for a portion of the software UP had planned to develop as part of UP's Equipment Distribution Management System.

11.0 CENTRALIZED FUNCTIONS

11.1 Train Dispatching

UP train dispatching functions are centralized at the Harriman Dispatching Center in Omaha. SP train dispatching functions are centralized at the Transportation Service Center in Denver. For purposes of the Application, it was assumed that UP/SP will consolidate dispatching in Omaha, eliminating 140 dispatcher, one clerical and 32 nonagreement positions, although the actual location has not been determined. A total of 187 dispatcher and 15 non-agreement positions would be relocated to Omaha. This relocation will be implemented in phases, with locomotive management and crew balancing being consolidated in the early phases, and the dispatchers being the last to be relocated.

11.2 Crew Management

The UP crew management function is located in the Harriman Dispatching Center in Omaha. It is centralized for the system and employs a computerized crew calling system (Crew Management System - CMS) which interacts with the TCS. The SP crew management operation is centralized in Denver at the SP Transportation Service Center. It utilizes a less sophisticated computerized calling system to assign crews.

For purposes of the Application, it was assumed that UP/SP will consolidate crew calling in Omaha and will use the CMS computerized crew calling system. This will be done shortly after merger, since CMS is a stand-alone system and does not require prior installation of TCS. This consolidation will result in elimination of 62 clerical and 10 non-agreement positions, plus relocation of 90 clerical and 14 non-agreement positions.

11.3 Timekeeping

UP timekeeping functions are centralized in Omaha and cover not only train and engine employees, but also non-operating employees. Timekeeping for train and engine employees uses data from the TCS operating data system. Various computerized timekeeping information systems provide data for non-operating employees, including maintenance-of-way, mechanical, and clerical personnel.

The SP timekeeping operation relies on employees in Monterey Park, California, San Francisco and Denver, with Monterey Park being the largest facility. The operating timekeeping function is currently implementing field entry tie-up for train and engine crews.

For purposes of the Application, it was assumed that UP/SP will consolidate timekeeping at Omaha. TCS will be used to provide the data required for operating timekeeping, and the other UP systems will be used to provide data for non-operating employees. The consolidation will initially result in elimination of 53 clerical and six non-agreement positions and relocation of 79 clerical and 7 non-agreement positions to Omaha. Following consolidation, the SP field entry timekeeping system will be implemented on UP. When completed, this will result in elimination of 50 more clerical positions.

12.0 COORDINATION OF EQUIPMENT MAINTENANCE

12.1 Common Point Repair Facilities

The impact of the UP/SP consolidation on repair facilities at common points is indicated in Section 4.0, which addresses consolidation at the affected terminals.

12.2 Locomotive Heavy Repair Facilities

SP has its heavy locomotive repair shop at Denver. Running repair facilities are located at Los Angeles, Kansas City, Houston, Pine Bluff, El Paso, and Roseville. UP has its major locomotive heavy repair facility at North Little Rock, with running repair facilities at Kansas City, Ft. Worth, Pocatello, Los Angeles, Houston, Portland, Hinkle, Proviso, Salt Lake City, Stockton and North Platte. UP plans to construct a new shop at Hinkle, Oregon, that will assume some of the work currently performed at Salt Lake City and smaller facilities at Albina and Pocatello. Since this project is already planned, it is not considered to be related to the merger.

Following merger, the SP Burnham Shop in Denver will be designated as the system facility to perform overhauls on GE locomotives. The SP support shop at Los Angeles will be closed and its work and personnel transferred to Denver. The traction motor and wheel work currently performed at Sacramento will also be transferred to Denver, where it will support the west end of the merged system, including North Platte, the largest user of traction motors.

Jenks Shop in North Little Rock will be designated as the major facility to perform overhauls on EMD locomotives. Splitting the overhaul process by builder provides



for the most productive utilization of labor. Some Denver personnel from the engine rebuild operation will be relocated to North Little Rock to support the EMD overhaul line.

The Kansas City EMD Power-by-the-Mile repair facility for SP locomotives involves EMD managers supervising SP employees who maintain EMD units. Following merger, this facility will be closed and the work shifted to the SP El Paso shop. Also at Kansas City, the SP locomotive shop at Armourdale Yard will be closed and the work, including that associated with locomotive servicing, will be moved to the UP shop at Neff Yard in Kansas City.

The SP Houston locomotive shop will be closed. The work will be transferred to shops at El Paso, North Little Rock and the UP Houston shop at Settegast Yard. The Pine Bluff shop will not be impacted significantly, as it and North Little Rock will handle a common pool of assigned units. The UP running repair and servicing facility at Stockton will be closed, and its personnel transferred to Roseville.

To improve maintenance on the combined fleet and to improve efficiency, UP/SP will construct a major new running repair facility at West Colton, which will replace the current SP Los Angeles facility at Taylor Yard. This will provide the merged system with efficient, strategically located facilities in the Northern Corridor (Hinkle), Central Corridor (Roseville), and Southern Corridor (West Colton). The West Colton and Floseville facilities also are located on the north-south I-5 Corridor.

12.3 Car Heavy Repair Facilities

10

SP has heavy repair facilities for cars at Denver and Pine Bluff, while UP facilities are located at Pocatello, Idaho; DeSoto, Missouri; and Palestine, Texas. The SP

Denver shop also has an associated wheel shop, which produces locomotive and freight car wheel sets. Following merger, UP/SP will close the Denver shop and transfer the work to Pocatello. The Pine Bluff shop will also be closed and its work transferred to DeSoto. UP/SP will offer the shop for sale or lease to a third party and will aggressively pursue finding an appropriate tenant for the facility. The wheel shop at Pine Bluff is currently leased to an outside party, and no change in that relationship is anticipated.

13.0 COORDINATION OF MAINTENANCE OF WAY

13.1 Maintenance of Way Equipment Repair Shops

SP operates a new, centralized repair facility at Denver. UP has facilities at Pocatello and Ft. Worth. Following merger, UP/SP will close the Pocatello facility. The Denver facility will become the primary heavy repair facility for the system, while the Ft. Worth facility will be used mainly for running repairs.

13.2 System Gang Operations

As separate railroads, SP and UP maintain their tracks with entirely separate maintenance, track and bridge personnel. To maintain UP/SP rail lines in an efficient manner, it will be necessary to reorganize maintenance responsibilities. The verified statement of Michael A. Hartman and Appendix A to the Operating Plan discusses the necessary types of changes in labor agreements.

Consolidated agreements should enable UP/SP to eliminate approximately two 58-man tie gangs and four 32-man curve gangs without unfavorably reducing work levels. In addition to labor savings, roadway machinery requirements will be reduced, with a reduction of six consists of equipment for system gangs and miscellaneous equipment of maintenance gangs. This equipment has a replacement value of \$11.5 million, or an annualized value of \$1.6 million. In addition, annual equipment maintenance costs will be reduced by \$1.0 million.

13.3 Ballast Procurement

Ballast costs will be lower due to the use of significantly lower cost ballast from quarries used by UP. UP/SP will obtain 50 percent of its ballast requirements for SP's existing lines from UP quarries. Prices from SP quarries are expected to be reduced once existing ballast agreements are renegotiated. An annual savings of nearly \$3.3 million is expected.

13.4 Rail Grinding

SP currently spends \$5 million for one full time grinder. UP/SP will bring the SP work under the current UP contract. Annual savings of \$450,000 in lower pass and track-mile costs will be offset by approximately \$100,000 in additional supervision requirements, resulting in a net annual savings of \$350,000.

13.5 Rail Testing

SP currently contracts its rail testing to companies which operate eleven detector cars on SP. UP leases ten detector cars to test rail and operates them with its own employees. UP/SP will eliminate contract operations and lease ten additional detector cars. An additional 27 personnel will be required to operate the cars, but the additional labor and operating-related costs will be more than offset by the eliminated contract costs, with a net annual benefit of \$500,000.

13.6 Rail Welding

SP currently buys rail welding service from three separate vendors. UP operates two welding facilities at Denison, Texas, and Laramie, Wyoming. UP/SP will weld all rail at its Denison and Laramie plants. It will be necessary to add nine employees for a second shift at these plants and spend approximately \$100,000 in capital improvements to facilitate the additional work. The additional costs will be more than offset by reduced welding costs from rail suppliers, economies of scale, and reduced transportation costs, with estimated annual savings of \$300,000.

13.7 Track Geometry Testing

SP currently uses an outside contractor to provide its geometry testing for \$500,000 per year. UP operates two geometry cars. UP/SP will perform all testing with company-owned equipment. One of the two UP test cars, which was to be retired at the end of 1996, will be retained. The other test car will be retired and replaced with a new car, which will be upgraded at a cost of \$750,000. Two additional operators will also be required to absorb the work, but annual benefits of \$300,000 are anticipated.

13.8 Panel Track Operations

SP currently contracts for both prefabricated turnouts and track panels, while UP operates two panel plants at North Little Fock, Arkansas, and Laramie, Wyoming. UP/SP will incur one-time capital costs of \$150,000 and add 20 people to allow all panel requirements to be filled at either North Little Rock or Laramie, with a net annual benefit of \$800,000.

13.9 Signal Shops

SP has small signal shops in Sacramento and Houston, while UP has a centralized shop in Sedalia, Missouri. UP/SP will consolidate operations at the Sedalia shop. Nine positions at the SP shops will be eliminated, and 13 positions will be transferred to Sedalia. Estimated annual benefits resulting from the consolidation are \$0.6 million.

13.10 Additional Maintenance Costs

Combining the UP and SP systems will require increased expenditures in some areas:

- An estimated 50 maintenance people will be added on those lines where traffic will increase significantly.
- An estimated \$11 million will be spent on additional training in such areas as rules, safety certification, quality, personnel skills, and computer usage.
- To implement UP safety programs on SP will cost \$1.5 million. In addition, UP/SP will spend \$400,000 for a van to administer physical examinations to SP maintenance personnel.
- At an estimated cost of \$4.5 million, UP/SP will upgrade unloading devices on SP-owned ballast cars for safety and environmental reasons.
- Annual vehicle lease costs will increase by \$2.0 million due to upgrading the current SP fleet of leased vehicles.
- Upgrading SP engineering systems, including additional equipment, and developing and computerizing the necessary data, will cost an estimated \$11 million.

14.0 OPERATING ORGANIZATION

14.1 General

The SP transportation organization consists of three regional General

Managers, two located in Denver and one in Los . ngeles, with eight operating divisions reporting to them. The mechanical and engineering forces responsible for day-to-day maintenance of facilities and equipment report to the division superintendents. Construction, system track maintenance, and equipment maintenance are the responsibility of the Chief Engineer and Chief Mechanical Officer.

UP has five regional General Managers located in Omaha who are responsible for 18 Service Unit Superintendents and a General Manager of Commuter Operations, located in Chicago. Personnel responsible for day-to-day facility and equipment maintenance report to the Vice President-Engineering Services and Vice President-Maintenance Operations.

Following merger, UP/SP will consolidate the existing SP divisions and UP service units into a total of 21 service units. The 21 Service Unit Superintendents will report to six Regional General Managers located in Omaha. One of these service units will be responsible for UP/SP trackage rights operations on BN/Santa Fe lines. A General Manager of Commuter Operations will continue to be located in Chicago. Personnel responsible for day-to-day facility and equipment maintenance will report to the Vice. President-Engineering Services and Vice President-Maintenance Operations.

14.2 Crew District Changes

Changes in operating crew districts will be required to integrate operations and to realize the service improvements and other benefits described by this Operating Plan. A summary of the new districts assumed by the Plan is attached as Appendix A and reviewed in the Verified Statement of Michael A. Hartman.

15.0 MANAGEMENT INFORMATION SYSTEMS/COMMUNICATIONS

15.1 Management Information Systems

In 1994, SP outsourced all of its program development and data center activities. A "help desk", a bulk print shop for computer-generated reports, and a hardware/software inventory group remain in San Francisco. A total of 40 personnel are involved in these activities.

Those UP computer applications associated with the movement of freight cars are developed and maintained by UPT, a subsidiary of Union Pacific Corporation. These include the Transportation Control System (TCS) and associated systems involving car ordering, car billing, car and train movement, work order reporting, accounts receivables, car accounting, crew management, locomotive management and timekeeping. The remaining applications are developed and maintained by a UP programming staff in Omaha, which includes 297 personnel. UP computer systems are operated in two data centers located in St. Louis and Omaha by 190 personnel.

To unify and standardize operations, all locations on the consolidated railroads will have to work with and have access to the same computer systems for data entry, processing and retrieval. For functional and economic reasons, the UP/SP will use UP systems. Following merger, the SP outsourcing contract will be cancelled. Program development work will be performed by UP staff in Omaha and the UPT staff in St. Louis. Data Center work, including the "help desk", will also be performed by the UP Omaha and St. Louis data centers, and the SP San Francisco operations will be eliminated.

UP's Transportation Control System (TCS) will be implemented on SP. TCS is UP's computer system which supports rail operations and is the primary source of information for revenue accounting, car accounting, and statistical reporting. It also includes a car scheduling function which provides assistance in planning and controlling operations, as well as keeping customers informed on the movements of their shipments. Due to the size and complexity of the effort, TCS will not be completely installed on SP until one year following consummation of the UP/SP merger. Required "bridge" systems will be developed to ensure operational capabilities prior to the cutover of TCS.

15.2 Telecommunications

SP telecommunications activities are a part of the Engineering Department and are headquartered in San Francisco, with people dispersed across the system to maintain the voice and data communications systems. A total of 195 people are involved in this work.

Telecommunications on UP is part of the Information Technologies Department. It is headquartered in Omaha, but also has personnel dispersed across the system to maintain voice and data systems. A total of 436 people perform this work.

Following merger, telecommunication functions will be consolidated into Omaha. Field location support will be modified as required by changes in operations.

15.3 Costs/Benefits

A total of \$73 million in one-time capital costs will be required to develop the necessary information/communications structure to support operations on the SP. In

addition, annual capital requirements will increase by \$23.4 million because of the consolidation, mainly for acquisition of computer equipment.

A one-time expense of \$43.4 million will be required to program and implement the necessary computer applications. This expense includes TCS implementation training and cutover support and buyout of various contracts. These investments will result in annual benefits of \$14.3 million due to elimination of duplicate system development and maintenance costs.

16.0 SUPPLY

The merged system will reduce costs by combining and managing the separate carriers' purchases of goods and services. In a number of instances, the increased volume of purchases and the ability to make longer term commitments to key suppliers will qualify UP/SP for discounts not available to either carrier alone. Examples include discounts available under arrangements for purchases of locomotives from a major builder, locomotive fuel from suppliers, air travel from a major airline, lodging for company personnel from a travel consolidator, and vehicle leasing from a leasing company. In addition, UP manages its purchases of goods much more intensively and systematically than SP. As a result, UP is able to negotiate consistently lower prices for goods, allowing a merged system to make the purchases SP now makes at lower cost. The combined system will store inventory in fewer places, yielding a reduction of inventory costs.

UP also manages purchases of contract services through a Contract Service group, which has achieved savings averaging 10 percent on purchases of services for UP compared to prior arrangements. These management practices will be applied to SP

contract purchases, which have not been centrally coordinated. Finally, UP/SP, using UP procurement practices, will require fewer personnel to manage purchases and stores. Together, these efficiencies will result in \$115 million in annual savings during a normal year.

APPENDIX A

Projected Seniority, Agreement and Territory Changes Required for the Operating Plan

The Operating Plan shows how a UP/SP system will take advantage of complementary UP and SP routes to provide new and improved rail services and to make more efficient use of rail capacity and investment. The Operating Plan requires not only repositioning and modification of clerical and mechanical positions, as indicated in the Operating Plan and the Labor Impact Exhibit, but also a significant reorganization of train crew districts and terminals, maintenance of way and signal districts, system track gangs, and other forces. These changes are needed so that the deployment of labor will correspond with new and more efficient operating patterns, rather than today's corporate alignments. This operating strategy will provide the employees with expanded work opportunities, while assuring UP/SP greater manpower availability and the flexibility to use employees efficiently to meet customer demands. Some examples of the types of changes necessitated by the Operating Plan are set forth below:

Train and Engine Crew Changes

A UP/SP system will place great emphasis on using and integrating complementary UP and SP routes and facilities, without regard to prior ownership, to achieve significant improvements in customer service. UP/SP will use rail capacity more efficiently by employing concepts such as directional routing of trains; segregating types of traffic on paralleled routes; creating large, consolidated terminal "hubs"; establishing
efficient and productive crew districts; and situating manpower to achieve maximum operational flexibility.

The new train services and operating efficiencies identified in the Operating Plan can be achieved only by reorganizing train crew operating districts and terminals to take advantage of new and alternative routings. For example, UP/SP will have several lines through the Los Angeles Basin which it must be able to use interchangeably in order to handle traffic more smoothly. In Northern California, UP/SP will have three lines between Sacramento and Oakland that must be used flexibly and in coordination with BN/Santa Fe operations. Further east, the directional operation planned for UP and SP routes from St. Louis and Memphis to and among Houston, San Antonic and Dailas/Ft. Worth, and the division of traffic by type on parallel routes between Houston and San Antonio and between Houston and New Orleans will require train crews to operate in one direction over tracks that now belong to UP and in the other direction over tracks that now belong to SP. Today's collective bargaining agreements would preclude all of these greatly improved operations.

In using train and engine employees, UP functions as a "hub and spoke" railroad. UP/SP must use that basic operating strategy to integrate UP and SP operations in order to achieve the efficiencies and service improvements envisioned in the Operating Plan. Operations into and out of central hubs provide the spokes for the long, through freight service operations identified in the Operating Plan. It is essential that all operating employees within the hub, as well as all road operations into and out of the hub, be subject to one common collective bargaining agreement with common seniority.

This type of consolidation is a win-win situation for employees, UP/SP and customers. It expands work opportunities for the affected employees and mitigates the adverse effects that historically have befallen employees on smaller, isolated seniority districts when business or operations shifted to a different route due to shipper routing changes, maintenance programs, disasters, etc. It also will allow UP/SP to provide enhanced service to its customers because of improved manpower availability and flexible utilization of its workforce.

This strategy for train and engine crew consolidations is predicated upon certain changes in crew districts. These efficient, productive crew districts and crew change points are essential elements of the UP/SP service improvement strategy as reflected in the Operating Plan. The new or modified crew districts assumed to exist for purposes of the Operating Plan are:

CORRIDOR

TERMINAL

TERMINAL

Chicago to Kansas City Chicago Belvidere/Rockford Butler Clinton Ft. Madison Janesville Nelson Quincy South Pekin Kansas City Kansas City

CORRIDOR

St. Louis South

TERMINAL

Salem St. Louis Dexter Big Sandy/Longview Big Sandy/Longview Hearne Big Sandy/Longview Big Sandy/Longview Big Sandy/Longview Dallas/Ft. Worth North Little Rock/Pine Bluff Marshall/Shreveport Dallas/Ft. Worth Hearne Dallas/Ft. Worth

North Little Rock/Pine Bluff Houston Lafayette/Livonia

St. Louis to Kansas City St. Louis Jefferson City

Kansas City South

Louisiana

Marysville Kansas City Herington Enid Sunray/Duncan Salina Salina Ferington

Marysville

McAlester

Kansas City

Kansas City West

Kansas City Herington Pratt Dalhart Vaughn

TERMINAL

Dexter Dexter North Little Rock/Pine Bluff North Little Rock/Pine Bluff Hearne San Antonio Dallas/Ft. Worth Shreveport Shreveport Marshall/Shreveport Houston Hearne Houston Houston

Monroe Lafayette/Livonia New Orleans

Jefferson City Kansas City

Kansas City Coffeyville/Parsons Dallas/Ft. Worth Herington Enid Sunray/Duncan Dallas/Ft. Worth Enid Herington Wichita

Pratt Pratt Dalhart Vaughn El Paso

CORRIDOR

Ft. Worth West

Ft. Worth North

South Texas

Ogden/Salt Lake City West

Utah Mines

Provo

TERMINAL

Toyah

Houston

Dallas/Ft. Worth Sweetwater

Dallas/Ft. Worth

Ogden/Salt Lake City

Ogden/Salt Lake City

Ogden/Salt Lake City Ogden/Salt Lake City

Northern California/ Nevada

Oregon

Elko Portola Sparks Bakersfield Dunsmuir Oakland Salinas Bakersfield Oakland San Luis Obsipo Roseville

Portland Dunsmuir Portland Portland Bend

TERMINAL

Sweetwater Toyah El Paso

Childress

San Antonio

Pocatello Milford Green River Elko

Utah Mines

Sparks Stockton/Roseville/Lathrop Stockton/Roseville/Lathrop Stockton/Roseville/Lathrop Stockton/Roseville/Lathrop Stockton/Roseville/Lathrop Stockton/Roseville/Lathrop Oakland Salinas Salinas Stockton/Lathrop

Crescent Lake Crescent Lake Seattle Hinkle Klamath Falls

CORRIDOR

TERMINAL

Southern California

Los Angeles Area¹ Las Vegas Tucson Glamis/Clyde

TERMINAL

Bakersfield San Luis Obispo Yermo West Colton Los Angeles Area¹ West Colton Glamis/Ciyde Los Angeles Area¹

Maintenance of Way Organization

As a glance at a rail map confirms, UP and SP rail lines serve many of the same geographical areas in parallel, crossing or complementary configurations. As separate railroads, UP and SP maintain these tracks with entirely separate maintenance, track and bridge forces, even where this is obviously inefficient. For example, in Northern Nevada, UP and SP main lines are paired for more than 150 miles, sometimes on the same roadbed, but collective bargaining restrictions require the two tracks to be maintained by separate forces. In order to maintain rail lines in an efficient manner, UP/SP must transform this balkanized and inefficient pattern of maintenance responsibilities into a rational and logically unified maintenance capability.

The "Los Angeles Area" includes: Los Angeles and Long Beach Harbors East Los Angeles, Mira Loma and Montclair Yards Taylor and West Colton Yards City of Industry ICTF/Dolores LAXT Coal Terminal Alameda Corridor

1. <u>Maintenance of Way Districts</u>. To operate as planned, UP/SP must reorganize track maintenance seniority districts so that employees can work on all UP/SP

tracks in a common geographical area. The following modifications are required:

a. The SP Western Lines seniority divisions and collective bargaining agreement will encompass all UP operations west of Daggett, California; the UP(WP) territory; and UP operations in El Paso.

b. DRGW employees will be placed under the UP collective bargaining agreement, with the territory from Grand Junction to Ogden merged into the Utah Seniority Division, the territory from Grand Junction to Denver merged into the Wyoming Seniority Division, and employees on the Hoisington Subdivision merged into the UP Kansas Seniority Division.

c. The following operations will be placed under the UP(MP) collective bargaining agreement:

* SPCSL, merged into the Illinois Seniority Division.

* SSW from St. Louis to Owensville, Missouri merged into the Old Eastern Seniority Division.

* SSW operations in the St. Louis terminal, merged into Consolidated Seniority District No. 1.

* SP operations in the Kansas City terminal, merged into the Kansas City Terminal Seniority Division.

* SSW Seniority District #1, merged into the Arkansas Seniority Division along with the UP Louisiana Seniority Division from Paragould to Helena Jct. * SSW territories from Texarkana to Ft. Worth, Mt. Pleasant to Big Sandy, and Ft. Worth and Denison to Ennis, merged into the Red River B Seniority Division, along with the UP(MKT) territory from the Red River to Alvarado and Dallas.

* SSW territories from Big Sandy to Corsicana, Ennis to Hockley and Flatonia, and Glidden to and including San Antonio, merged into the Palestine Seniority Division, along with UP(MKT) territory south of Alvarado.

* SP's Corpus Christi and Brownsville Branches and the SP lines from Flatonia to Victoria, Coleto Creek to Victoria, Victoria to Port Lavada, Victoria to West Junction (including the New Gulf Branch), West Junction to Glidden and Bellaire Junction to Eagle Lake (including the Arenal Lead), merged into the Kingsville Seniority Division.

* All operations in Houston will be consolidated into a new separate seniority division.

2. <u>System Track Gangs</u>. UP uses large, efficient mechanized track gangs that work over the entire UP system. UP/SP will create two large territories, one of which will comprise roughly the eastern half of the combined system and the other the western half. Each of these territories will include tracks in southern parts of the country where work can continue during winter months, which helps avoid furloughing employees part of the year.

The eastern territory, which will operate under the MPRR Brotherhood of Maintenance of Way Employees ("BMWE") collective bargaining agreement, will consist of SP Eastern Lines, UP(MP), UP(MKT), UP(OKT), UP(CNW) and SSW territories. The territories, operating under the UP BMWE collective bargaining agreement.

3. <u>Work Equipment Mechanics</u>. UP and SP have nine different collective bargaining agreements covering the job classification of Work Equipment Mechanic. This work must be realigned in a merged system. All work on UP(MP, MKT, OKT, CNW), SSW and SP Eastern Lines will be consolidated under the UP(MP) collective bargaining agreement with BMWE. All work on UP, UP(WP), SPWL and DRGW will be consolidated and assigned to mechanics represented by the Internationa! Association of Machinists.

4. <u>Bridge and Building</u>. Bridge & Building ("B&B") forces construct and maintain bridges, culverts, tunnels and other facilities over large geographical areas. As a merged system, UP/SP must consolidate B&B operations to reduce travel time and increase efficiency. The following changes are needed:

* SSW Seniority Districts 1, 3 and 4, as well as the SPCEL, will be merged into UP(MP) System Gangs North and placed under the UP(MP) collective bargaining agreement.

* SP Eastern Lines and SSW Seniority District 2 will be merged into UP(MP) System Gangs South and placed under the UP(MP) collective bargaining agreement.

* UP(WP) employees will be consolidated into SPWL seniority districts and become subject to the SPWL BMWE agreement.

* DRGW territory from Grand Junction to Ogden will be placed under the UP BMWE agreement and merged into the Utah Seniority Division and South Central Seniority Division. * DRGW territory from Grand Junction to Denver will be placed under the UP BMWE agreement and merged into the Wyoming Seniority Division and Eastern District Seniority Division.

* UP territory west of Daggett, California, will be consolidated into appropriate SPWL seniority districts and become subject to the SPWL BMWE agreement.

* DRGW employees from Pueblo to Herington will be placed under the UP BMWE agreement and merged into the Kansas Seniority Division.

* SSW operations at Kansas City will be placed under the UP(MP) BMWE agreement and merged into the Kansas City Terminal Seniority Division.

* SSW operations in the St. Louis terminal and between St. Louis and Owensville, Missouri, will be placed under the UP(MP) BMWE agreement and merged into consolidated Seniority Division #1.

* SSW territory from Illmo, Missouri, to Texarkaria and Shreveport and the UP(MP) Arkansas Seniority Division will be consolidated under the UP(MP) BMWE agreement and merged into the Louisiana Seniority Division.

* SPCSL territory will be placed under the UP(MP) BMWE agreement and merged into the Illinois Seniority Division.

* The SP Houston terminal and lines from Houston to Shreveport, Houston to Galveston, and New Orleans to a point east of Greens Bayou, Louisiana, will be placed under the UP(MP) agreement and merged into the DeQuincy Seniority Division, along with the UP(MKT) territory from Sealy, Texas, to Galveston. All other portions of the SP Houston Seniority Division will be merged into the Kingsville Seniority Division.

* SSW territory south of Texarkana, including the territory from Corsicana to Denison and Ft. Worth, will be placed under the UP(MP) BMWE agreement and merged into the UP (Old TP) Seniority Division. * The remaining portions of the SP Houston Seniority Division not consolidated into the UP(MP) DeQuincy Seniority Division will be placed under the UP(MP) BMWE agreement and merged into the Kingsville Seniority Division.

* The SP Dallas Austin Seniority territory from Corsicana, TX, to Denison, TX, and to Ft. Worth will be placed under the UP(MP) BMWE agreement and merged into the old UP (Old TP) Seniority District. The remaining portions of the SP Dallas Austin Seniority Division will be placed under the UP(MP) BMWE agreement and merged into the UP(MP) Palestine Division Seniority District.

5. Signal. The signal operation is similarly divided among multiple labor

contracts that would restrict the merged company from realizing the benefits of the merger.

Signal operations will be consolidated as follows:

* The Roseville, California and Houston, Texas signal shops will be closed and the work transferred to the signal shop in Sedalia, Missouri.

The territories comprising the SP Eastern Lines and the Cotton Belt would be consolidated with the UP(MP) and placed under the UP(MP) collective bargaining agreement. This is dictated by the number of parallel lines in these three territories, and the opportunity to consolidate operations and coverage. This will result in better response time for crossing failures, which will reduce train delays and provide greater safety for the public.

* The territories in the Los Angeles Basin area would be placed under the SP collective bargaining agreement.

* The territory of the former WP would be placed under the SP collective bargaining agreement.

* In order to maximize the efficiency of our construction gang, it is contemplated that the territory of the combined system be divided along the same lines as the system maintenance operations. The territory of the SP Western Lines, DRGW, and UP would comprise one construction territory. The second territory would encompass the SP Eastern Lines, the UP(MP), Cotton Belt and CNW territory. These gangs are primarily involved in crossing installation, new line construction, and signal upgrade programs. They necessarily must cover large territories to be cost effective and to provide constant work opportunity for the employees.

Conclusion

These are among the presently foreseeable changes for train crews, maintenance and signal employees resulting from the Operating Plan. Additional changes in labor assignments for mechanical, clerical and other crafts are also described in the Operating Plan and the Labor Impact Exhibit. These kinds of changes will enhance the combined UP/SP system's competitive posture and will permit it to provide unprecedented service benefits to its customers. If the merger is approved, UP/SP is likely to identify additional or modified opportunities to improve service, resulting in additional changes of these types. THIS PAGE LEFT INTENTIONALLY BLANK

OPERATING PLAN

FIGURES



n: \dgn\slteam7.dgn Nov. 22, 19.5 08: 26: 20







n: \dgn\slteam2.dgn Nov. 22, 1995 07: 30: 23



n: \dgn\slteam2.dgn Nov. 22, 1995 07: 31: 23







n: \dgn\slteam2.dgn Nov. 22, 1995 07: 33:00



n: \dgn\slteam1.dgn Nov. 22, 1995 07:23:29







n: \dgn\slteam3.dgn Nov. 22, 1995 07: 37: 14

2...)



n: \dgn\slteam3.dgn Nov. 22, 1995 07: 37: 38





n: \dgn\slteam4.dgn Nov. 22, 1995 09:54:13

UP (SP) TOPEKA BNSF N So Sp - BUSA ABILENE UP SALINA HOPE HERINGTON 5- TO DENVER LOST SPRINGS TBNSE' BRIDGEPORT <- TO HOISINGTON MCPHERSON CENTRAL KANSAS PEABODY PNSF BNSF (SP) HUTCHINSON NEWTON O WHITE WATER WICHITA LEGEND: FIGURE 13-16 UP - SP TRACKAGE CENTRAL KANSAS UNION PACIFIC RR SOUTHERN PACIFIC RR UP TO BE ABANDONED OTHER RR 11/95

n: \dgn\slteam4.dgn Nov. 22, 1995 07: 39: 44



n: \dgn\slteam4.dgn Nov. 22, 1995 07: 40: 01



n: \dgn\slteam5.dgn Nov. 22, 1995 07:43:20



n: \dgn\slteam5 dgn Nov. 22, 1995 07:43:45





n: \dgn\slteam5.dgn Nov. 22, 1995 07:44:06



n: \dyn\slteam5.dgn Nov. 22, 1995 07:44:30






n:\dgn\slteam5.dgn Nov. 22, 1995 08:54:34



n: \dgn\slteam5.dgn Nov. 22, 1995 07:46:03



n: \dgn\slteam6.dgn Nov. 22, 1995 07:49:12



n:\dgn\slteam6.dgn Nov. 22, 1995 07:49:34









n: \dgn\slteam6.dgn Nov. 22, 1995 07:53:16





n: \dgn\slteam6.dgn Nov. 22, 1995 07: 54: 24



n: \dgn\slteam6.dgn Nov. 22, 1995 08:09:48









n: \dgn\slteam7.dgn Nov. 22, 1995 08:16:37



n: \dgn\s]team7.dgn Nov. 22, 1995 08: 17: 11



n: \dgn\slteam2.dgn Nov. 22, 1995 07: 34: 06

THIS PAGE LEFT INTENTIONALLY BLANK

OPERATING PLAN

TABLES

Chicago - Northern California

			54	TESTEOUN	D		
Train Symbol	CSOAZ	G2OAD	GISTX	GIOADB	GIOAD	CSOAZ/ RVFRZ	
Days Per Week	7	7	5	3	7	7	
Chicago Terminal:							
Canal Street	0030(1)					0030(1)	
Global-1 Global-2	0130(1)	0130(1)	1930(1)	2359(1)	2230(1)	0130(1)	
Northern California Terminal:							
Roseville	2200(2)	1155(3)				2200(2)	
Lathrop Fresno		1415(3)	400(4)	1245(4)	1115(4)	0030(3)	
Oakland	0405(3)	1655(3)		1525(4)	1355(4)	0450(5)	
			E	ASTBOUNI	,		
Train Symbol	OAG1D	OAG1D6	OAG1D8	STCST	OACSZ	OACST	FRRVZ/ OACSZ
Days Per Week	7	1	1	5	5	5	5
Northern California Terminal:							
Oakland	2330(1)	1530(1)	2200(1)		1800(1)	2300(1)	
Lathrop	0200(2)	1800(1)	0030(2)	130(1)			1230(1)
Chicago Terminal:							
Global-1	1400(4)	0530(4)	1200(4)				
Canal Street				1905(3)	0400(4)	1600(4)	0400(4)

St. Louis/Kansas City - Northern California

	WESTBOUND
Train Symbol	DUOAT
Days Per Week	7
Midwest Terminal:	
Dupo	0400(1)
Kansas CIty	1405(1)
Northern California Termina	1:
Roseville	1810(3)
Lathrop	2025(3)
Oakland	2320(3)
	EASTBOUND
Tonin Combal	Manuel, "And and and and and an an and an and an and an and an and an and an an an and an an an and an
Train Symbol	OADUT
Days Per Week	OADUT 7
Days Per Week Northern California Termina	<u>OADUT</u> 7 I:
Days Per Week Northern California Termina Oakland	<u>OADUT</u> 7 I: 1200(1)
Days Per Week Northern California Termina Oakland Lathrop	7 1: 1200(1) 1515(1)
Days Per Week Northern California Termina Oakland Lathrop Roseville	7 1: 1200(1) 1515(1) 1750(1)
Days Per Week Northern California Termina Oakland Lathrop Roseville Midwest Terminal:	7 1: 1200(1) 1515(1) 1750(1)
Days Per Week Northern California Termina Oakland Lathrop Roseville Midwest Terminal: Kansas CIty	7 1: 1200(1) 1515(1) 1750(1) 0100(4)

Chicago - Southern California

				WESTE	OUND			
Train Symbol	<u>G2LBD</u>	CSLAT	BPLBD	<u>G2LAD</u>	1G1LAX	2GILAX	GILAD	
Days Per Week	7	7	7	5	7	7	4	
Chicago Terminal:								
Canal Street		1000(1)				2130(1)		
Globel-1	1915(1)			2100(1)	0100(1)	2355(1)	0400(1)	
Bedford Park			1900(1)		0100(1)	2000(1)	0100(1)	
Southern California Terminal:								
Inland Empire		1800(3)	0500(4)			0220(4)		
East Los Angeles Yd			0650(4)	1745(4)	0920(3)	0400(4)	1700(3)	
ICTF	1645(4)		0830(4)		0720(5)	0400(4)	1700(3)	
				FASTD	OUND			
Train Symbol	LACED	LAGID	LAGIY	TACOD	DICET	TACOT	IDDDD	IDCOD
india Official	LACAD	INDID	LAGIA	LAGED	INCSI	LACSI	LBBPD	LBG2D
Days Per Week	7	7	4	4	6	7	7	7
Southern California Terminal:								
Long Beach							2130(1)	2100(1)
RCIF Fact V an Annulas VA	1020/11						2205(1)	
Last Los Angeles Yo	1930(1)	1400(1)	2300(1)	1600(1)			2359(1)	
miand Empire					0600(1)	1700(1)		
Chicago Terminal:								
Bedford Park							2100(4)	
Global-1		0730(4)	1440(4)	0930(4)			2100(4)	1125(4)
Canal Street	0945(4)			5555(1)	2000(3)	0530(4)		1305(4)
Chicago I/C	1200(4)				2000(3)	0000(4)		1303(4)

St. Louis/Kansas City - Southern California

	WESTE	OUND
Train Symbol	BSMFT	KCLBT
Days Per Week	7	7
Midwest Terminal:		
Dupo	1900(1)	
Kansas City		1200(1)
Southern California Terminal:		
Inland Empire	1935(3)	0830(3)
East Los Angeles Yd	2045(3)	1015(3)
ICTF	2140(3)	1130(3)
	EASTB	OUND
Train Symbol	LBSLT	LASLT
Days Per Week	7	7
Southern California Terminal:		
ICTF	1600(1)	
Long Beach	1710(1)	
East Los Angeles Yd		1800(1)
Inland Empire	2135(1)	2050(1)
Midwest Terminal:		
Kansas City	0605(4)	1945(3)
Dupo	1530(4)	0600(4)
St. Louis I/C	1600(4)	

Memphis - Southern California

	WESTE	OUND
Train Symbol	MELBT	MELAT
Days Per Week	7	7
Midwest Terminal:		
Memphis	2230(1)	2100(1)
Southern California Terminal:		
Inland Empire		0055(4)
East Los Angeles Yd		0245(4)
ICTF	0430(4)	
	EASTB	OUND
Train Symbol	EASTB LBMET	OUND LAMET
Train Symbol Days Per Week	EASTB LBMET 7	DUND LAMET 7
Train Symbol Days Per Week Southern California Terminal:	EASTE LBMET 7	DOUND LAMET 7
Train Symbol Days Per Week Southern California Terminal: ICTF	<u>EASTB</u> <u>LBMET</u> 7 0400(1)	DUND LAMET 7
Train Symbol Days Per Week Southern California Terminal: ICTF East Los Angeles Yd	<u>EASTB</u> <u>LBMET</u> 7 0400(1)	20UND LAMET 7 1800(1)
Train Symbol Days Per Week Southern California Terminal: ICTF East Los Angeles Yd Inland Empire	<u>EASTB</u> <u>LBMET</u> 7 0400(1)	20UND LAMET 7 1800(1) 1950(1)
Train Symbol Days Per Week Southern California Terminal: ICTF East Los Angeles Yd Inland Empire Midwest Terminal:	<u>EASTB</u> <u>LBMET</u> 7 0400(1)	20UND LAMET 7 1800(1) 1950(1)

Memphis - Northern California

	WESTBOUND
Train Symbol	MEOAT
Days Per Week	7
Midwest Terminal:	
Memphis	0700(1)
Northern California Terminal:	
Lathrop	0020(4)
Oakland	0405(4)
	EASTBOUND
Train Symbol	EASTBOUND OAMET
Train Symbol Days Per Week	<u>EASTBOUND</u> <u>OAMET</u> 7
Train Symbol Days Per Week Northern California Terminal:	<u>EASTBOUND</u> <u>OAMET</u> 7
Train Symbol Days Per Week Northern California Terminal: Dakland	<u>EASTBOUND</u> <u>OAMET</u> 7 400(1)
Train Symbol Days Per Week Northern California Terminal: Jakland Lathrop	<u>EASTBOUND</u> <u>OAMET</u> 7 400(1) 725(1)
Train Symbol Days Per Week Northern California Terminal: Jakland Lathrop Midwest Terminal:	<u>EASTBOUND</u> <u>OAMET</u> 7 400(1) 725(1)

Dallas - Southern California

	WESIBOUND
Train Symbol	DALBT
Days Per Week	6
Midwest Terminal:	
Dallas	0400(1)
Southern California Terminal:	
Inland Empire	2125(2)
East Los Angeles Yd	0025(3)
ICTF	0400(3)
	EASTBOUND
Train Symbol	EASTBOUND LBDAT
Train Symbol Days Per Week	EASTBOUND LBDAT 7
Train Symbol Days Per Week Southern California Terminal:	<u>EASTBOUND</u> <u>LBDAT</u> 7
Train Symbol Days Per Week Southern California Terminal: ICTF	<u>EASTBOUND</u> <u>LBDAT</u> 7 0500(1)
Train Symbol Days Per Week Southern California Terminal: ICTF East Los Angeles Yd	<u>EASTBOUND</u> <u>LBDAT</u> 7 0500(1) 0725(1)
Train Symbol Days Per Week Southern California Terminal: ICTF East Los Angeles Yd Inland Empire	EASTBOUND LBDAT 7 0500(1) 0725(1) 1000(1)
Train Symbol Days Per Week Southern California Terminal: ICTF East Los Angeles Yd Inland Empire Midwest Terminal:	EASTBOUND LEDAT 7 0500(1) 0725(1) 1000(1)

Dallas - Northern California

	WESTI	BOUND
Train Symbol	MEOAT	
Days Per Week	7	
Midwest Terminal:		
Dallas	2225(1)	
Northern California Terminal:		
Lathrop	0020(4)	
Oakland	0405(4)	
	FASTE	0100
	LASID	SFAVT/
Train Symbol	OAMET	LAMET
Days Per Week	7	7
Northern California Terminal:		
Oakland	0400(1)	0955(1)
Oakland Lathrop	0400(1) 0725(1)	0955(1)

Midwest Terminal:

Dallas

1045(3) 1335(4)

and the	-		1		-	-
	a	n.	0	ъ	· ·	•
	0	2	•	٠	5	•

New Orleans/Houston - Southern California

			WESTBOUN	ID	
	N	lew Orlear	15	Hou	ston
Train Symbol	AVLBT	AVSET	NSNOLB	AVLBT	HOLBD
Days Per Week	7	7	7	7	7
Midwest Terminal:					
New Orleans I/C			1400(1)		
Avondale	2100(1)	1900(1)	1500(1)		
Englewood				0655(1)	0700(1)
Southern California Terminal:					
Inland Empire	0310(4)	0115(4)		0310(3)	
East Los Angeles Yd	0500(4)		2330(3)		04 (5(3)
Long Beach			0100(4)		0715(3)
ICTF	0715(4)		0200(2)		0710(3)
			EASTBOUN	D	
	N	ew Orlean	S	Hou	ston
Train Symbol	LANOT	LBNOCX	LBNONS	LANOT	LBHOT
Days Per Week	7	7	6	7	6
Southern California Terminal:					
ICTF		2330(1)	0100(1)		1300(1)
Long Beach		. ,			
East Los Angeles Yd	0700(1)	0200(2)		0700(1)	1600(1)
Inland Empire	0900(1)	0530(2)	0255(1)	0900(1)	
Midwest Terminal:					
Englewood				0850(3)	1730(3)
Avondale	2055(3)	1450(4)	1805(3)	(-)	
New Orleans - I/C	2300(3)	1645(4)	1815(3)		

New Orleans/Houston - Northern California

	WESTBOUND				
	New O	rleans	Houston		
Train Symbol	AVSET	AVSET/ LAOAT	AVSET	AVSET/ LAOAT	
Days Per Week	7	7	7	7	
Midwest Terminal:					
Avondale	1900(1)	1900(1)	•		
Englewood			0455(1)	0455(1)	
Northern California Terminal:					

Lathrop	1440(4)	1440(3)
Oakland	0730(5	5) 0730(4)

	EASTBOUND							
Train Symbol	New ()rieans	Houston					
	SEAVT	PDLAT/ LBNONS	SEAVT	PDLAT/ LANOT				
Days Per Week	7	6	7	6				

Northern California Terminal:

N

Oakland Lathrop	0955(1)	2255(1)	0955(1)	2255(1)
fidwest Terminal:				
Englewood			0200(4)	850(5)
Avondale	1230(4)	1805(5)		
New Orleans I/C		1815(5)		

Pacific Northwest - Southern California

				NORTH	BOUND			
Train Symbol	AVSET	LBSET	INPDT	INPDT2	LAPDZ	LAPDD	LAOAT	LBSET
Days Per Week	7	7	7	5	7	1	7	7
Southern Terminal:								
ICTF		1200(1)						
East Los Angeles Yd		1330(1)			2000(1)	1900(1)	1400(1)	
Inland Empire	0215(1)		0001(1)	1200(1)	2200(1)		1555(1)	
Lathrop	1540(1)							0425(1)
Oakland								0840(1)
Northern Terminal:								
Oakland		0325(2)					0730(2)	
Lathrop					0900(2)			
Roseville					1130(2)			
Portland	1545(2)	0415(3)	0830(2)	2030(2)	0630(3)	0245(3)		0415(2)
Seattle	2150(2)	1130(3)						1130(2)
				SOUTHI	BOUND			
Train Symbol	SELBT	PDLAZ	PDLAT	SEAVT	PDOAT	OALBT		
Days Per Week	7	5	6	7	6	7		
Northern Terminal:								
Seattle	0800(1)			0400(1)				
Tacoma	0950(1)							
Portland	1500(1)	2000(1)	2345(1)	1015(1)	0200(1)			
Cakland						1600(1)		
Southern Terminal:								
Roseville					2230(1)			
Lathrop	1340(2)		2155(2)					
Oakland				0855(2)	0230(2)			
West Colton								
Inland Empire	0200(3)	0145(3)				0835(2)		
East Los Angeles Yd	0320(3)	0400(3)	1545(3)			0930(2)		
ICTF	0435(3)					1200(2)		

New Orleans/Houston - Pacific Northwest

	WESTBO	DUND
	New Orleans	Houston
Train Symbol	AVSET	AVSET
Days Per Week	7	7
Midwest Terminal:		
Avondale	1900(1)	
Englewood		0455(1)
Pacific Northwest Terminal:		
Portland	1545(5)	1545(4)
Seattle	2150(5)	2150(4)
	FASTRO	
	LASIDU	UID
	New Orleans	Houston
Train Symbol	New Orleans SEAVT	Houston
Train Symbol Days Per Week	New Orleans SEAVT 7	Houston SEAVT 7
Train Symbol Days Per Week Pacific Northwest Terminal:	New Orleans SEAVT 7	Houston SEAVT 7
Train Symbol Days Per Week Pacific Northwest Terminal: Seattle	<u>New Orleans</u> <u>SEAVT</u> 7 0955(1)	Houston SEAVT 7 0955(1)
Train Symbol Days Per Week Pacific Northwest Terminal: Seattle Portland	<u>New Orleans</u> <u>SEAVT</u> 7 0955(1) 1015(1)	Houston SEAVT 7 0955(1) 1015(1)
Train Symbol Days Per Week Pacific Northwest Terminal: Seattle Portland Midwest Terminal:	<u>New Orleans</u> <u>SEAVT</u> 7 0955(1) 1015(1)	Houston SEAVT 7 0955(1) 1015(1)
Train Symbol Days Per Week Pacific Northwest Terminal: Seattle Portland Midwest Terminal: Englewood	<u>New Orleans</u> <u>SEAVT</u> 7 0955(1) 1015(1)	Houston SEAVT 7 0955(1) 1015(1) 0200(5)

18018 13-13	Ta	b	10	1	3	-1	3	
-------------	----	---	----	---	---	----	---	--

Chicago - Texas

		so	UTHBOUN	D	
Train Symbol	CHMXZ	CHEGT	<u>CHHOZ</u>	<u>CHFWZ</u>	CHDAZ
Days Per Week	6	7	6	4	5
Chicago Terminal:					
Yard Center	0515(1)	0200(1)	2045(1)	1650(1)	0430(1)
Texas Terminal:					
Mesquite Houston			0425(3)	1915(2)	0845(2)
Laredo Eagle Pass	0630(3)	0700(3)			
		NO	RTHBOUN	D	
Train Symbol	MXCHZ	EGCHT	HOCHT	DACHZ	
Days Per Week	7	7	6	6	
Texas Terminal:					
Mesquite Houston			0115(1)	0440(1)	
Laredo Eagle Pass	0130(1)	1800(1)			
Chicago Terminal:					
Yard Center	0445(3)	0745(3)	1830(2)	0935(2)	

St. Louis/Salem - Texas

			SO	UTHBOUI	VD		
Train Symbol	NYDAZ	DUHOZ	DUDAZ	DUFW6Z	DUFW7Z	DUHOZ/ CHEGT	DUDAZ/ CHEGT
Days Per Week	5	7	5	1	1	7	5
Illinois Terminal:							
Dupo Salem	1310(1)	0230(1)	0100(1)	1200(1)	0400(1)	0230(1)	0100(1)
Texas Terminal:							
Mesquite Houston San Antonio	0945(2)	0630(2)	2150(1)	0815(2)	0015(2)		0050(3)
Eagle Pass						0700(3)	
			NO	RTHBOU	Ø		
Train Symbol	DANYZ	HOSLT	DADUZ	MXCHZ	DACH1Z		
Days Per Week	7	7	5	7	1		
Texas Terminal:							
Mesquite Houston	0100(1)	1400(1)	1845(1)		0440(1)		
Laredo				0130(1)			
Illinois Terminal:							
Salem Dupo	0200(2)	0445(3)	1715(2)	1855(2)	0215(2)		

THIS PAGE LEFT INTENTIONALLY BLANK

ATTACHMENT 13-1

UP SCHEDULES


	Γ		
	NPPDZ		NPPDZ
	MESEZ		MESEZ
	PDCSZ		PDCSZ CSST2
	SENPV		SENPV
	NPSEV		NPSEV
	CHMIV		CHMIV
	STCST		STCST
	OACSZ NPOAZ		OACS2
	NPCAV		NPOAV
	KCPDZ		KCPDZ
	SCREZ		SCREZ
		~	
		G	
		D	
		n	
		F	
00.347		-	
C3312	1	E	
		37	
STNET		N	STMET
MINPV			NINPV
		-	
NPLA	AV	K	NPLAV
LAKO	CNS		LAKCNS
LACI	rv		LACYV
LADI	82		LADEZ
CSSC	CZ		CSSCZ
SCC3	32	V	SCC32
		-	
		E	
		_	
		Ð	
		R	
1111			
	1		
	1		
	-		
		DP	PHTIM SPATNO

10/20/95 JSS





-

. ۲



SHEBOYGAN

	JAPRBV	
ANESVILLE	JAPRV	
J	SMBEQ	
BELVIDERE	REPRV	
J		PDCSZ
		CSST2
		CHNPV
		CHNIV
		SECSZ
		STCST
		OACSZ
		CSLAZ
		CSSCZ
		SCCSZ

C H I C A G O

WESTERN REGION UNION PACIFIC RAILROAD

PAGE 3 OF 3





10/20/93 JSS





3.3



BUSH	-{	DIIL	DOI	GAIA		
0400	ITPR	1000				
1230 1	PRIT	0600				1
0005 (CHSSE	BR 1400)			1
0100 9	SSCHI	BR 1100)]
1700 8	JUMA	2230				
2000 F	PRSS	1500				1
0100 5	SPR	1100				1
ANESVILLE		EPR				
ANESVILLE BELVIDERI		EPR		NPPR	1400 1725	
ANESVILLE BELVIDERI		EPR		NPPR NPPRB NPPRC	1400 1725 1925	
ANESVILLE		BEPR		NPPR NPPRB NPPRC NPPRCR	1400 1725 1925 1000	
ANESVILLE BELVIDERI		BEPR		NPPR NPPRB NPPRC NPPRCR PRNPB	1400 1725 1925 1000 1430	
) ANESVILLE BELVIDYRI		BEPR		NPPR NPPRB NPPRC NPPRCR PRNPB BLNP	1400 1725 1925 1000 1430 2230	
ANESVILLE BELVIDYRI		BEPR		NPPR NPPRB NPPRC NPPRCR PRNPB BLNP PRNP	1400 1725 1925 1000 1430 2230 0500	
J IANESVILLE (BELVIDFRI		BPR		NPPR NPPRB NPPRC NPPRCR PRNPB BLNP PRNP PRNP PRCY PRCY	1400 1725 1925 1000 1430 2230 0500 1300	
I ANESVILLE BELVIDFRI		BEPR		NPPR NPPRB NPPRC NPPRCR PRNPB BLNP PRCP PRCY PRCB CBDP	1400 1725 1925 1000 1430 2230 0500 1300 300 0500	C
ANSSVILLE BELVIDERI	B B	BEPR		NPPR NPPRB NPPRCR PRNPB BLNP PRNP PRCY PRCB CBPR OMP828	1400 1725 1925 1000 1430 2230 0500 1300 300 0500	C
ANSSVILLE		BEPR		NPPR NPPRC NPPRCR PRNPB BLNP PRNP PRCY PRCB CBPR DMPRB	1400 1725 1925 1000 1430 2230 0500 1300 300 0500 1000 0500	C
I ANSSVILLE BELVIDFRI	BB	BEPR		NPPR NPPRB NPPRC NPPRCR PRNPB BLNP PRCY PRCB CBPR DMPRB DMPRB DMPR	1400 1725 1925 1000 1430 2230 0500 1300 300 0500 1000 0500 1000 02300	C
I ANSSVILLE BELVIDERI	BB	BEPR		NPPR NPPRC NPPRC PRNPB BLNP PRNP PRCB CBPR DMPRB DMPR PRDMB PRDMB	1400 1725 1925 1000 1430 2230 0500 1300 0500 1000 0500 2300	C
ANSSVILLE BELVIDFRI		BEPR		NPPR NPPRC NPPRC NPPRCP PRNP PRNP PRNP P	1400 1725 1925 1000 1430 2230 0500 1300 300 0500 1000 0500 1000 2300 2300 1830	С

C A G 0

WESTERN REGION UNION PACIFIC RAILROAD

PAGE 3 OF 3





341

0330	NLME	1116	
0015	MENL	1900	M
1630	NLMECX	1800	
0500	MENLCX	1910	-
1300	NLHEIC	2010	E
1300	NLMEIC	2010	
2330	NLHENS	0600	3.6
2330	MENLNS	1630	TeT
			P
			H
			I

LINL	0500					
NLLI	0315	-				
LINL	8 1700	1				
CHLI	1630	1				
LIFW	1600	1 1				
FWLI	1515	1				
FWLIE	8 0900	L	0100	LIAV	1200	A
		T	0900	AVLIT	0300	17
		1 1	1300	LTAVB	2120	
		V	2130	AVLID	1600	0
			2200	LINOCX	0530	10
		0	1700	AVLICX	1200	N
			2200	AVLICE	1700	
		N	2000	LINOCS	0100	D
			1530	AVLINS	1030	-
		III	1830	LINONS	0200	A
AGLI	2245					-
BLLI	0930	A				L
LIHO	0400	1				D
LIHOB	1500	1 1				E
HOLIB	0730					
LIPP	1030	1 1				
		1				

10/06/95 383

THIS PAGE LEFT INTENTIONALLY BLANK

ATTACHMENT 13-2

SP SCHEDULES











INTERMODAL Golden State Westbound



PT

































Terminal	Yard	Block Name
ALBINA OR	UP	ALBANY OR
ALBINA OR	UP	EUGENE OR
ALBINA OR	UP	ROSEVILLE CA
ANGLETON TX	UP	ENGLEWOOD
ARDEN NV	UP	WEST COLTON CA
ARLINGTON CA	UP	WEST COLTON CA
ARLINGTON TX	UP	SALEM-CR-COLUMBUS
ARLINGTON TX	UP	SALEM-CR-CONWAY
ARLINGTON TX	UP	SALEM-CR-SELKIRK
BAYTOWN TX	UP	ENGLEWOOD
BAYTOWN TX	UP	LIVONIA LA
BAYTOWN TX	UP	N LIT ROCK AR
BEAUMONT TX	SP	DEQUINCY LA
BEAUMONT TX	SP	LIVONIA LA
BEAUMONT TX	SP	N LIT ROCK AR
BEAUMONT TX	SP	ORANGE TX
BEAUMONT TX	SP	SAN ANTONIO TX
BEAUMONT TX	SP	SAN MARCOS TX
BEAUMONT TX	SP	SETTEGAST TX
BLOOMINGTON TX	UP	COR CHRISTI TX
BLOOMINGTON TX	UP	KINGSVILLE TX
BROWNSVILLE TX	UP	COR CHRISTI TX
BROWNSVILLE TX	UP	N LIT ROCK AR
CHEYENNE WY	UP	SLCITY ROPER UT
CHICAGO-CLEARING	BRC	GALESBURG IL
CHICAGO-CLEARING	BRC	HINKLE OR
CHICAGO-CLEARING	BRC	KAN CITY MO
CHICAGO-CLEARING	BRC	SPRINGFLD IL
CHICAGO-CLEARING	BRC	WEST COLTON CA
CITY INDUSTRY CA	SP	ANAHEIM CA
CITY INDUSTRY CA	SP	LONG BEACH CA
CITY INDUSTRY CA	SP	PAP.AMOUNT CA
COR CHRISTI TX	UP	ANGLETON TX
COR CHRISTI TX	UP	BROWNSVILLE TX
COR CHRISTI TX	UP	N LIT ROCK AR
DALLAS TX	SP	ARLINGTON TX
DALLAS TX	SP	N LIT ROCK AR
DALLAS TX	SP	SETTEGAST TX
DAYTON TX	SP	LIVONIA LA
DAYTON TX	SP	N LIT ROCK AR
DAYTON TX	SP	SETTEGAST TX
DENVER 20	SP	HELPER UT
DENVER CO	SP	PROVO UT
DES MOINES IA	UP	EIGHTENST KS
DES MOINES IA	UP	PARSONS KS
E ST LOUIS IL	ALS	HERINGTON KS
E ST LOUIS IL	ALS	HINKLE OR

OPERATING PLAN Attachment 13-3 Page 1 of 8

Terminal	Yard	Block Name
E ST LOUIS IL	ALS	SPRINGFLD IL
EIGHTENTH ST KS	UP/SP	PROVISO IL
EIGHTENTH ST KS	UP/SP	ROLLA CO
EIGHTENTH ST KS	UP/SP	SO SAN ANTONIO TX
EL PASO TX	SP	HERINGTON KS
ELKO NV	UP	ROSEVILLE CA
ELKO NV	UP	SLCITY ROPER UT
ELKO NV	UP	SPARKS NV
ENGLEWOOD TX	SP	ALEXANDRIA LA
ENGLEWOOD TX	SP	BAYTOWN TX
ENGLEWOOD TX	SP	ORANGE TX
ENGLEWOOD TX	SP	SETTEGAST TX
ENGLEWOOD TX	SP	SO SAN ANTONIO TX
EUGENE OR	SP	ALBINA OR
EUGENE OR	SP	CORP. SOUTH CA
EUGENE OR	SP	HINKLE OR
EUGENE OR	SP	SEATTLE WA
FREEPORT TX	UP	ENGLEWOOD
FREEPORT TX	UP	LIVONIA LA
FREEPORT TX	UP	SETTEGAST TX
FT WORTH TX	UP	AMARILLO TX
FT WORTH TX	UP	ANGLETON TX
FT WORTH TX	UP	BROWNSVILLE TX
FT WORTH TX	UP	CITY INDUSTRY CA
FT WORTH TX	UP	COR CHRISTI TX
FT WORTH TX	UP	EL RENO OK
FT WORTH TX	UP	FREEPORT TX
FT WORTH TX	UP	GREEN RIVER WY
FT WORTH TX	UP	HERINGTON KS
FT WORTH TX	UP	HINKLE OR
FT WORTH TX	UP	POCATELLO ID
FT WORTH TX	UP	TUCSON AZ
FT WORTH TX	UP	WEST COLTON CA
GAL'ESTON TX	UP	ENGLEWOOD
GEMCO CA	SP	CITY INDUSTRY CA
GEMCO CA	SP	FTWORTH TX
GEMCO CA	SP	LOS ANGELE CA
GEMCO CA	SF	ROSEVILLE CA
GREEN RIVER WY	UF	CHICAGO-BRC
GREEN RIVER WY	UP	FTWORTH TX
GREEN RIVER WY	UP	SLCITY ROPER UT
GURDON AR	UP	TEXARKANA AR
HARLINGEN TX	UP	N LIT ROCK AR
HARLINGEN TX	UP	ODEM TX
HEARNE TX	SP	N LIT ROCK AR
HEARNE TX	SP	PALESTINE TX
HEARNE TX	SP	TAYLOR TX

OPERATING PLAN Atiachment 13-3 Page 2 of 8

S. 10

-

•••

- 64

10

100

.

4

١

. . .

3.0

.

Terminal	Yard	Block Name
HERINGTON KS	SP	AMARILLO TX
HERINGTON KS	SP	CITY INDUSTRY CA
HERINGTON KS	SP	DALHART TX
HERINGTON KS	SP	DES MOINES IA
HERINGTON KS	SP	EL PASO TX
HERINGTON KS	SP	KAN CITY MO
HERINGTON KS	SP	LIBERAL KS
HERINGTON KS	SP	LONG BEACH CA
HERINGTON KS	SP	MIRA LOMA CA
HERINGTON KS	SP	OKLA CITY OK
HERINGTON KS	SP	PHOENIX AZ
HERINGTON KS	SP	PRATT KS
HERINGTON KS	SP	PROVISO IL
HERINGTON KS	SP	SALINA KS
HERINGTON KS	SP	TUCSON AZ
HERINGTON KS	SP	WEST COLTON CA
HERINGTON KS	SP	WICHITA KS
HINKLE OR	UP	BARNES OR
HINKLE OR	UP	CHICAGO-BRC
HINKLE OR	UP	DENVER CO
HINKLE OR	UP	E ST LOUIS-ALS
HINKLE OR	UP	EUGENE OR
HINKLE OR	UP	FTWORTH TX
HINKLE OR	UP	GREEN RIVER WY
HINKLE OR	UP	ROSEVILLE CA
KANSAS CITY MO	UP	CHICAGO-BRC
KANSAS CITY MO	UP	HERINGTON KS
KANSAS CITY MO	UP	PINEBLUFF AR
KINGSVILLE TX	UP	BROWNSVILLE TX
KLAMATH FALLS OR	SP	BEND OR
KLAMATH FALLS OR	SP	THE DALLES OR
LA GRANDE OR	UP	SLCITY ROPER UT
LAKE CHARLES LA	SP	LIVONIA LA
LAKE CHARLES LA	SP	N LIT ROCK AR
LAREDO TX	UP	KAN CITY MO
LAREDO TX	UP	SPRING TX
LUBERAL KS	SP	EL PASO TX
LIBERAL KS	SP	HERING TON KS
LIVONIA LA	UP	BLOOMINGTON TX
LIVONIA LA	UP	CITY INDUSTRY CA
LIVONIA LA	UP	CSXT-ATLANTA (VIA NOLA)
LIVONIA LA	UP	CSXT-GREENWD (VIA NOLA)
LIVONIA LA	UP	CSXT-HAMLET (VIA NOLA)
LIVONIA LA	UP	CSXT-NASHVL (VIA NOLA)
LIVONIA LA	UP	CSXT-SHORTS (VIA NOLA)
LIVONIA LA	UP	DAYTON TX
LIVONIA LA	UP	EAGLE PASS TX

OPERATING PLAN Attachment 13-3 Page 3 of 8

S.

a. . . .

. .

LIVONIA LAUPLAKE CHARLES LALIVONIA LAUPNS-CHATTANOOGA (VIA NOLA)LIVONIA LAUPNS-KNOXVILLE (VIA NOLA)LIVONIA LAUPORANGE TXLIVONIA LAUPSAN ANTONIO TXLIVONIA LAUPSO SAN ANTONIO TXLIVONIA LAUPSTRANG TXLIVONIA LAUPSTRANG TXLIVONIA LAUPWEST COLTON CALONG BEACH CAUP/SPCITY INDUSTRY CALONG BEACH CAUP/SPNPLATTE NELONG BEACH CAUP/SPNOLATCE NELONG BEACH CAUP/SPNOLATCE NELONG BEACH CAUP/SPSLCITY ROPER UTLONG BEACH CAUP/SPSLCITY ROPER UTLOND LUTUPSLCITY ROPER UTMAGMA AZSPHERINGTON KSMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPASS COLACINALSMARTINEZ CASPNULATTE NEMARTINEZ CASPNULATTE NEMARTINEZ CASPNULATTE NEMARTINEZ CASPNOLATTY NSMARTINEZ CAUPSAN ANTONIO TXMILPITAS CAUP	Terminal	Yard	Block Name																																																																																				
LIVONIA LAUPNS-CHATTANOOGA (VIA NOLA)LIVONIA LAUPNS-KNOXVLLE (VIA NOLA)LIVONIA LAUPORANGE TXLIVONIA LAUPSAN ANTONIO TXLIVONIA LAUPSO SAN ANTONIO TXLIVONIA LAUPSO SAN ANTONIO TXLIVONIA LAUPWEST COLTON CALONG BEACH CAUP/SPCITY INDUSTRY CALONG BEACH CAUP/SPROLLA COLONG BEACH CAUP/SPROLLA COLONG BEACH CAUP/SPSILCITY ROPER UTLONG BEACH CAUP/SPSPRING TXLONG BEACH CAUP/SPSILCITY ROPER UTLONG BEACH CAUP/SPSILCITY ROPER UTLYNNDYL UTUPWEST COLTON CALYNNDYL UTUPWEST COLTON CALYNNDYL UTUPWEST COLTON CAMARTINEZ CASPNPLATTE NEMARTINEZ CASPNOLLA COMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSLCITY ROPER UTNILTTLE ROCK ARUPNS-DELCATUR (VIA ESTL)NLIT	LIVONIA LA	UP	LAKE CHARLES LA																																																																																				
LIVONIA LAUPNS-KNOXVILLE (VIA NOLA)LIVONIA LAUPORANGE TXLIVONIA LAUPSAN ANTONIO TXLIVONIA LAUPSO SAN ANTONIO TXLIVONIA LAUPSTRANG TXLIVONIA LAUPWEST COLTON CALONG EEACH CAUP/SPCITY INDUSTRY CALONG BEACH CAUP/SPNPLATTE NELONG BEACH CAUP/SPSPRING TXLONG BEACH CAUP/SPSILCITY ROPER UTLONG BEACH CAUP/SPSPRING TXLONG BEACH CAUPWEST COLTON CAMARSHALLTOWN IAUPAMES ICTI IAMARSHALLTOWN IAUPAMES ICTI AMARSHALLTOWN IAUPAMES ICTI AMARTINEZ CASPNOLLA COMILPITAS CAUPSAL ANTONIO TXMILPITAS CAUPSAL ANTONIO TXMILPITAS CAUPSAL ANTONIO TXMILPITAS CAUPSAL ANTONIO TXMIL	LIVONIA LA	UP	NS-CHATTANOOGA (VIA NOLA)																																																																																				
LIVONIA LAUPORANGE TXLIVONIA LAUPSAN ANTONIO TXLIVONIA LAUPSO SAN ANTONIO TXLIVONIA LAUPSTRANG TXLIVONIA LAUPWEST COLTON CALONG BEACH CAUP/SPCITY INDUSTRY CALONG BEACH CAUP/SPROLLA COLONG BEACH CAUP/SPNPLATTE NELONG BEACH CAUP/SPSILCITY ROPER UTLONG BEACH CAUP/SPSILCITY ROPER UTLONG BEACH CAUP/SPSILCITY ROPER UTLONG BEACH CAUP/SPSILCITY ROPER UTLONG BEACH CAUP/SPSILCITY ROPER UTLORDSBURG NMSPHERINGTON KSLOS ANGELE CAUPWEST COLTON CALYNNDYL UTUPSILCITY ROPER UTLYNNDYL UTUPWEST COLTON CAMAGMA AZSPHERINGTON KSMARTINEZ CASPKANSAS CITY-NSMARTINEZ CASPNPLATTE NEMARTINEZ CASPNOLA COMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSPRING TX <td>LIVONIA LA</td> <td>UP</td> <td>NS-KNOXVELLE (VIA NOLA)</td>	LIVONIA LA	UP	NS-KNOXVELLE (VIA NOLA)																																																																																				
LIVONIA LAUPSAN ANTONIO TXLIVONIA LAUPSO SAN ANTONIO TXLIVONIA LAUPSTRANG TXLIVONIA LAUPWEST COLTON CALONG BEACH CAUP/SPCITY INDUSTRY CALONG BEACH CAUP/SPNPLATTE NELONG BEACH CAUP/SPROLLALONG BEACH CAUP/SPSLCITY ROPER UTLONG BEACH CAUP/SPSLCITY ROPER UTLONG BEACH CAUP/SPSPRING TXLONG BEACH CAUPWEST COLTON CAMARSHALLTOWN IAUPAMES ICT I AMARSHALLTOWN IAUPAMES ICT I AMARTINEZ CASPNPLATTE NEMARTINEZ CASPNPLATTE NEMARTINEZ CASPNPLATTE NEMARTINEZ CASPNORALESMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSPRING TXMILPITAS CAUPSPRING TXMILPITAS CAUPNOGALESMIRA LOMA CAUPNOGALESMIRA LOMA CAUPNOS-ENCI	LIVONIA LA	UP	ORANGE TX																																																																																				
LIVONIA LAUPSO SAN ANTONIO TXLIVONIA LAUPSTRANG TXLIVONIA LAUPSTRANG TXLONG BEACH CAUP/SPCITY INDUSTRY CALONG BEACH CAUP/SPRANSAS CITY-NSLONG BEACH CAUP/SPNPLATTE NELONG BEACH CAUP/SPSLCITY ROPER UTLONG BEACH CAUP/SPSTRING TXLONG BEACH CAUP/SPSPRING TXLONG BEACH CAUP/SPSPRING TXLONG BEACH CAUP/SPSPRING TXLORDSBURG NMSPHERINGTON KSLOS ANGELE CAUPWEST COLTON CALYNNDYL UTUPSLCITY ROPER UTLYNNDYL UTUPWEST COLTON CAMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPNPLATTE NEMARTINEZ CASPNOLLA COMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSLCITY ROPER UTMIRA LOMA CAUPNOGALESMIRA LOMA CAUPNOSCHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM IL <td>LIVONIA LA</td> <td>UP</td> <td>SAN ANTONIO TX</td>	LIVONIA LA	UP	SAN ANTONIO TX																																																																																				
LIVONIA LAUPSTRANG TXLIVONIA LAUPWEST COLTON CALONG BEACH CAUP/SPCITY INDUSTRY CALONG BEACH CAUP/SPKANSAS CITY-NSLONG BEACH CAUP/SPNPLATTE NELONG BEACH CAUP/SPROLLACOLONG BEACH CAUP/SPSLCITY ROPER UTLONG BEACH CAUP/SPSPRING TXLONG BEACH CAUP/SPSPRING TXLORDSBURG NMSPHERINGTON KSLOS ANGELE CAUPWEST COLTON CALYNNDYL UTUPSLCITY ROPER UTLYNNDYL UTUPWEST COLTON KSMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPNPLATTE NEMARTINEZ CASPNPLATTE NEMARTINEZ CASPNOLLAMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSPRING TXMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAMIRA LOMA CAUPNOGALESMIRA LOMA CAUPNOSALESMIRA LOMA CAUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM IL <tr< td=""><td>LIVONIA LA</td><td>UP</td><td>SO SAN ANTONIO TX</td></tr<>	LIVONIA LA	UP	SO SAN ANTONIO TX																																																																																				
LIVONIA LAUPWEST COLTON CALONG BEACH CAUP/SPCITY INDUSTRY CALONG BEACH CAUP/SPKANSAS CITY-NSLONG BEACH CAUP/SPNPLATTE NELONG BEACH CAUP/SPSLCITY ROPER UTLONG BEACH CAUP/SPSSLCITY ROPER UTLONG BEACH CAUPWEST COLTON CALOS ANGELE CAUPWEST COLTON CAMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPNOLLA COMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSPRING TXMIRA LOMA CAUPNOGALESMIRA LOMA CAUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPCHICAGO-GTWNORTH PLATTE NEUPSIOUX	LIVONIA LA	UP	STRANG TX																																																																																				
LONG BEACH CAUP/SPCITY INDUSTRY CALONG BEACH CAUP/SPKANSAS CITY-NSLONG BEACH CAUP/SPROLLACOLONG BEACH CAUP/SPROLLACOLONG BEACH CAUP/SPSLCITY ROPER UTLONG BEACH CAUP/SPSPRING TXLORDSBURG NMSPHERINGTON KSLOS ANGELE CAUPWEST COLTON CALYNNDYL UTUPSLCITY ROPER UTLYNNDYL UTUPWEST COLTON CAMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLAMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPWEST COLTON CANUTTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHCAGO-GTWNOGALESSPCHCAGO-GTWNOGALESSPCHCAGO-GTWNORTH PLATTE NEUPPINELUFF ARNORTH PLATTE NEUPSLEM-CR-COLUMBUSNORTH PLATTE NEUPNINDOKA IDNORTH PLATTE NEUPNOR	LIVONIA LA	UP	WEST COLTON CA																																																																																				
LONG BEACH CA UP/SP KANSAS CITY-NS LONG BEACH CA UP/SP NPLATTE NE LONG BEACH CA UP/SP ROLLA CO LONG BEACH CA UP/SP SLCITY ROPER UT LONG BEACH CA UP/SP SILCITY ROPER UT LONG BEACH CA UP/SP STRING TX LORDSBURG NM SP HERINGTON KS LOS ANGELE CA UP WEST COLTON CA LYNNDYL UT UP SLCITY ROPER UT LYNNDYL UT UP WEST COLTON CA MAGMA AZ SP HERINGTON KS MARSHALLTOWN IA UP AMES JCT IA MARSHALLTOWN IA UP AMES JCT IA MARSHALLTOWN IA UP E ST LOUIS-ALS MARTINEZ CA SP KANSAS CITY-NS MARTINEZ CA SP NPLATTE NE MARTINEZ CA SP NOLLA CO MILPITAS CA UP FTWORTH TX MILPITAS CA UP SLCITY ROPER UT MILPITAS CA UP NOGALES MIRA LOMA CA UP NOGALES MIRA LOMA CA UP NS-BELLEVUE (VIA ESTL) N LITTLE ROCK AR UP NS-BELLEVUE (VIA ESTL) N LITTLE ROCK AR UP NS-DECATUR (VIA ESTL) N LITTLE ROCK AR UP NS-DECATUR (VIA ESTL) N LITTLE ROCK AR UP NS-DECATUR (VIA ESTL) N LITTLE ROCK AR UP SALEM IL N LITTLE ROCK AR UP SALEM-CR-COLUMBUS NOGALES SP CHICAGO-GTW NOGALES SP CHICAGO-GTW NOGALES SP CHICAGO-GTW NOGALES SP E ST LOUIS-ALS NORTH PLATTE NE UP MINIDOKA ID NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP WEST COLTON CA	LONG BEACH CA	UP/SP	CITY INDUSTRY CA																																																																																				
LONG BEACH CAUP/SPNPLATTE NELONG BEACH CAUP/SPROLLACOLONG BEACH CAUP/SPSLCITY ROPER UTLONG BEACH CAUP/SPSPRING TXLORDSBURG NMSPHERINGTON KSLOS ANGELE CAUPWEST COLION CALYNNDYL UTUPSLCITY ROPER UTLYNNDYL UTUPWEST COLTON CALYNNDYL UTUPWEST COLTON CAMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLAMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPNS-DELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPSALEM-CR-COLUMBUSNORTH PLATTE NEUPSALEM-CR-COLUMBUSNORTH PLATTE NEUPNINDOKA IDNORTH PLATTE NEUPNOUSALESSPE ST LOUIS-ALSNORTH PLATTE NEUPNORTH PLATTE NEUPNORTH PLATTE NE	LONG BEACH CA	UP/SP	KANSAS CITY-NS																																																																																				
LONG BEACH CAUP/SPROLLACOLONG BEACH CAUP/SPSLCITY ROPER UTLONG BEACH CAUP/SPSPRINGTXLORDSBURG NMSPHERINGTON KSLOS ANGELE CAUPWEST COLTON CALYNNDYL UTUPSLCITY ROPER UTLYNNDYL UTUPWEST COLTON CAMAGMA AZSPHERINGTON KSMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPKANSAS CITY-NSMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSPRINGMILPITAS CAUPSPRING TXMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CANUITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATT	LONG BEACH CA	UP/SP	NPLATTE NE																																																																																				
LONG BEACH CAUP/SPSLCITY ROPER UTLONG BEACH CAUP/SPSPRING TXLORDSBURG NMSPHERINGTON KSLOS ANGELE CAUPWEST COLTON CALYNNDYL UTUPSLCITY ROPER UTLYNNDYL UTUPWEST COLTON CAMAGMA AZSPHERINGTON KSMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAN LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPNORTH PLATTE NEUPNORTH PLATTE NEUP	LONG BEACH CA	UP/SP	ROLLA CO																																																																																				
LONG BEACH CAUP/SPSPRING TXLORDSBURG NMSPHERINGTON KSLOS ANGELE CAUPWEST COLTON CALYNNDYL UTUPSLCITY ROPER UTLYNNDYL UTUPWEST COLTON CAMAGMA AZSPHERINGTON KSMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSPRING TXMILPITAS CAUPSPRING TXMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILNORTH PLA	LONG BEACH CA	UP/SP	SLCITY ROPER UT																																																																																				
LORDSBURG NMSPHERINGTON KSLOS ANGELE CAUPWEST COLTON CALYNNDYL UTUPSLCITY ROPER UTLYNNDYL UTUPWEST COLTON CAMAGMA AZSPHERINGTON KSMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPKANSAS CITY-NSMARTINEZ CASPROLLAMARTINEZ CASPROLLAMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPCHICAGO-GTWNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUP	LONG BEACH CA	UP/SP	SPRING TX																																																																																				
LOS ANGELE CAUPWEST COLTON CALYNNDYL UTUPSLCITY ROPER UTLYNNDYL UTUPWEST COLTON CAMAGMA AZSPHERINGTON KSMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPKANSAS CITY-NSMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CASPROLLAMILPITAS CAUPFIWORTH TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CANILTITLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPSALEMN LITTLE ROCK ARUPSALEMN LITTLE ROCK ARUPSALEMN LITTLE ROCK ARUPSALEMN LITTLE ROCK ARUPN SALEMILN LITTLE ROCK ARUPNGALESSPCHICAGO-GTWNOGALESSPSPE ST LOUIS-ALSNORTH PLATTE NEUPNORTH PLATTE NE<	LORDSBURG NM	SP	HERINGTON KS																																																																																				
LYNNDYL UTUPSLCITY ROPER UTLYNNDYL UTUPWEST COLTON CAMAGMA AZSPHERINGTON KSMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPKANSAS CITY-NSMARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLAMARTINEZ CASPROLLAMARTINEZ CAUPFTWORTH TXMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAMONTCLAIR CAUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSICITY ROPER UT <t< td=""><td>LOS ANGELE CA</td><td>UP</td><td>WEST COLTON CA</td></t<>	LOS ANGELE CA	UP	WEST COLTON CA																																																																																				
LYNNDYL UTUPWEST COLTON CAMAGMA AZSPHERINGTON KSMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPKANSAS CITY-NSMARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLAMARTINEZ CASPROLLAMILPITAS CAUPFTWORTH TXMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSPRINGMILPITAS CAUPSPRING TXMILPITAS CAUPSPRING TXMILPITAS CAUPSPRING TXMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAMONTCLAIR CAUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM CR-COLUMBUS </td <td>LYNNDYL UT</td> <td>UP</td> <td>SLCITY ROPER UT</td>	LYNNDYL UT	UP	SLCITY ROPER UT																																																																																				
MAGMA AZSPHERINGTON KSMARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPKANSAS CITY-NSMARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLAMARTINEZ CASPROLLAMILPITAS CAUPFTWORTH TXMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAMONTCLAIR CAUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM CR-COCUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY	LYNNDYL UT	UP	WEST COLTON CA																																																																																				
MARSHALLTOWN IAUPAMES JCT IAMARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPKANSAS CITY-NSMARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLAMARTINEZ CASPROLLAMILPITAS CAUPFTWORTH TXMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRINGMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPSALEM-CR-COLUMBUSN CALESSPCHICAGO-GTWN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY	MAGMA AZ	SP	HERINGTON KS																																																																																				
MARSHALLTOWN IAUPE ST LOUIS-ALSMARTINEZ CASPKANSAS CITY-NSMARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLAMILPITAS CAUPFTWORTH TXMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRINGMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM -CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUP<	MARSHALLTOWN IA	UP	AMES JCT IA																																																																																				
MARTINEZ CASPKANSAS CITY-NSMARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLACOMILPITAS CAUPFTWORTH TXMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMILPITAS CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPNGALESSPE ST LOUIS-ALSNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX C	MARSHALLTOWN IA	UP	E ST LOUIS-ALS																																																																																				
MARTINEZ CASPNPLATTE NEMARTINEZ CASPROLLACOMILPITAS CAUPFTWORTH TXMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN CALESSPE ST LOUIS-ALSNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUP </td <td>MARTINEZ CA</td> <td>SP</td> <td>KANSAS CITY-NS</td>	MARTINEZ CA	SP	KANSAS CITY-NS																																																																																				
MARTINEZ CASPROLLACOMILPITAS CAUFFTWORTH TXMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM CR-COLUMBUSNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPWEST COLTON CAODEM TXUPFUVORTH TX	MARTINEZ CA	SP	NPLATTE NE																																																																																				
MILPITAS CAUFFTWORTH TXMILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN CALESSPE ST LOUIS-ALSNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPWEST COLTON CAODEM TXUPFUVORT	MARTINEZ CA	SP	ROLLA CO																																																																																				
MILPITAS CAUPSAN ANTONIO TXMILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAMONTCLAIR CAUPMEST COLTON CAN LITTLE ROCK ARUPMS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN NOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEM TXUPFUWORTH TX	MILPITAS CA	UP	FTWORTH TX																																																																																				
MILPITAS CAUPSLCITY ROPER UTMILPITAS CAUPSPRING TXMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAMONTCLAIR CAUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN NOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IA <tr <td=""><td>MILPITAS CA</td><td>UP</td><td>SAN ANTONIO TX</td></tr> <tr><td>MILPITAS CAUPSPRING TXMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM CR-COLUMBUSNOGALESSPE ST LOUIS-ALSNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IA<td>MILPITAS CA</td><td>UP</td><td>SLCITY ROPER UT</td></td></tr> <tr><td>MIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPWEST COLTON CAODEM TXUPFIWORTH TX</td><td>MILPITAS CA</td><td>UP</td><td>SPRING TX</td></tr> <tr><td>MIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFIWORTH TX</td><td>MIRA LOMA CA</td><td>UP</td><td>NOGALES</td></tr> <tr><td>MONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFIWORTH TX</td><td>MIRA LOMA CA</td><td>UP</td><td>WEST COLTON CA</td></tr> <tr><td>N LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEM_TXUPFIWORTH TY</td><td>MONTCLAIR CA</td><td>UP</td><td>WEST COLTON CA</td></tr> <tr><td>N LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITON CAODEMTXUPFIWORTH TX</td><td>N LITTLE ROCK AR</td><td>UP</td><td>MT VERNON IL</td></tr> <tr><td>N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITON CAODEMTXUP</td><td>N LITTLE ROCK AR</td><td>UP</td><td>NS-BELLEVUE (VIA ESTL)</td></tr> <tr><td>N LITTLE ROCK ARUPNS-DECATUR (VIA ESIL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESIL)N LITTLE ROCK ARUPSALEMN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IA</td><td>N LITTLE ROCK AR</td><td>UP</td><td>NS-CHICAGO (VIA ESTL)</td></tr> <tr><td>N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFUWORTH TX</td><td>N LITTLE ROCK AR</td><td>UP</td><td>NS-DECATUR (VIA ESTL)</td></tr> <tr><td>N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFUWORTH TX</td><td>N LITTLE ROCK AR</td><td>UP</td><td>NS-DETROIT (VIA ESTL)</td></tr> <tr><td>N LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEM_TXUPFOWORTH TY</td><td>N LITTLE ROCK AR</td><td>UP</td><td>SALEM IL</td></tr> <tr><td>NOGALES SP CHICAGO-GTW NOGALES SP E ST LOUIS-ALS NORTH PLATTE NE UP MINIDOKA ID NORTH PLATTE NE UP PINEBLUFF AR NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FOWORTH TX</td><td>N LITTLE ROCK AR</td><td>UP</td><td>SALEM-CR-COLUMBUS</td></tr> <tr><td>NOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEM_TXUPFUWORTH TX</td><td>NOGALES</td><td>SP</td><td>CHICAGO-GTW</td></tr> <tr><td>NORTH PLATTE NE UP MINIDOKA ID NORTH PLATTE NE UP PINEBLUFF AR NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FIWORTH TX</td><td>NOGALES</td><td>SP</td><td>E ST LOUIS-ALS</td></tr> <tr><td>NORTH PLATTE NE UP PINEBLUFF AR NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FIWORTH TX</td><td>NORTH PLATTE NE</td><td>UP</td><td>MINIDOKA ID</td></tr> <tr><td>NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FCWORTH TX</td><td>NORTH PLATTE NE</td><td>UP</td><td>PINEBLUFF AR</td></tr> <tr><td>NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FOWORTH TX</td><td>NORTH PLATTE NE</td><td>IIP</td><td>POSEVILLE CA</td></tr> <tr><td>NORTH PLATTE NE UP SLOUX CHT PLAT NORTH PLATTE NE UP SLOUX CHT PLAT NORTH PLATTE NE UP WEST COLTON CA ODEM TX UP FUNORTH TX</td><td>NORTH PLATTE NS</td><td>TIP</td><td>SIOUX CTTY IA</td></tr> <tr><td>NORTH PLATTE NE UP WEST COLTON CA</td><td>NORTH PLATTE NE</td><td>UP</td><td>SLCITY ROPER UT</td></tr> <tr><td>ODEM TX UP FIWORTH TY</td><td>NORTH PLATTE NE</td><td>UP</td><td>WEST COLTON CA</td></tr> <tr><td></td><td>ODEM TX</td><td>UP</td><td>FIWORTH TX</td></tr>	MILPITAS CA	UP	SAN ANTONIO TX	MILPITAS CAUPSPRING TXMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM CR-COLUMBUSNOGALESSPE ST LOUIS-ALSNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IA <td>MILPITAS CA</td> <td>UP</td> <td>SLCITY ROPER UT</td>	MILPITAS CA	UP	SLCITY ROPER UT	MIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPWEST COLTON CAODEM TXUPFIWORTH TX	MILPITAS CA	UP	SPRING TX	MIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFIWORTH TX	MIRA LOMA CA	UP	NOGALES	MONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFIWORTH TX	MIRA LOMA CA	UP	WEST COLTON CA	N LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEM_TXUPFIWORTH TY	MONTCLAIR CA	UP	WEST COLTON CA	N LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITON CAODEMTXUPFIWORTH TX	N LITTLE ROCK AR	UP	MT VERNON IL	N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITON CAODEMTXUP	N LITTLE ROCK AR	UP	NS-BELLEVUE (VIA ESTL)	N LITTLE ROCK ARUPNS-DECATUR (VIA ESIL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESIL)N LITTLE ROCK ARUPSALEMN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IA	N LITTLE ROCK AR	UP	NS-CHICAGO (VIA ESTL)	N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFUWORTH TX	N LITTLE ROCK AR	UP	NS-DECATUR (VIA ESTL)	N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFUWORTH TX	N LITTLE ROCK AR	UP	NS-DETROIT (VIA ESTL)	N LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEM_TXUPFOWORTH TY	N LITTLE ROCK AR	UP	SALEM IL	NOGALES SP CHICAGO-GTW NOGALES SP E ST LOUIS-ALS NORTH PLATTE NE UP MINIDOKA ID NORTH PLATTE NE UP PINEBLUFF AR NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FOWORTH TX	N LITTLE ROCK AR	UP	SALEM-CR-COLUMBUS	NOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEM_TXUPFUWORTH TX	NOGALES	SP	CHICAGO-GTW	NORTH PLATTE NE UP MINIDOKA ID NORTH PLATTE NE UP PINEBLUFF AR NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FIWORTH TX	NOGALES	SP	E ST LOUIS-ALS	NORTH PLATTE NE UP PINEBLUFF AR NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FIWORTH TX	NORTH PLATTE NE	UP	MINIDOKA ID	NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FCWORTH TX	NORTH PLATTE NE	UP	PINEBLUFF AR	NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FOWORTH TX	NORTH PLATTE NE	IIP	POSEVILLE CA	NORTH PLATTE NE UP SLOUX CHT PLAT NORTH PLATTE NE UP SLOUX CHT PLAT NORTH PLATTE NE UP WEST COLTON CA ODEM TX UP FUNORTH TX	NORTH PLATTE NS	TIP	SIOUX CTTY IA	NORTH PLATTE NE UP WEST COLTON CA	NORTH PLATTE NE	UP	SLCITY ROPER UT	ODEM TX UP FIWORTH TY	NORTH PLATTE NE	UP	WEST COLTON CA		ODEM TX	UP	FIWORTH TX
MILPITAS CA	UP	SAN ANTONIO TX																																																																																					
MILPITAS CAUPSPRING TXMIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM CR-COLUMBUSNOGALESSPE ST LOUIS-ALSNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IA <td>MILPITAS CA</td> <td>UP</td> <td>SLCITY ROPER UT</td>	MILPITAS CA	UP	SLCITY ROPER UT																																																																																				
MIRA LOMA CAUPNOGALESMIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPWEST COLTON CAODEM TXUPFIWORTH TX	MILPITAS CA	UP	SPRING TX																																																																																				
MIRA LOMA CAUPWEST COLTON CAMONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFIWORTH TX	MIRA LOMA CA	UP	NOGALES																																																																																				
MONTCLAIR CAUPWEST COLTON CAN LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFIWORTH TX	MIRA LOMA CA	UP	WEST COLTON CA																																																																																				
N LITTLE ROCK ARUPMT VERNON ILN LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEM_TXUPFIWORTH TY	MONTCLAIR CA	UP	WEST COLTON CA																																																																																				
N LITTLE ROCK ARUPNS-BELLEVUE (VIA ESTL)N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITON CAODEMTXUPFIWORTH TX	N LITTLE ROCK AR	UP	MT VERNON IL																																																																																				
N LITTLE ROCK ARUPNS-CHICAGO (VIA ESTL)N LITTLE ROCK ARUPNS-DECATUR (VIA ESTL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITON CAODEMTXUP	N LITTLE ROCK AR	UP	NS-BELLEVUE (VIA ESTL)																																																																																				
N LITTLE ROCK ARUPNS-DECATUR (VIA ESIL)N LITTLE ROCK ARUPNS-DETROIT (VIA ESIL)N LITTLE ROCK ARUPSALEMN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSIOUX CITY IA	N LITTLE ROCK AR	UP	NS-CHICAGO (VIA ESTL)																																																																																				
N LITTLE ROCK ARUPNS-DETROIT (VIA ESTL)N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFUWORTH TX	N LITTLE ROCK AR	UP	NS-DECATUR (VIA ESTL)																																																																																				
N LITTLE ROCK ARUPSALEM ILN LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEELUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEMTXUPFUWORTH TX	N LITTLE ROCK AR	UP	NS-DETROIT (VIA ESTL)																																																																																				
N LITTLE ROCK ARUPSALEM-CR-COLUMBUSNOGALESSPCHICAGO-GTWNOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEM_TXUPFOWORTH TY	N LITTLE ROCK AR	UP	SALEM IL																																																																																				
NOGALES SP CHICAGO-GTW NOGALES SP E ST LOUIS-ALS NORTH PLATTE NE UP MINIDOKA ID NORTH PLATTE NE UP PINEBLUFF AR NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FOWORTH TX	N LITTLE ROCK AR	UP	SALEM-CR-COLUMBUS																																																																																				
NOGALESSPE ST LOUIS-ALSNORTH PLATTE NEUPMINIDOKA IDNORTH PLATTE NEUPPINEBLUFF ARNORTH PLATTE NEUPROSEVILLE CANORTH PLATTE NEUPSIOUX CITY IANORTH PLATTE NEUPSLCITY ROPER UTNORTH PLATTE NEUPWEST COLTON CAODEM_TXUPFUWORTH TX	NOGALES	SP	CHICAGO-GTW																																																																																				
NORTH PLATTE NE UP MINIDOKA ID NORTH PLATTE NE UP PINEBLUFF AR NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FIWORTH TX	NOGALES	SP	E ST LOUIS-ALS																																																																																				
NORTH PLATTE NE UP PINEBLUFF AR NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FIWORTH TX	NORTH PLATTE NE	UP	MINIDOKA ID																																																																																				
NORTH PLATTE NE UP ROSEVILLE CA NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FCWORTH TX	NORTH PLATTE NE	UP	PINEBLUFF AR																																																																																				
NORTH PLATTE NE UP SIOUX CITY IA NORTH PLATTE NE UP SLCITY ROPER UT NORTH PLATTE NE UP WEST COLTON CA ODEM_TX UP FOWORTH TX	NORTH PLATTE NE	IIP	POSEVILLE CA																																																																																				
NORTH PLATTE NE UP SLOUX CHT PLAT NORTH PLATTE NE UP SLOUX CHT PLAT NORTH PLATTE NE UP WEST COLTON CA ODEM TX UP FUNORTH TX	NORTH PLATTE NS	TIP	SIOUX CTTY IA																																																																																				
NORTH PLATTE NE UP WEST COLTON CA	NORTH PLATTE NE	UP	SLCITY ROPER UT																																																																																				
ODEM TX UP FIWORTH TY	NORTH PLATTE NE	UP	WEST COLTON CA																																																																																				
	ODEM TX	UP	FIWORTH TX																																																																																				

OPERATING PLAN Attachment 13-3 Page 4 of 8
Terminal	Yard	Block Name
ODEM TX	UP	N LIT ROCK AR
OKLA CITY OK	UP	HERINGTON KS
OKLA CITY OK	UP	KAN CITY MO
OKLA CITY OK	UP	WICHITA KS
ORANGE TX	SP	ENGLEWOOD
ORANGE TX	SP	LIVONIA LA
ORANGE TX	SP	N LIT ROCK AR
ORANGE TX	SP	SETTEGAST TX
OROVILLE CA	UP	ROSEVILLE CA
PARSONS KS	UP	PINEBLUFF AR
PHOENIX AZ	SP	HERINGTON KS
PHOENIX AZ	SP	N LIT ROCK AR
PINE BLUFF AR	SP	ANGLETON TX
PINE BLUFF AR	SP	ARLINGTON TX
PINE BLUFF AR	SP	CITY INDUSTRY CA
PINE BLUFF AR	SP	FT WORTH TX
PINE BLUFF AR	SP	LAKE CHARLES LA
PINE BLUFF AR	SP	LIVONIA LA
PINE BLUFF AR	SP	LONGVIEW TX
PINE BLUFF AR	SP	MONROE LA
PINE BLUFF AR	SP	ORANGE TX
PINE BLUFF AR	SP	REISOR LA
PINE BLUFF AR	SP	SETTEGAST TX
PINE BLUFF AR	SP	SO SAN ANTONIO TX
PINE BLUFF AR	SP	SPRING TX
POCATELLO ID	UP	FTWORTH TX
POCATELLO ID	UP	GREEN RIVER WY
POCATELLO ID	UP	PROVO UT
POCATELLO ID	UP	SLCITY ROPER UT
POCATELLO ID	UP	WEST COLTON CA
PROVISO IL	UP	C BLUFFS IA
PROVISO IL	UP	EIGHTENST KS
PROVISO IL	UP	HERINGTON KS
PROVISO IL	UP	MARTINEZ
PROVISO IL	UP	MIRA LOMA CA
PROVISO IL	UP	PHOENIX AZ
PROVISO IL	UP	SLCTTY ROPER IT
PROVO UT	SP	DENVER CO
PROVO UT	SP	WEST COLTON CA
RENO/SPARKS NV	SP	FIKO NV
RENO/SPARKS NV	SP	NPLATTE NE
ROSEVILLE CA	SP	ALBINA OR
ROSEVILLE CA	SP	ANAHEIM CA
ROSEVILLE CA	SP	CITY INDUSTRY CA
ROSEVILLE CA	SP	FIKO NV
ROSEVILLE CA	SP	ENGLEWOOD
ROSEVILLE CA	SP	GEMCO CA

OPERATING PLAN Attachment 13-3 Page 5 of 8

Terminal	Yard	Block Name
ROSEVILLE CA	SP	GREEN RIVER WY
ROSEVILLE CA	SP	HINKLE OR
ROSEVILLE CA	SP	KEDDIE CA
ROSEVILLE CA	SP	LONG BEACH CA
ROSEVILLE CA	SP	NPLATTE NE
ROSEVILLE CA	SP	OROVILLE CA
ROSEVILLE CA	SP	PHOENIX AZ
ROSEVILLE CA	SP	SAN LUIS OBISPO CA
ROSEVILLE CA	SP	SEATTLE WA
ROSEVILLE CA	SP	TUCSON AZ
SALEM IL	UP	PINEBLUFF AR
SALEM IL	UP	SALEM-CR-COLUMBUS
SALINA KS	UP	HERINGTON KS
SALINAS CA	SP	WEST COLTON CA
SALT LAKE C-ROPER	SP	ARDEN NV
SALT LAKE C-ROPER	SP	BRIGHAM CITY UT
SALT LAKE C-ROPER	SP	CHEYENNE WY
SALT LAKE C-ROPER	SP	FLKO NV
SALTLAKE C-ROPER	SP	EVANSTON WY
SALTLAKE C-ROPER	SP	GREEN RIVER WY
SALTLAKE C-ROPER	SP	HINKIE OR
SALTIAKE C-ROPER	SD	KANSAS CITV-NS
SALT LAKE C-ROPER	CD	I VINDVI IT
SALTIAKE C-ROPER	SD	MILEOPD IT
SALTLAKE C-ROPER	SP	MOADA NV
SALT LAKE C-ROPER	SF	NIDI ATTE NE
SALTIAKE CROPER	SD	POCATELLO ID
SALTLAKE C DODED	SP	WEST COLTONI CA
SALTLAKE C DODED	SP	WEST COLTON CA
SALT LAKE C-ROPER	SP	IERMU CA
SALI LAKE CITY UI	OP	SLCITY ROPER UT
SAN ANIONIO IX	SP	BLOOMINGTON TX
SAN ANTONIO IX	SP	BROWNSVILLE TX
SAN ANIONIO IX	SP	CORPUS CHRISTI TX
SAN ANTONIO TX	SP	FT WORTH TX
SAN ANTONIO IX	SP	LIVONIALA
SAN ANTONIO TX	SP	N LITTLE ROCK AR
SAN ANTONIO TX	SP	ODEM TX
SAN ANTONIO TX	SP	SAN MARCOS TX
SAN ANTONIO TX	SP	SETTEGAST TX
SAN ANTONIO TX	SP	SO SAN ANTONIO TX
SAN ANTONIO TX	SP	SPRING TX
SAN ANTONIO TX	SP	TAYLOR TX
SAN ANTONIO TX	SP	TEXAS CEMENT TX
SETTEGAST TX	UP	BROWNSVILLE TX
SETTEGAST TX	UP	CHICAGO-BRC
SETTEGAST TX	UP	COR CHRISTI TX
SETTEGAST TX	UP	CORSICANA TX

OPERATING PLAN Attachment 13-3 Page 6 of 8

Terminal	Yard	Block Name
SETTEGAST TX	UP	DALLAS TX
SETTEGAST TX	UP	ENGLEWCOD
SETTEGAST TX	UP	HEARNE TX
SETTEGAST TX	UP	NPLATTE NE
SETTEGAST TX	UP	SALEM-CR-AVON
SETTEGAST TX	UP	SALEM-CR-CONWAY
SETTEGAST TX	UP	STRANG TX
SHREVEPORT LA	UP	N LIT ROCK AR
SHREVEPORT LA	UP	RODEMACHER LA
SHREVEPORT LA	UP	SETTEGAST TX
SO SAN ANTONIO TX	UP	SAN ANTONIO TX
SPRING TX	UP	CHICAGO-BRC
SPRINGFLD IL	SP	CHICAGO-BRC
STOCKTON CA	UP	BAKERSFIELD CA
STOCKTON CA	UP	FRESNO CA
STOCKTON CA	UP	ROSEVILLE CA
STOCKTON CA	UP	WEST COLTON CA
STPAUL MN	UP	BUTLER WI
STRANG TX	SP	LIVONIA LA
STRANG TX	SP	N LIT ROCK AR
STRANG TX	SP	SALEM-CR-AVON
STRANG TX	SP	SALEM-CR-CONWAY
STRANG TX	SP	SETTEGAST TX
TAYLOR TX	UP	EIGHTENST KS
TEXARKANA AR	UP	HOPE AR
TEXARKANA AR	UP	MT PLEASANT TX
TEXARKANA AR	UP	SALEM-CR-COLUMBUS
TEXARKANA AR	UP	SALEM-CR-SELKIRK
TUCSON AZ	SP	CITY INDUSTRY CA
TUCSON AZ	SP	HERINGTON KS
TUCSON AZ	SP	MIRA LOMA CA
TUCSON AZ	SP	N LIT ROCK AR
TUCSON AZ	SP	SPRING TX
TUCSON AZ	SP	YUMA AZ
VILLA GROVE IL	UP	PINEBLUFF AR
W CHICAGO IL	UP	CHICAGO-BRC
WARM SPRINGS CA	SP	ALBINA OR
WEST COLTON CA	SP	ARDEN NV
WEST COLTON CA	SP	ARLINGTON CA
WEST COLTON CA	SP	DENVER CO
WEST COLTON CA	SP	FTWORTH TX
WEST COLTON CA	SP	HERINGTON KS
WEST COLTON CA	SP	LIVONIA LA
WEST COLTON CA	SP	MILPITAS CA
WEST COLTON CA	SP	MIRA LOMA CA
WEST COLTON CA	SP	MONTCLAIR CA
WEST COLTON CA	SP	NITT BOCK AD
The stores of th	b.l.s	

OPERATING PLAN Attachment 13-3 Page 7 of 8

Terminal	Yard	Block Name	
WEST COLTON CA	SP	NPLATTE NE	
WEST COLTON CA	SP	OAKLAND CA	
WEST COLTON CA	SP	POCATELLO ID	
WEST COLTON CA	SP	PROVO UT	
WEST COLTON CA	SP	SETTEGAST TX	
WEST COLTON CA	SP	SLCITY ROPER UT	
WEST COLTON CA	SP	YERMO CA	
WICHITA KS	UP	HERINGTON KS	
YARD CENTER IL	UP	PINEBLUFF AR	
YARD CENTER IL	UP	SETTEGAST TX	
YUMA AZ	SP	LONG BEACH CA	
YUMA AZ	SP	TUCSON AZ	

OPERATING PLAN Attachment 13-3 Page 8 of 8

5

Road	Terminal	State	Change In Avg. Cars Switched Per Day (Loaded & Empty)
UP	Adams	WI	-13
UP	Alexandria	LA	-100
UP	Altoona	WI	-3
SP	Amarillo	TX	77
UP	Amelia	TX	-196
UP	Angleton	TX	-145
UP/SP	Avondale	LA	-477
SP	Bakersfield	CA	25
UP/SP	Baytown	TX	3
UP/SP	Beaumont	TX	-41
UP	Beverly (Cedar Rapids)	IA	-35
UP	Bloomington	TX	93
SP	Bloomington	IL	-19
UP/SP	Brownsville	TX	25
UP	Butler	WI	0
UP	Cheyenne	WY	-74
UP	Chicago-Canal St	TL.	199
UP	Chicago-Global I & II	IL	266
UP	Chicago-Proviso Yd	IL	-357
UP	Chicago-Yard Center	IL	-11
UP/SP	City of Industry	CA	-153
UP	Clinton	IA	1
UP	Coffeyville	KS	-6
UP/SP	Corpus Christi	TX	-134
UP	Council Bluffs	IA	-158
SP	Dalhart	TX	-40
UP/SP	Dallas	TX	-128
UP/SP	Denver	СО	67
UP	Des Moines	IA	128
UP/SP	East St Louis-Valley Jct	IL	-578
UP/SP	El Paso	TX	150
UP	El Reno	OK	18
UP	Elko	NV	-26
SP	Eugene	OR	-201
SP	Fresno	CA	18

Changes In Cars Switched Per Day At Terminals

OPERATING PLAN Attachment 13-4 Page 1 of 3

Road	Terminal	State	Change In Avg. Cars Switched Per Day (Londed & Empty)
UP/SP	Ft Worth	TX	303
SP	Grand Jct	CO	17
UP	Green River	WY	21
UP/SP	Harlingen	TX	-37
SP	Hearne	TX	-126
SP	Herington	KS	400
UP	Hinkle	OR	249
UP/SP	Houston	TX	269
UP	Itaska	WI	-7
UP	Kansas City - Neff Yd	MO	-321
UP/SP	Kansas City-18 St/Armordale	KS	-330
SP	Klamath Falls	OR	_4
SP	Lafayette	LA	-48
SP	Lake Charles	LA	102
UP	Laredo	TX	-23
UP	Lathrop	CA	98
UP	Livonia	LA	304
UP	Longview	TX	-10
UP/SP	Los Ang-Inland Empire	CA	740
UP/SP	Los Angeles	CA	-125
UP	Mankato	MN	-8
UP	Marshalltown	IA	-75
UP	Mason City	IA	-58
UP	Memphis	TN	87
UP	Mesquite	TX	72
UP	Milpitas	CA	-17
UP	Muskogee	OK	-5
UP	North Little Rock	AR	91
UP	North Platte	NE	-262
UP/SP	Oakland	CA	144
UP	Ogden	UT	-351
UP	Oklahoma City	OK	17
SP	Orange	TX	-55
UP	Parsons	KS	-18
SP	Phoenix	AZ	82

Changes In Cars Switched Per Day At Terminals

OPERATING PLAN Attachment 13-4 Page 2 of 3

Road	Terminal	State	Change In Avg. Cars Switched Per Day (Loaded & Empty)
SP	Pine Bluff	AR	233
UP	Pocatello	ID	9
UP	Portland-Albina	OR	79
UP	Portland-Barnes	OR	-38
UP/SP	Provo	UT	9
SP	Pueblo	со	-89
UP	Reisor	LA	57
SP	Roseville	CA	565
UP/SP	Sacramento	CA	-22
UP	Salina	KS	11
SP	Salt Lake - Roper Yard	UT	-441
UP	Salt Lake City - UP Yard	UT	-359
UP/SP	San Antonio	TX	-154
UP	Seattle	WA	142
UP/SP	Shreveport	LA	-109
UP	Sioux City	IA	19
SP	Sparks	NV	15
UP	St Paul	MN	22
UP/SP	Stockton	CA	-66
SP	Strang	TX	-10
UP	Taylor	TX	-19
UP/SP	Texarkana	TX	99
UP/SP	Topeka	KS	24
SP	Tucson	AZ	-64
UP	Van Buren	AR	2
SP	Warm Springs	CA	-14
SP	West Colton	CA	164
UP	Yermo	AZ	-231

Changes In Cars Switched Per Day At Terminals

OPERATING PLAN Attachment 13-4 Page 3 of 3

Segment				Adj. 1994 Base Trns/Day			Post-Merger Trns/Day			Change in # of
From Station	To Station	Road	Miles	Psgr.	Frot.	Total	Paar	Frat	Total	Change in # of
Chicago-Proviso IL	West Chicago IL	UP	15	47	45	92	A7	11gt	TOTAL	Irns/Day
West Chicago IL	Geneva IL	UP	6	34	44	79	34	59	106	14
Geneva IL	Nelson IL	UP	69	0	44	44	34	38	93	14
Nelson IL	Clinton IA	UP	34	0	44	44	0	38	58	14
Clinton IA	Beverly IA	UP	81	0	43	44	0	48	48	4
Beverly IA	Marshalltown IA	UP	65	0	43	43	0	48	48	5
Marshalltown IA	Kansas City Jct. IA	UP	30	0	44	44	0	49	49	5
Kansas City Jct. IA	Ames Jct. IA	UP	7	0	40	40	0	49	49	4
Ames Jct. IA	Boone IA	UP	13	0	44	44	0	50	50	7
Boone IA	Grand Jct. IA	UP	20	0	30	41	0	48	48	8
Grand Jct. IA	Missouri Valley IA	UP	104	0	37	39	0	46	46	8
Missouri Valley IA	Council Bluffs IA	UP	20	0	37	37	0	45	45	8
Missouri Valley IA	California Jct. IA	LIP	6	0	20	20	0	18	18	-2
California Jct. IA	Fremont NE	LIP	31	0	29	29	0	37	37	9
West Chicago IL	Rockford IL	LIP	67	0	23	23	0	31	31	9
Nelson IL	Buda II.	LID	03	0	2	2	0	1	1	-1
Buda II.	Peoria Ict II	UP	34	0	0	6	0	16	16	10
Peoria Jct. IL	Barr II	UP	40	0	6	6	0	6	6	0
Barr IL	Monterey Ici II	UP	51	0	4	4	0	6	6	2
Barr IL	Springfield II	UP	54	0	4	4	0	0	0	4
Monterey Jct. II.	Decamo II	UP	13	0	0	0	0	3	3	3
Decamo II.	Granite City II	UP	15	0	7	7	0	2	2	-5
Granite City II	F St Louis II	UP	27	0	7	7	0	0	0	-7
Superior WI	Minneapolis MOI	UP	3	0	2	2	0	0	0	-2
South St. Paul MN	Albert Leo MAL	UP	143	0	6	6	0	4	4	-2
Albert I en MN	Maron City IA	UP	96	0	7	7	0	7	7	0
Mason City IA	Chicago lot 14	UP	37	0	8	8	0	8	8	0
Chicago let 1A	Chicago Jet. IA	UP	86	0	9	9	0	7	7	-1
Des Moines IA	Des Moines IA	UP	32	0	10	10	0	8	8	.2
St Paul MAN	Kansas City MO	UP	220	0	9	9	0	9	9	ĩ
Monkato MNI	Mankato MN	UP	84	0	6	6	0	5	5	0
City IA	Sloux City IA	UP	180	0	7	7	0	7	7	0
Chicago Branico II	California Jct. IA	UP	70	0	8	8	0	8	8	0
Inicago-Froviso IL	Norma IL	UP	11	0	37	37	0	37	37	0
vorma IL	Seeger IL	UP	1	0	5	5	0	4	4	0
eeger II.	Harvard IL	UP	42	51	7	58	51	6	57	-1
larvard IL	Janesville WI	UP	26	0	7	7	0	6	5	-1
anesville WI	Madison WI	UP	43	0	2	2	0	1	0	-1
forma IL	Valley IL	UP	10	0	13	13	0	14	14	-!
alley IL	Tower KO IL	UP	8	0	14	14	0	14	14	
ower KO IL	K D Jet. WI	UP	22	0	14	14	0	14	14	0

UP Train Densities

Segment				Adj. 1994 Base Trns/Day			Post-Merger Trns/Day			Change in # of
From Station	To Station	Road	Miles	Psgr.	Frgt.	Total	Psgr.	Frgt.	Total	Trns/Day
K D Jct. W!	St. Francis WI	UP	28	0	11	11	0	11	11	0
St. Francis WI	Milwaukee/Butler WI	UP	15	0	12	12	0	11	11	-1
Tower KO IL	Lake Bluff IL	UP	2	0	2	2	0	3	3	i
Lake Bluff IL	Waukegan IL	UP	6	50	4	54	50	4	54	÷
Waukegan IL	Kenosha WI	UP	16	20	4	24	20	2	22	.1
Kenosha WI	Oak Creek WI	UP	21	0	4	4	0	3	3	-1
Oak Creek WI	St. Francis WI	UP	7	0	4	4	0	3	3	-1
Milwaukee/Butler WI	Granville WI	UP	12	0	2	2	0	2	2	0
Milwaukee/Butler WI	Sheboygan WI	UP	53	0	2	2	0	2	2	0
Milwaukee/Butier WI	Clyman Jct. WI	UP	39	0	5	5	0	5	5	0
Clyman Jct. WI	Necedah WI	UP	87	0	5	5	0	ŝ	5	0
Necadah WI	Wisconsin Rapids WI	UP	38	0	7	7	0	7	7	0
Necedah WI	Wyeville WI	UP	16	0	7	7	0	7	7	0
Wyeville WI	Winona MN	UP	78	0	2	2	0	2	2	0
Wyeville WI	Altoona Jct. WI	UP	81	0	5	5	0	ŝ	ŝ	0
Wisconsin Rapids WI	Hayward Jct. WI	UP	158	0	2	2	0	3	3	0
Hayward Jct. WI	South Itasca WI	UP	50	0	2	2	0	3	3	0
Altoona Jct. WI	Menomonie Jct. WI	UP	26	0	10	10	0	10	10	0
Menomonie Jct. WI	Lakeland Jct. WI	UP	43	0	10	10	0	10	10	0
Lakeland Jct. MN	East St. Paul MN	UP	17	0	8	8	0	8	8	0
North Green Bay WI	Oconto WI	UP	28	0	2	2	0	2	2	0
Oconto WI	Powers MI	UP	62	0	2	2	0	2	2	0
Powers MI	Escanaba WI	UP	22	0	2	2	0	2	2	0
Escanaba WI	Partridge Jct. MI	UP	60	0	6	6	0	6	6	0
Partridge Jct. MI	Eagle Mills Jct. WI	UP	1	0	2	2	0	2	2	0
Crawford NE	Dakota Jct. NE	UP	5	0	1	1	0	ĩ	1	0
Dakota Jct. NE	Chadron NE	UP	23	0	1	i	0	i	i	0
Dakota Jct. NE	Rapid City SD	UP	97	0	1	i	0	i	i	0
Rapid City SD	Colony WY	UP	78	0	5	5	0	ŝ	ŝ	0
South Morrill NE	Bill WY	UP	145	0	41	41	0	41	41	0
Council Bluffs IA	Valley NE	UP	27	0	38	38	0	36	36	-2
Valley NE	Fremont NE	UP	11	0	38	38	0	36	36	.2
Fremont NE	Gibbon NE	UP	136	0	61	61	Ő	68	68	-2
Gibbon NE	North Platte NE	UP	111	0	105	105	0	107	102	2
North Platte NE	South Morrill NE	UP	174	0	40	40	0	30	30	3
North Platte NE	Chevenne WY	UP	259	0	64	64	0	66	55	-1
Cheyenne WY	Rawlins WY	UP	172	1	59	60	1	66	67	2
Rawlins WY	Green River WY	UP	134	1	58	58	i	64	65	7
Green River WY	Granger WY	UP	30	i	58	50	i	65	66	7
Granger WY	McCammon ID	UP	192	0	24	24	0	21	21	2

UP Train Densities